

This Safety Data Sheet cancels and replaces all preceding SDS for this product.

1 IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

050001 106473

NATURAL & ARTIFICIAL FLAVOR (KENTUCKY BOURBON TYPE)

© Firmenich product

1.2 Relevant identified uses of the substance or mixture and uses advised against

Concentrated aromatic raw material.

Not for personal use in this form or concentration.

For manufacturing use only.

1.3 Details of the supplier of the safety data sheet

Colin McIntosh, PhD; Chemist

Firmenich Inc.

P.O. Box 5880

Princeton - New Jersey 08543 - USA

colin.mcintosh@firmenich.com

Tel.:+1.609.452.10.00 - Fax.:+1.609.275.72.38

1.4 Emergency telephone number

FOR INFORMATION OR IN AN EMERGENCY CALL CHEMTREC @ 1-800-424-9300 or 1-703-527-3887.

2 HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

2.1.1 Classification according to Regulation (EC) N° 1272/2008 [CLP/GHS]

Flammable Liquid - Cat. 3

Skin Sensitization - Cat. 1

WARNING: CONTAINS VOLATILE FLAVORING CHEMICALS: BREATHING THESE CHEMICALS USH99

IN THE WORKPLACE MAY LEAD TO SEVERE LUNG DAMAGE.

2.1.2 Classification according to 67/548/EEC or 1999/45/EC

Symbols:

Reference:

Flammable

Xi Irritant

6496497

Risks Phrases:

R10 Flammable.

R43 May cause sensitization by skin contact.

2.1.3 Additional information

US

Full text of R- and S-phrases: see section 16

Date of printing: 25-MAY-2011
Product: 050001 106473 - NATURAL & ARTIFICIAL FLA

Revised on: 01-Dec-2010 / v 6.1

Page 1 / 10



This Safety Data Sheet cancels and replaces all preceding SDS for this product.

2.2 Label elements

Hazard pictograms:





Signal Word:

Warning

Hazard Statements:

H226 Flammable liquid and vapour. H317 May cause an allergic skin reaction.

Precautionary Statements:

P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P272 Contaminated work clothing should not be allowed out of the workplace.

P240 Ground/bond container and receiving equipment.
P241 Use rated explosion-proof electrical equipment.

P242 Use only non-sparking tools.

Hazard Inducers:

Benzaldehyde, 4-hydroxy-3-methoxyethyl acetate

ethyl formate

1-Butanol, 3-methyl-

2.3 Other hazards

WARNING: CONTAINS VOLATILE FLAVORING CHEMICALS; BREATHING THESE CHEMICALS IN THE WORKPLACE MAY LEAD TO SEVERE LUNG DAMAGE.

3 COMPOSITION/INFORMATION ON INGREDIENTS

Mixture of aromatic substances.

6496497

Contains:

Reference:

US

Revised on : 01-Dec-2010 / v 6.1
Date of printing : 25-MAY-2011

Product: 050001 106473 - NATURAL & ARTIFICIAL FLA

Page 2 / 10



This Safety Data Sheet cancels and replaces all preceding SDS for this product.

1.0 - 2.5% Benzaldehyde, 4-hydroxy-3-methoxy-

N° CAS: 0000121-33-5 / N° EINECS: 204-465-2

Classification: Xi - R43 GHS Classification:

Skin Sensitization - Cat. 1

1.0 - 2.5% ethyl acetate

N° CAS: 0000141-78-6 / N° EINECS: 205-500-4

Classification: F Xi - R36,R67,R66,R11

GHS Classification: Eye Irritation - Cat.2

Specific Target Organ Toxicity - Single Exposure - Cat. 3 Narcotic Effects

1.0 - 2.5% ethyl formate

N° CAS : 0000109-94-4 / N° EINECS: 203-721-0

Classification: F Xn - R20/22,R36/37,R11

GHS Classification:

Acute Toxicity (inhalation) - Cat. 4 Acute Toxicity (oral) - Cat. 4

Eye Irritation - Cat.2

Specific Target Organ Toxicity - Single Exposure - Cat. 3 Respiratory Irritation

4 FIRST-AID MEASURES

4.1 Description of first aid measures

General information:

As in all cases of potential poisoning, Obtain medical advice immediately.

In case of eye contact:

In the event of contact with the eyes, irrigate with water for at least 15 minutes; obtain medical advice if irritation persists.

In case of inhalation:

In the event of exposure to vapors, immediately remove from the area to a fresh air environment. Individuals showing evidence of inhalation exposure should be taken to an uncontaminated area. Obtain medical advice immediately.

In case of skin contact:

Remove contaminated clothes. Wash skin with large volumes of water.

If irritation persists, or any sign of tissue damage is apparent, obtain medical advice immediately.

In case of ingestion:

Reference:

US

In the event of accidental ingestion, rinse mouth with water. Give up to one tumbler (half pint) of milk or water.

Obtain medical advise immediately.

6496497

Do not induce vomiting, obtain medical advise immediately.

4.2 Most important symptoms and effects, both acute and delayed

No information available on the product itself.

4.3 Indication of immediate medical attention and special treatment needed

Revised on: 01-Dec-2010 / v 6.1 Date of printing: 25-MAY-2011

Product: 050001 106473 - NATURAL & ARTIFICIAL FLA

Page 3 / 10



This Safety Data Sheet cancels and replaces all preceding SDS for this product.

None known.

5 FIRE-FIGHTING MEASURES

5.1 Extinguishing media

In the event of fire, adequate extinguishers should be used. Avoid inhalation of smoke and fumes. In case of insufficient ventilation, wear suitable respiratory equipment.

Cool fire exposed containers with water spray.

Extinguishing media: Foam, carbon dioxide or dry chemical.

5.2 Special hazard arising from the substance or mixture

Closed containers may build up pressure if exposed to heat (fire). Vapors form explosive mixtures with air and may travel to a source of ignition and flash back.

5.3 Advice for fire-fighters

No specific advice.

6 ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel:

Adequate protective gloves should be worn when handling spillages. No smoking. Avoid naked flames or other potential sources of ignition (eg. electrical equipment).

Avoid skin contamination and inhalation of vapour.

Individual washing routines should be followed after any potential contact.

Ensure adequate ventilation in working areas following accidental releases.

For emergency personnel:

Apply the same recommendations as section 6.1

6.2 Environmental precautions

Do not discharge directly into drains, air, into soil or into the aquatic environment.

6.3 Methods and material for containment and cleaning up

For containment:

Eliminate all sources of ignition. Leaking containers should be removed to a well ventilated area if possible to do safely. If not, dike around container to limit spread of spill, leak. If spill/leak is small, clean up with standard absorbents (sand, vermiculite, etc.). Wear rubber gloves. Avoid contact with skin. If skin contact occurs, wash liberally with soap and water. See Section VI above. If large leak/spill, call HAZMAT Team.

Vapors may cause vomiting and nausea. Wear appropriate respiratory protection.

For cleaning-up:

Spillages should be disposed of in accordance with Governmental Regulations.

7 HANDLING AND STORAGE

US

Reference:

7.1 Precautions for safe handling

Avoid contact with skin and eves.

6496497

Wear adequate protective gloves protection and eye/face protection.

No smoking. Avoid any sources of ignition.

Avoid exposing to high temperature during processing.

Revised on : 01-Dec-2010 / v 6.1 Date of printing : 25-MAY-2011 Product : 050001 106473 - NATURAL & ARTIFICIAL FLA

Page 4 / 10



This Safety Data Sheet cancels and replaces all preceding SDS for this product.

Do not ingest or apply to the skin as such. Good personal washing routines should be followed. Maintain adequate local and general ventilation where product is handled.

7.1.1 Protective measures

Keep strict control of dust accumulation to a minimum. Maintain adequate local and general ventilation where product is handled. Avoid any sources of ignition.

7.1.2 Advice on general occupational hygiene

Good personal washing routines should be followed.

7.2 Conditions for safe storage, including any incompatibilities

It is good general practice to store in closed, preferably full, containers away from heat sources, and protected from extremes of temperature. Do not re-use the empty container. Respect generals rules for compatibility storage.

7.3 Specific end use(s)

Not available at this time.

8 EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

0000141-78-6: ETHYL ACETATE (All forms)
NIOSH Recommended Exposure Limits (1994-JUN)
TWA (1994-JUN): 400 ppm, 10 hours (All forms)
TWA (1994-JUN): 1400 mg/m3, 10 hours (All forms)

0000109-94-4: ETHYL FORMATE (All forms)
NIOSH Recommended Exposure Limits (1994-JUN)
TWA (1994-JUN): 100 ppm, 10 hours (All forms)
TWA (1994-JUN): 300 mg/m3, 10 hours (All forms)

0000141-78-6 : Ethyl acetate (All forms) ACGIH Threshold Limit Values (1996-MAY)

TWA (1996-MAY): 400 ppm, 8 hours (All forms) TWA (1996-MAY): 1440 mg/m3, 8 hours (All forms)

0000141-78-6 : Ethyl acetate (All forms)

OSHA Permissible Exposure Limits (1989-MAR) TWA (1989-MAR): 400 ppm, 8 hours (All forms) TWA (1989-MAR): 1400 mg/m3, 8 hours (All forms)

0000141-78-6 : Ethyl acetate (All forms)

OSHA Permissible Exposure Limits, Table Z-1 Limits for Air Contaminants (1993-JUN)

TWA (1993-JUN) : 400 ppm , 8 hours (All forms) TWA (1993-JUN) : 1400 mg/m3 , 8 hours (All forms)

0000109-94-4: Ethyl formate (All forms) ACGIH Threshold Limit Values (1994-SEP)

TWA (1994-SEP) : 100 ppm , 8 hours (All forms) TWA (1994-SEP) : 303 mg/m3 , 8 hours (All forms)

Product: 050001 100473 - NATURAL & ARTIFICIAL FLA

Page 5 / 10



This Safety Data Sheet cancels and replaces all preceding SDS for this product.

0000109-94-4 : Ethyl formate (All forms)

OSHA Permissible Exposure Limits (1989-MAR) TWA (1989-MAR): 100 ppm, 8 hours (All forms) TWA (1989-MAR): 300 mg/m3, 8 hours (All forms)

0000109-94-4 : Ethyl formate (All forms)

OSHA Permissible Exposure Limits, Table Z-1 Limits for Air Contaminants (1993-JUN)

TWA (1993-JUN): 100 ppm, 8 hours (All forms) TWA (1993-JUN): 300 mg/m3, 8 hours (All forms)

0000121-33-5 : Vanillin (All forms)

AIHA Workplace Environmental Exposure Levels (2009-JAN)

TWA (2009-JAN): 10 mg/m3, 8 hours (All forms)

8.2 Exposure controls

Avoid exposing to high temperature during processing.

Maintain adequate local and general ventilation where product is handled.

8.2.1 Appropriate engineering controls

Maintain adequate local and general ventilation where product is handled and dispensed.

8.2.2 Environmental exposure controls

Not available at this time. Minimize release to the environment.

8.3 Personal protection

Reference:

US

Respiratory protection: Breathing of the vapors or dust particles may be hazardous. In the absence of appropriate engineering controls such as spot ventilation, ventilated enclosures, etc., workers should avail themselves of the appropriate NIOSH approved respiratory protection.

Hand protection: Adequate Protective Gloves should be worn.

Eye protection: Adequate safety glasses should be used.

Skin protection: Wear protective clothing, overall if necessary to limit the odour contamination of personal

clothing. Individual washing routines should be followed after any potential contact.

9 PHYSICAL AND CHEMICAL PROPERTIES

6496497

9.1 Information on basic physical and chemical properties

Appearance : LIQUID
Colour : Not available

Odour : Characteristic strong odour

according to the commercial description of the substance.

pH: Not available Melting point/range (°C): Not available Initial boiling point/range (°C): Not available

Flash point (closed cup): = 84 Fahrenheit (= 29 Centigrade)

Evaporation rate : Not available Flammability (solid/gas) : Not available

Date of printing: 25-MAY-2011
Product: 050001 106473 - NATURAL & ARTIFICIAL FLA

Revised on: 01-Dec-2010 / v 6.1

Page 6 / 10



This Safety Data Sheet cancels and replaces all preceding SDS for this product.

Upper/lower flammability or explosive Not available

limits:

Vapor pressure (At 20°C in mm Hg)

Calculated vapor pressure (At 20°C

in mm Hg):

Vapour density: Not available Relative density (d 20/20): Not available Water solubility (20°C): Not applicable Partition coef. (n-octanol/water): Not applicable Not available Auto-ignition temperature (°C): Decomposition temperature: Not available Viscosity: Not available Explosive properties: Not available Oxidizing properties: Not available

VOC Content less than: 11%

10 STABILITY AND REACTIVITY

10.1 Reactivity

No reaction known with water.

10.2 Chemical stability

Presents no significant reactivity hazard. Normally stable even at elevated temperatures and pressures. Avoid temperatures above or near to the flash point. Not pyrophoric nor reactive with water. Does not undergo explosive decomposition, is shock stable, and is not an oxygen donor. Does not form explosive mixtures with other organic materials. Will not undergo hazardous exothermic polymerization.

10.3 Possibility of hazardous reactions

Not known.

10.4 Conditions to avoid

Avoid temperatures above or at least 5 °C below flash point for any flammable liquids.

Do not heat closed containers.

Avoid contact with oxidizing agents.

10.5 Incompatible materials

Avoid strong oxidizing agents.

10.6 Hazardous decomposition products

6496497

Contact with water or storage under recommended conditions for one year should not produce dangerous decomposition products.

11 TOXICOLOGICAL INFORMATION

Reference:

US

This preparation has not been subjected to toxicological testing as an entity but has been blended from materials with established toxicological bibliographies. In view of the difficulty of using current standard toxicological evaluation techniques to predict potential hazards to susceptible individuals or arising from unforeseeable potentiation, this preparation should be considered and handled as if it displayed health hazards and treated in consequence with all possible precaution.

Date of printing: 25-MAY-2011

Revised on: 01-Dec-2010 / v 6.1

Product: 050001 106473 - NATURAL & ARTIFICIAL FLA

7 / 10 Page



This Safety Data Sheet cancels and replaces all preceding SDS for this product.

12 ECOLOGICAL INFORMATION

This preparation has not been subjected to ecotoxicological testing as an entity. In view of the difficulty of using current standard ecotoxicological evaluation techniques to predict the impact of particular modes of release on vulnerable or localised parts of the ecosystem, this preparation should be considered and handled as if it displayed potential environmental hazards, and treated in consequence with all possible precaution.

13 DISPOSAL CONSIDERATIONS

Empty all containers using a two stage pumping system or draining until no free liquid remains Minimize release to the environment.

14 TRANSPORT INFORMATION

In case of accidental spillage or fire during transport, refer to instructions given under points 5, 6, 7 and 8 above.

14.1 UNO

UN-No: 1197

Proper Shipping Name: EXTRACTS, FLAVOURING, LIQUID

Class: 3 Packing Group: III

14.2 Land transport (ADR/RID)

UN-No: 1197

Proper Shipping Name: EXTRACTS, FLAVOURING, LIQUID

Class: 3 Packing group: III

14.3 Sea transport (IMDG-Code)

UN-No: 1197

Proper Shipping Name: EXTRACTS, FLAVOURING, LIQUID

Class: 3 Packing group: III

14.4 Air transport (ICAO-IATA)

UN-No: 1197

6496497

Proper Shipping Name: EXTRACTS, FLAVOURING, LIQUID

Class: 3 Packing group: III

15 REGULATORY INFORMATION

Reference:

US

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

Date of printing: 25-MAY-2011
Product: 050001 106473 - NATURAL & ARTIFICIAL FLA

Revised on: 01-Dec-2010 / v 6.1

Product: 050001 106473 - NATURAL & ARTIFICIAL FL

Page 8 / 10



This Safety Data Sheet cancels and replaces all preceding SDS for this product.

NFPA Hazard Classification Health: 2

Flammability: 3 Reactivity: 0

This mixture contains no toxic chemical or chemicals subject to reporting requirements of Section 313 of Title III of the Superfund Amendements and Reauthorization Act of 1986 and 29 CFR Part 1910.1200.

15.2 Chemical Safety Assessment

No data available at this time.

16 OTHER INFORMATION

16.1 Revisions

01-Dec-2010: Version 1.0 - First version validated for publication

16.2 Key literature references

RIFM database OECD SIDS EU IUCLID

Supplier information

16.3 Risk & Safety Phrases used under section 2

R10	Flammable.

R43 May cause sensitization by skin contact.

S16 Keep away from sources of ignition - No smoking.

S24 Avoid contact with skin. S37 Wear suitable gloves.

P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P272 Contaminated work clothing should not be allowed out of the workplace.

P240 Ground/bond container and receiving equipment.
P241 Use rated explosion-proof electrical equipment.

P242 Use only non-sparking tools.

P243 Take precautionary measures against static discharge.

P280 Wear protective gloves/protective clothing/eye protection/face protection.
P303+P361+P353 IF ON SKIN (or hair): Remove immediately all contaminated clothing. Rinse

skin with water/shower.

P302+P352 IF ON SKIN: Wash with plenty of soap and water.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
P370+P378 In case of fire: Use appropriate fire extinguishers for fire control.

P363 Wash contaminated clothing before reuse.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P235 Keep cool.

16.4 Risk Phrases used under section 3

Page 9 / 10



This Safety Data Sheet cancels and replaces all preceding SDS for this product.

R11 Highly flammable.

R20/22 Harmful by inhalation and if swallowed.

R36 Irritating to eyes.

6496497

Reference:

US

R36/37 Irritating to eyes and respiratory system.
R43 May cause sensitization by skin contact.

R66 Repeated exposure may cause skin dryness or cracking.

R67 Vapours may cause drowsiness and dizziness.

We believe that the information contained herein is current as of the date of this Safety Data Sheet. Since the use of this information and the conditions of use of the product are not within the control of Firmenich, it is the user's obligation to determine conditions of safe use of the product.

Information contained in this document and related material is proprietary to Firmenich. Disclosure to third parties without the prior written consent of Firmenich except where required by applicable laws and regulations and/or reverse engineering are strictly prohibited.

Revised on: 01-Dec-2010 / v 6.1 Date of printing: 25-MAY-2011

Product : 050001 106473 - NATURAL & ARTIFICIAL FLA

Page 10 / 10