According to Regulation (EC) No 1907/2006 (as amended)

This Safety Data Sheet cancels and replaces all preceding SDS for this product.

#### **1 IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING**

1.1 Product identifier

050001 106951 ARTIFICIAL SEASONS GREETINGS © Firmenich product

1.2 Relevant identified uses of the substance or mixture and uses advised against

Concentrated aromatic raw material. Not for personal use in this form or concentration. For manufacturing use only.

1.3 Details of the supplier of the safety data sheet

Colin McIntosh, PhD; Chemist Firmenich Inc. P.O. Box 5880 Princeton - New Jersey 08543 - USA colin.mcintosh@firmenich.com Tel.:+1.609.452.10.00 - Fax.:+1.609.275.72.38

1.4 Emergency telephone number

FOR INFORMATION OR IN AN EMERGENCY CALL CHEMTREC @ 1-800-424-9300 or 1-703-527-3887.

#### **2 HAZARDS IDENTIFICATION**

2.1 Classification of the substance or mixture

#### 2.1.1 Classification according to Regulation (EC) Nº 1272/2008 [CLP/GHS]

Skin Sensitization - Cat. 1	H317
Eye Irritation - Cat.2	H319
WARNING: CONTAINS VOLATILE FLAVORING CHEMICALS; BREATHING THESE CHEMICALS	USH99
IN THE WORKPLACE MAY LEAD TO SEVERE LUNG DAMAGE.	7

#### 2.1.2 Classification according to 67/548/EEC or 1999/45/EC

Symbols:	
Xi	

Irritant

**Risks Phrases:** R43

May cause sensitization by skin contact.

#### 2.1.3 Additional information

Full text of R- and S-phrases: see section 16

#### 2.2 Label elements

### According to Regulation (EC) No 1907/2006 (as amended)

This Safety Data Sheet cancels and replaces all preceding SDS for this product.

#### Hazard pictograms:



Signal Word: Warning

#### **Hazard Statements:**

H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.

#### **Precautionary Statements:**

P261	Avoid breathing dust/fume/gas/mist/vapours/spray.
P264	Wash thoroughly after handling.
P272	Contaminated work clothing should not be allowed out of the workplace.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P302+P352	IF ON SKIN: Wash with plenty of soap and water.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact
	lenses, if present and easy to do. Continue rinsing.

#### Hazard Inducers:

Benzaldehyde, 4-Hydroxy-3-Methoxy-Ethyl Acetate Butyric Acid Ethyl Formate

#### 2.3 Other hazards

WARNING: CONTAINS VOLATILE FLAVORING CHEMICALS; BREATHING THESE CHEMICALS IN THE WORKPLACE MAY LEAD TO SEVERE LUNG DAMAGE.

#### **<u>3 COMPOSITION/INFORMATION ON INGREDIENTS</u>**

Mixture of aromatic substances.

Contains :

### According to Regulation (EC) No 1907/2006 (as amended)

This Safety Data Sheet cancels and replaces all preceding SDS for this product.

2.5 - 5.0%	Benzaldehyde, 4-hydroxy-3-methoxy- N° CAS : 0000121-33-5 / N° EINECS: 204-465-2 Classification: Xi - R43 GHS Classification: Skin Sensitization - Cat. 1
1.0 - 2.5%	ethyl acetate N° CAS : 0000141-78-6 / N° EINECS: 205-500-4 Classification: F Xi - R36,R67,R66,R11 GHS Classification: Eye Irritation - Cat.2 Specific Target Organ Toxicity - Single Exposure - Cat. 3 Narcotic Effects
1.0 - 2.5%	ethyl lactate N° CAS : 0000097-64-3 / N° EINECS: 202-598-0 Classification: Xi - R37,R41,R10 GHS Classification: Eye Damage - Cat.1 Specific Target Organ Toxicity - Single Exposure - Cat. 3 Respiratory Irritation

#### **4 FIRST-AID MEASURES**

4.1 Description of first aid measures

General information:

As in all cases of potential poisoning, Obtain medical advice immediately.

In case of eye contact:

In the event of contact with the eyes, irrigate with water for at least 15 minutes; obtain medical advice if irritation persists.

In case of inhalation:

In the event of exposure to vapors, immediately remove from the area to a fresh air environment. Individuals showing evidence of inhalation exposure should be taken to an uncontaminated area. Obtain medical advice immediately.

In case of skin contact:

Remove contaminated clothes. Wash skin with large volumes of water. If irritation persists, or any sign of tissue damage is apparent, obtain medical advice immediately.

In case of ingestion:

In the event of accidental ingestion, rinse mouth with water. Give up to one tumbler (half pint) of milk or water. Obtain medical advise immediately.

Do not induce vomiting, obtain medical advise immediately.

- 4.2 Most important symptoms and effects, both acute and delayed No information available on the product itself.
- 4.3 Indication of immediate medical attention and special treatment needed None known.

### According to Regulation (EC) No 1907/2006 (as amended)

This Safety Data Sheet cancels and replaces all preceding SDS for this product.

#### **5 FIRE-FIGHTING MEASURES**

#### 5.1 Extinguishing media

In the event of fire, adequate extinguishers should be used. Avoid inhalation of smoke and fumes. In case of insufficient ventilation, wear suitable respiratory equipment. Cool fire exposed containers with water spray.

Extinguishing media: Foam, carbon dioxide or dry chemical.

- 5.2 Special hazard arising from the substance or mixture Closed containers may build up pressure if exposed to heat (fire).
- 5.3 Advice for fire-fighters

No specific advice.

#### **6 ACCIDENTAL RELEASE MEASURES**

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel:

Adequate protective gloves should be worn when handling spillages. No smoking. Avoid naked flames or other potential sources of ignition (eg. electrical equipment).

Avoid skin contamination and inhalation of vapour.

Individual washing routines should be followed after any potential contact.

Ensure adequate ventilation in working areas following accidental releases.

For emergency personnel: Apply the same recommendations as section 6.1

#### 6.2 Environmental precautions

Do not discharge directly into drains, air, into soil or into the aquatic environment.

#### 6.3 Methods and material for containment and cleaning up

For containment:

Small spills can be wiped up with a cloth or paper. Standard absorbents can be used (saw dust, sand, vermiculite). Wear rubber gloves. Avoid contact with skin. If skin contact occurs, wash liberally with soap and water.

For cleaning-up: Spillages should be disposed of in accordance with Governmental Regulations.

#### 7 HANDLING AND STORAGE

7.1 Precautions for safe handling

Avoid contact with skin and eyes.

Wear adequate protective gloves protection and eye/face protection.

No smoking. Avoid any sources of ignition.

Avoid exposing to high temperature during processing.

Do not ingest or apply to the skin as such. Good personal washing routines should be followed.

Maintain adequate local and general ventilation where product is handled.

#### 7.1.1 Protective measures

### According to Regulation (EC) No 1907/2006 (as amended)

This Safety Data Sheet cancels and replaces all preceding SDS for this product.

Keep strict control of dust accumulation to a minimum.Maintain adequate local and general ventilation where product is handled.Avoid any sources of ignition.

#### 7.1.2 Advice on general occupational hygiene Good personal washing routines should be followed.

7.2 Conditions for safe storage, including any incompatibilities

It is good general practice to store in closed, preferably full, containers away from heat sources, and protected from extremes of temperature. Do not re-use the empty container. Respect generals rules for compatibility storage.

7.3 Specific end use(s) Not available at this time.

#### **8 EXPOSURE CONTROLS/PERSONAL PROTECTION**

#### 8.1 Control parameters

0000141-78-6 : ETHYL ACETATE (All forms) NIOSH Recommended Exposure Limits (1994-JUN) TWA (1994-JUN) : 400 ppm , 10 hours (All forms) TWA (1994-JUN) : 1400 mg/m3 , 10 hours (All forms)

0000141-78-6 : Ethyl acetate (All forms) ACGIH Threshold Limit Values (1996-MAY) TWA (1996-MAY) : 400 ppm , 8 hours (All forms) TWA (1996-MAY) : 1440 mg/m3 , 8 hours (All forms)

0000141-78-6 : Ethyl acetate (All forms)

OSHA Permissible Exposure Limits (1989-MAR) TWA (1989-MAR) : 400 ppm , 8 hours (All forms) TWA (1989-MAR) : 1400 mg/m3 , 8 hours (All forms)

0000141-78-6 : Ethyl acetate (All forms)

OSHA Permissible Exposure Limits, Table Z-1 Limits for Air Contaminants (1993-JUN) TWA (1993-JUN) : 400 ppm , 8 hours (All forms) TWA (1993-JUN) : 1400 mg/m3 , 8 hours (All forms)

#### 8.2 Exposure controls

Avoid exposing to high temperature during processing. Maintain adequate local and general ventilation where product is handled.

#### 8.2.1 Appropriate engineering controls

Maintain adequate local and general ventilation where product is handled and dispensed.

8.2.2 Environmental exposure controls

Not available at this time. Minimize release to the environment.

8.3 Personal protection

## According to Regulation (EC) No 1907/2006 (as amended)

This Safety Data Sheet cancels and replaces all preceding SDS for this product.

Respiratory protection: Breathing of the vapors or dust particles may be hazardous. In the absence of appropriate engineering controls such as spot ventilation, ventilated enclosures, etc., workers should avail themselves of the appropriate NIOSH approved respiratory protection. Hand protection: Adequate Protective Gloves should be worn. Eye protection: Adequate safety glasses should be used. Skin protection: Wear protective clothing, overall if necessary to limit the odour contamination of personal clothing. Individual washing routines should be followed after any potential contact.

#### **9 PHYSICAL AND CHEMICAL PROPERTIES**

9.1 Information on basic physical and chemical properties

Appearance : Colour : Odour :	LIQUID DARK BROWN Characteristic strong odour according to the commercial description of the substance.
pH : Melting point/range (°C) : Initial boiling point/range (°C) : Flash point (closed cup) : Evaporation rate : Flammability (solid/gas) : Upper/lower flammability or explosive limits : Vapor pressure (At 20°C in mm Hg )	Not available Not available Not available > 142 Fahrenheit (> 61 Centigrade) Not available Not available Not available
Calculated vapor pressure (At 20°C in mm Hg):	3.3
Vapour density : Relative density (d 20/20) :	Not available 1.026 - 1.074
Water solubility (20°C) : Partition coef. (n-octanol/water) : Auto-ignition temperature (°C): Decomposition temperature :	Not applicable Not applicable Not available Not available Not available
Viscosity : Explosive properties : Oxidizing properties : VOC Content less than:	Not available Not available 8%

#### **10 STABILITY AND REACTIVITY**

10.1 Reactivity

No reaction known with water.

10.2 Chemical stability

Presents no significant reactivity hazard. Normally stable even at elevated temperatures and pressures. Avoid temperatures above or near to the flash point. Not pyrophoric nor reactive with water. Does not undergo explosive decomposition, is shock stable, and is not an oxygen donor. Does not form explosive mixtures with other organic materials. Will not undergo hazardous exothermic polymerization.

### According to Regulation (EC) No 1907/2006 (as amended)

This Safety Data Sheet cancels and replaces all preceding SDS for this product.

10.3 Possibility of hazardous reactions Not known.

10.4 Conditions to avoid

Avoid temperatures above or at least 5 °C below flash point for any flammable liquids. Do not heat closed containers. Avoid contact with oxidizing agents.

10.5 Incompatible materials Avoid strong oxidizing agents.

10.6 Hazardous decomposition products

Contact with water or storage under recommended conditions for one year should not produce dangerous decomposition products.

#### **11 TOXICOLOGICAL INFORMATION**

This preparation has not been subjected to toxicological testing as an entity but has been blended from materials with established toxicological bibliographies. In view of the difficulty of using current standard toxicological evaluation techniques to predict potential hazards to susceptible individuals or arising from unforeseeable potentiation, this preparation should be considered and handled as if it displayed health hazards and treated in consequence with all possible precaution.

#### **12 ECOLOGICAL INFORMATION**

This preparation has not been subjected to ecotoxicological testing as an entity. In view of the difficulty of using current standard ecotoxicological evaluation techniques to predict the impact of particular modes of release on vulnerable or localised parts of the ecosystem, this preparation should be considered and handled as if it displayed potential environmental hazards, and treated in consequence with all possible precaution.

#### **13 DISPOSAL CONSIDERATIONS**

Empty all containers using a two stage pumping system or draining until no free liquid remains Minimize release to the environment.

#### **14 TRANSPORT INFORMATION**

In case of accidental spillage or fire during transport, refer to instructions given under points 5, 6, 7 and 8 above.

14.1 UNO

Not regulated
N/A

#### 14.2 Land transport (ADR/RID)

### According to Regulation (EC) No 1907/2006 (as amended)

This Safety Data Sheet cancels and replaces all preceding SDS for this product.

UN-No: Proper Shipping Name:	Not regulated N/A
Class:	
Packing group:	

#### 14.3 Sea transport (IMDG-Code)

UN-No:	Not regulated
Proper Shipping Name:	N/A
Class:	
Packing group:	

#### 14.4 Air transport (ICAO-IATA)

UN-No:	Not regulated
Proper Shipping Name:	N/A
Class:	
Packing group:	

#### **15 REGULATORY INFORMATION**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

#### **NFPA Hazard Classification**

Health:	2
Flammability:	2
Reactivity:	0

This mixture contains no toxic chemical or chemicals subject to reporting requirements of Section 313 of Title III of the Superfund Amendements and Reauthorization Act of 1986 and 29 CFR Part 1910.1200.

#### 15.2 Chemical Safety Assessment

No data available at this time.

#### **16 OTHER INFORMATION**

16.1 Revisions 01-Dec-2010: Version 1.0 - First version validated for publication

#### 16.2 Key literature references

RIFM database OECD SIDS EU IUCLID Supplier information

#### 16.3 Risk & Safety Phrases used under section 2

R43

May cause sensitization by skin contact.

## According to Regulation (EC) No 1907/2006 (as amended)

This Safety Data Sheet cancels and replaces all preceding SDS for this product.

S24	Avoid contact with skin.
S37	Wear suitable gloves.
P261	Avoid breathing dust/fume/gas/mist/vapours/spray.
P264	Wash thoroughly after handling.
P272	Contaminated work clothing should not be allowed out of the workplace.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P302+P352	IF ON SKIN: Wash with plenty of soap and water.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact
	lenses, if present and easy to do. Continue rinsing.
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
P337	If eye irritation persists:
P363	Wash contaminated clothing before reuse.

#### 16.4 Risk Phrases used under section 3

R10	Flammable.
R11	Highly flammable.
R36	Irritating to eyes.
R37	Irritating to respiratory system.
R41	Risk of serious damage to eyes.
R43	May cause sensitization by skin contact.
R66	Repeated exposure may cause skin dryness or cracking.
R67	Vapours may cause drowsiness and dizziness.

We believe that the information contained herein is current as of the date of this Safety Data Sheet. Since the use of this information and the conditions of use of the product are not within the control of Firmenich, it is the user's obligation to determine conditions of safe use of the product.

Information contained in this document and related material is proprietary to Firmenich. Disclosure to third parties without the prior written consent of Firmenich except where required by applicable laws and regulations and/or reverse engineering are strictly prohibited.