According to Regulation HCS 2012

This Safety Data Sheet cancels and replaces all preceding SDS for this product.

#### **1 IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING**

1.1 Product identifier

**051880 A** ARTIFICIAL TUTTI FRUTTI FLAVOR © Firmenich product

1.2 Relevant identified uses of the substance or mixture and uses advised against

Ingredient for use in products that may be ingested. Not for personal use in this form or concentration. Intended to be used in the manufacture of products for consumers.

#### 1.3 Details of the supplier of the safety data sheet

Mr. Thomas Sulich Firmenich Inc. P.O. Box 5880 Princeton - New Jersey 08543 - USA thomas.sulich@firmenich.com Tel.:+1.609.452.10.00 - Fax.:+1.609.275.72.38

1.4 Emergency telephone number

FOR INFORMATION OR IN AN EMERGENCY CALL CHEMTREC @ 1-800-424-9300 or 1-703-527-3887.

### **2 HAZARDS IDENTIFICATION**

2.1 Classification of the substance or mixture

According to Regulation HCS 2012

Flammable Liquid - Cat. 3	H226
Acute Toxicity (oral) - Cat. 4	H302
Aspiration Hazard - Cat. 1	H304
Skin Irritation - Cat. 2	H315
Skin Sensitization - Cat. 1	H317
Eye Irritation - Cat.2A	H319
Environmental Hazard (chronic) - Cat. 2	H411

#### Additional information

Full text of listed statements : See section 16

#### 2.2 Label elements

#### Hazard pictograms:

According to Regulation HCS 2012

This Safety Data Sheet cancels and replaces all preceding SDS for this product.



Signal Word: Danger

#### Hazard Statements:

H304	May be fatal if swallowed and enters airways.
H226	Flammable liquid and vapour.
H302	Harmful if swallowed.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H411	Toxic to aquatic life with long lasting effects.

### **Precautionary Statements:**

P210	Keep away from heat/sparks/open flames/hot surfaces. No smoking.
P261	Avoid breathing dust/fume/gas/mist/vapours/spray.
P264	Wash thoroughly after handling.
P273	Avoid release to the environment.
P272	Contaminated work clothing should not be allowed out of the workplace.
P240	Ground/bond container and receiving equipment.

### 2.3 Other hazards

CAUTION: THIS MATERIAL CONTAINS VOLATILE FLAVORING CHEMICALS IDENTIFIED IN THE FEMA "RESPIRATORY HEALTH AND SAFETY MANUFACTURING WORKPLACE" DOCUMENT. No data available at this time.

### **<u>3 COMPOSITION/INFORMATION ON INGREDIENTS</u>**

The exact percentage (concentration) of composition has been withheld as a trade secret.

### 3.2 Mixture

Mixture of aromatic substances.

#### Contains :

## According to Regulation HCS 2012

#### This Safety Data Sheet cancels and replaces all preceding SDS for this product.

>= 20.0 < 30.0% Benzyl Alcohol N° CAS : 0000100-51-6 N° EINECS: 202-859-9	Classification: Xn - R20/22,R36 GHS Classification: Acute Toxicity (oral) - Cat. 4 [H302] Acute Toxicity (inhalation) - Cat. 4 [H332] Eye Irritation - Cat.2A [H319]
>= 10.0 < 15.0% Limonene N° CAS : 0000138-86-3 N° EINECS: 205-341-0	Classification: Xn N - R38,R43,R50/53,R65,R10 GHS Classification: Aspiration Hazard - Cat. 1 [H304] Skin Sensitization - Cat. 1B [H317] Skin Irritation - Cat. 2 [H315] Environmental Hazard (acute) - Cat. 1 [H400] Environmental Hazard (chronic) - Cat. 1 [H410] Flammable Liquid - Cat. 3 [H226]
>= 5.0 < 7.5% Benzaldehyde, 4- Hydroxy-3-Methoxy- N° CAS : 0000121-33-5 N° EINECS: 204-465-2	Classification: Xi - R36 GHS Classification: Eye Irritation - Cat.2A [H319]
>= 1.0 < 2.5% Isopentyl Acetate N° CAS : 0000123-92-2 N° EINECS: 204-662-3	Classification: - R10 GHS Classification: Flammable Liquid - Cat. 3 [H226]
>= 1.0 < 2.5% Hexanoic Acid, 2-Propenyl Ester N° CAS : 0000123-68-2 N° EINECS: 204-642-4	Classification: T N - R21/22,R23,R50/53 GHS Classification: Acute Toxicity (oral) - Cat. 3 [H301] Acute Toxicity (dermal) - Cat. 3 [H311] Acute Toxicity (inhalation) - Cat. 3 [H331] Environmental Hazard (acute) - Cat. 1 [H400] Environmental Hazard (chronic) - Cat. 3 [H412] Flammable Liquid - Cat. 4 [H227]
>= 1.0 < 2.5% 2,6-Octadienal, 3,7- Dimethyl- N° CAS : 0005392-40-5 N° EINECS: 226-394-6	Classification: Xi - R38,R43 GHS Classification: Skin Sensitization - Cat. 1B [H317] Skin Irritation - Cat. 2 [H315] Eye Irritation - Cat.2A [H319]
>= 1.0 < 2.5% 2(3h)-Furanone, 5- Heptyldihydro- N° CAS : 0000104-67-6 N° EINECS: 203-225-4	Classification: N - R51/53 GHS Classification: Environmental Hazard (chronic) - Cat. 3 [H412]

## According to Regulation HCS 2012

This Safety Data Sheet cancels and replaces all preceding SDS for this product.

>= 0.5 < 1.0%	Classification: Xi - R43,R38,R41
2,6-Octadien-1-Ol, 3,7-	GHS Classification:
Dimethyl-, (E)-	Eye Damage - Cat.1 [H318]
N° CAS : 0000106-24-1	Skin Sensitization - Cat. 1B [H317]
N° EINECS: 203-377-1	Skin Irritation - Cat. 2 [H315]

>= 0.1 < 0.5%	Classification: Xi N - R38,R43,R51/53
6-Octen-1-Ol, 3,7-	GHS Classification:
Dimethyl-	Skin Sensitization - Cat. 1B [H317]
N° CAS : 0000106-22-9	Skin Irritation - Cat. 2 [H315]
N° EINECS: 203-375-0	Eye Irritation - Cat.2A [H319]

#### 4 FIRST-AID MEASURES

<u>4.1 Description of first aid measures</u>
General information:
As in all cases of potential poisoning, Obtain medical advice immediately.

In case of eye contact:

In the event of contact with the eyes, irrigate with water for at least 15 minutes; obtain medical advice if irritation persists.

In case of inhalation:

In the event of exposure to vapors, immediately remove from the area to a fresh air environment. Individuals showing evidence of inhalation exposure should be taken to an uncontaminated area. Obtain medical advice immediately.

In case of skin contact:

Remove contaminated clothes. Wash skin with large volumes of water. If irritation persists, or any sign of tissue damage is apparent, obtain medical advice immediately.

In case of ingestion:

In the event of accidental ingestion, rinse mouth with water. Give up to one tumbler (half pint) of milk or water. Obtain medical advise immediately.

Do not induce vomiting, obtain medical advise immediately.

- <u>4.2 Most important symptoms and effects, both acute and delayed</u> No information available on the product itself.
- 4.3 Indication of immediate medical attention and special treatment needed None known.

### **5 FIRE-FIGHTING MEASURES**

5.1 Extinguishing media

In the event of fire, adequate extinguishers should be used. Avoid inhalation of smoke and fumes. In case of insufficient ventilation, wear suitable respiratory equipment. Cool fire exposed containers with water spray.

Extinguishing media: Foam, carbon dioxide or dry chemical.

## According to Regulation HCS 2012

This Safety Data Sheet cancels and replaces all preceding SDS for this product.

5.2 Special hazard arising from the substance or mixture Closed containers may build up pressure if exposed to heat (fire).

5.3 Advice for fire-fighters

No specific advice.

### **6 ACCIDENTAL RELEASE MEASURES**

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel:

Adequate protective gloves should be worn when handling spillages. No smoking. Avoid naked flames or other potential sources of ignition (eg. electrical equipment).

Avoid skin contamination and inhalation of vapour.

Individual washing routines should be followed after any potential contact.

Ensure adequate ventilation in working areas following accidental releases.

For emergency personnel: Apply the same recommendations as section 6.1

6.2 Environmental precautions

Do not discharge directly into drains, air, into soil or into the aquatic environment.

### 6.3 Methods and material for containment and cleaning up

For containment:

Small spills can be wiped up with a cloth or paper. Standard absorbents can be used (saw dust, sand, vermiculite). Wear rubber gloves. Avoid contact with skin. If skin contact occurs, wash liberally with soap and water.

For cleaning-up: Spillages should be disposed of in accordance with Governmental Regulations.

### 7 HANDLING AND STORAGE

7.1 Precautions for safe handling

Avoid contact with skin and eyes.

Wear adequate protective gloves protection and eye/face protection.

No smoking. Avoid any sources of ignition.

Avoid exposing to high temperature during processing.

Do not ingest or apply to the skin as such. Good personal washing routines should be followed. Maintain adequate local and general ventilation where product is handled.

### Protective measures

Keep strict control of dust accumulation to a minimum.Maintain adequate local and general ventilation where product is handled.Avoid any sources of ignition.

#### Advice on general occupational hygiene

Good personal washing routines should be followed.

## 7.2 Conditions for safe storage, including any incompatibilities

## According to Regulation HCS 2012

This Safety Data Sheet cancels and replaces all preceding SDS for this product.

It is good general practice to store in closed, preferably full, containers away from heat sources, and protected from extremes of temperature. Do not re-use the empty container. Respect generals rules for compatibility storage. 7.3 Specific end use(s) Not available at this time. 8 EXPOSURE CONTROLS/PERSONAL PROTECTION 8.1 Control parameters 0000100-51-6 : Benzyl Alcohol (All forms) American Industrial Hygiene Association (AIHA) - Workplace Environmental Exposure Levels (WEEL) (1999-JAN) TWA (1999-JAN) : 10 ppm , 8 hours (All forms) 0005392-40-5 : Citral (Inhalable fraction and vapor) American Conference of Governmental Industrial Hygienists (ACGIH) - Threshold Limit Values (TLV) (2012-MAR) TWA (2009-NOV) : 5 ppm , 8 hours (All forms) 0000123-92-2 : ISOAMYL ACETATE (All forms) National Institute for Occupational Safety and Health (NIOSH) Recommended Exposure Limits (REL) (2010-SEP) TWA (1994-JUN) : 100 ppm . 10 hours (All forms) TWA (1994-JUN) : 525 mg/m3 , 10 hours (All forms) 0000123-92-2 : Isoamyl acetate (All forms) American Conference of Governmental Industrial Hygienists (ACGIH) - Threshold Limit Values (TLV) (2000-MAR) STEL (2000-MAR) : 100 ppm , 15 minutes (All forms) TWA (2000-MAR) : 50 ppm , 8 hours (All forms) 0000123-92-2 : Isoamyl acetate (All forms) Occupational Safety and Health Administration (OSHA) (29 CFR 1910.1000 Z-1-A) - Permissible Exposure Limits - 1989 vacated values (1989-MAR) TWA (1989-MAR) : 100 ppm , 8 hours (All forms) TWA (1989-MAR) : 525 mg/m3 , 8 hours (All forms) 0000123-92-2 : Isomyl acetate (All forms) Occupational Safety and Health Administration (OSHA) 29 CFR 1910.1001 to 1910.1048 - Substance-Specific Standards (1993-JUN) TWA (1993-JUN) : 100 ppm , 8 hours (All forms) TWA (1993-JUN) : 525 mg/m3 , 8 hours (All forms) 0000121-33-5 : Vanillin (All forms) American Industrial Hygiene Association (AIHA) - Workplace Environmental Exposure Levels (WEEL) (2009-JAN) TWA (2009-JAN) : 10 mg/m3 , 8 hours (All forms)

0000138-86-3 : d-Limonene (All forms)

## According to Regulation HCS 2012

This Safety Data Sheet cancels and replaces all preceding SDS for this product.

American Industrial Hygiene Association (AIHA) - Workplace Environmental Exposure Levels (WEEL) (1999-JAN)

TWA (1999-JAN) : 30 ppm , 8 hours (All forms)

#### 8.2 Exposure controls

Avoid exposing to high temperature during processing. Maintain adequate local and general ventilation where product is handled.

#### Appropriate engineering controls

Maintain adequate local and general ventilation where product is handled and dispensed.

#### Environmental exposure controls

Not available at this time. Minimize release to the environment.

#### Personal protection

Respiratory protection: Breathing of the vapors or dust particles may be hazardous. In the absence of appropriate engineering controls such as spot ventilation, ventilated enclosures, etc., workers should avail themselves of the appropriate NIOSH approved respiratory protection.

Hand protection: Adequate Protective Gloves should be worn.

Eye protection: Adequate safety glasses should be used.

Skin protection: Wear protective clothing, overall if necessary to limit the odour contamination of personal clothing. Individual washing routines should be followed after any potential contact.

### **9 PHYSICAL AND CHEMICAL PROPERTIES**

### 9.1 Information on basic physical and chemical properties

Appearance : Colour : Odour :	FLUID AND LIMPID LIQUID PALE YELLOW TO YELLOW Characteristic strong odour according to the commercial description of the substance.
pH : Melting point/range (°C) : Initial boiling point/range (°C) : Flash point (closed cup) : Evaporation rate : Flammability (solid/gas) : Upper/lower flammability or explosive limits : Vapor pressure (At 20°C in mm Hg ) :	Not available Not available Not available = 109 Fahrenheit (= 43 Centigrade) Not available Not available
Calculated vapor pressure (At 20°C in mm Hg): Vapour density : Relative density (d 20/20) : Water solubility (20°C) : Partition coef. (n-octanol/water) : Auto-ignition temperature (°C):	1.1 Not available 0.994 - 1.004 Not applicable Not available



## According to Regulation HCS 2012

#### This Safety Data Sheet cancels and replaces all preceding SDS for this product.

Decomposition temperature :	Not available
Viscosity :	Not available
Explosive properties :	Not available
Oxidizing properties :	Not available
VOC Content less than:	25%

#### **10 STABILITY AND REACTIVITY**

#### 10.1 Reactivity

No reaction known with water.

#### 10.2 Chemical stability

Presents no significant reactivity hazard. Normally stable even at elevated temperatures and pressures. Avoid temperatures above or near to the flash point. Not pyrophoric nor reactive with water. Does not undergo explosive decomposition, is shock stable, and is not an oxygen donor. Does not form explosive mixtures with other organic materials. Will not undergo hazardous exothermic polymerization.

### 10.3 Possibility of hazardous reactions

Not known.

10.4 Conditions to avoid Avoid temperatures above or at least 5 °C below flash point for any flammable liquids. Do not heat closed containers.

Avoid contact with oxidizing agents.

10.5 Incompatible materials

Avoid strong oxidizing agents.

#### 10.6 Hazardous decomposition products

Contact with water or storage under recommended conditions for one year should not produce dangerous decomposition products.

#### **11 TOXICOLOGICAL INFORMATION**

This mixture has not been subjected to toxicological testing as an entity. According to available data on the constituents the health classification criteria are met.

#### **12 ECOLOGICAL INFORMATION**

This mixture has not been subjected to ecotoxicological testing as an entity. According to available data on the constituents the environmental classification criteria are met.

#### **13 DISPOSAL CONSIDERATIONS**

#### 13.1 Waste treatment methods

Product: The product should be handled according to the instructions given under sections 6, 7 and 8. Dispose of according to local or national regulations. The product should not be allowed to enter drains or the environment.

Contaminated packaging: Empty packaging should be disposed according to local or national regulations by an approved waste handling

### According to Regulation HCS 2012

This Safety Data Sheet cancels and replaces all preceding SDS for this product.

#### **14 TRANSPORT INFORMATION**

In case of accidental spillage or fire during transport, refer to instructions given under points 5, 6, 7 and 8 above.

#### UNO

UN-No:	1197
Proper Shipping Name:	EXTRACTS, FLAVOURING, LIQUID
Class:	3
Packing Group:	III
Packing Group:	Hazardous to the Environment

#### Land transport (ADR/RID)

UN-No:	1197
Proper Shipping Name:	EXTRACTS, FLAVOURING, LIQUID
Class:	3
Packing group:	III

#### Sea transport (IMDG-Code)

UN-No:	1197
Proper Shipping Name:	EXTRACTS, FLAVOURING, LIQUID (LIMONENE)
Class:	3
Packing group:	III

#### Air transport (ICAO-IATA)

UN-No:	1197
Proper Shipping Name:	EXTRACTS, FLAVOURING, LIQUID
Class:	3
Packing group:	III

#### **15 REGULATORY INFORMATION**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

NFPA Hazard Classification	
Health:	2
Flammability:	2
Reactivity:	0

This mixture contains no toxic chemical or chemicals subject to reporting requirements of Section 313 of Title III of the Superfund Amendements and Reauthorization Act of 1986 and 29 CFR Part 1910.1200.

#### 15.2 Chemical Safety Assessment

No data available at this time.

#### **16 OTHER INFORMATION**

Reference : US 14231192

## According to Regulation HCS 2012

This Safety Data Sheet cancels and replaces all preceding SDS for this product.

Revisions

01-Dec-2010: Version 6.1 - First version validated for publication 04-May-2012: Version 6.2 - Updates to sections 1, 2, 3, 8.3, 11, 12, 16. 20-Apr-2013: Version 6.3 - Updates to sections 1, 2, 3, 8.1, 14, 16. 07-July-2014: Version 6.4- Updates to section 2, 3, 14, 16. 30-May-2015: Version 6.5- Updates to section 2, 3, 7, 8, 9,13,14,16

Key literature references

RIFM database OECD SIDS EU IUCLID Supplier information

#### Full text of phrases used under section 2

S16	Keep away from sources of ignition - No smoking.
S23	Do not breathe vapour.
S24/25	Avoid contact with skin and eyes.
S26	In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
S36/37	Wear suitable protective clothing and gloves.
S57	Use appropriate container to avoid environmental contamination.
S61	Avoid release to the environment. Refer to special instructions/Safety data sheets.
S62	If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label.
H226	Flammable liquid and vapour.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H411	Toxic to aquatic life with long lasting effects.
P210	Keep away from heat/sparks/open flames/hot surfaces. No smoking.
P261	Avoid breathing dust/fume/gas/mist/vapours/spray.
P264	Wash thoroughly after handling.
P273	Avoid release to the environment.
P272	Contaminated work clothing should not be allowed out of the workplace.
P240	Ground/bond container and receiving equipment.
P270	Do no eat, drink or smoke when using this product.
P241	Use rated explosion-proof electrical equipment.
P242	Use only non-sparking tools.
P243	Take precautionary measures against static discharge.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P301+P330+P331	IF SWALLOWED: rinse mouth. Do NOT induce vomiting.
P303+P361+P353	IF ON SKIN (or hair): Remove immediately all contaminated clothing. Rinse skin with water/shower.

## According to Regulation HCS 2012

This Safety Data Sheet cancels and replaces all preceding SDS for this product.

	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact
	lenses, if present and easy to do. Continue rinsing.
	IF ON SKIN: Wash with plenty of soap and water. Immediately call a POISON CENTER or doctor/physician.
	If skin irritation or rash occurs: Get medical advice/attention.
	In case of fire: Use appropriate fire extinguishers for fire control.
	Collect spillage.
	Call a POISON CENTER or doctor/physician if you feel unwell.
	Take off contaminated clothing and wash before reuse.
	Wash contaminated clothing before reuse.
	Store in a well-ventilated place. Keep container tightly closed.
	Store locked up.
	Keep cool.
P337	If eye irritation persists:
Full text of phrases used und	der section 3
H226	Flammable liquid and vapour.
H227	Combustible liquid
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H311	Toxic in contact with skin.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H332	Harmful if inhaled.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
R10	Flammable.
R20/22	Harmful by inhalation and if swallowed.
R21/22	Harmful in contact with skin and if swallowed.
R23	Toxic by inhalation.
R36	Irritating to eyes.
R38	Irritating to skin.
R43	May cause sensitization by skin contact.
R50/53	Very toxic to aquatic organisms, may cause long-term adverse effects in the
	aquatic environment.
R51/53	Toxic to aquatic organisms, may cause long-term adverse effects in the
	aquatic environment.
R65	Harmful: may cause lung damage if swallowed.

We believe that the information contained herein is current as of the date of this Safety Data Sheet. Since the use of this information and the conditions of use of the product are not within the control of Firmenich, it is the user's obligation to determine conditions of safe use of the product.



According to Regulation HCS 2012

This Safety Data Sheet cancels and replaces all preceding SDS for this product.

Information contained in this document and related material is proprietary to Firmenich. Disclosure to third parties without the prior written consent of Firmenich except where required by applicable laws and regulations and/or reverse engineering are strictly prohibited.