

# Firmenich

## Safety Data Sheet

According to Regulation HCS 2012

This Safety Data Sheet cancels and replaces all preceding SDS for this product.

### **1 IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING**

#### 1.1 Product identifier

**057708 AP0551**  
ART BUTTERMILK  
© Firmenich product

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Ingredient for use in products that may be ingested.  
Not for personal use in this form or concentration.  
Intended to be used in the manufacture of products for consumers.

#### 1.3 Details of the supplier of the safety data sheet

**Mr. Thomas Sulich**  
Firmenich Inc.  
P.O. Box 5880  
Princeton - New Jersey 08543 - USA  
thomas.sulich@firmenich.com  
Tel.: +1.609.452.10.00 - Fax.: +1.609.275.72.38

#### 1.4 Emergency telephone number

FOR INFORMATION OR IN AN EMERGENCY CALL CHEMTREC @ 1-800-424-9300 or 1-703-527-3887.

### **2 HAZARDS IDENTIFICATION**

#### 2.1 Classification of the substance or mixture

##### 2.1.1 According to Regulation HCS 2012

Skin Irritation - Cat. 2	H315
Eye Damage - Cat.1	H318
WARNING: CONTAINS VOLATILE FLAVORING CHEMICALS; BREATHING THESE CHEMICALS IN THE WORKPLACE MAY LEAD TO SEVERE LUNG DAMAGE.	USH99 7

##### 2.1.3 Additional information

Full text of listed statements : See section 16

#### 2.2 Label elements

**Hazard pictograms:**

# Firmenich

## Safety Data Sheet

According to Regulation HCS 2012

This Safety Data Sheet cancels and replaces all preceding SDS for this product.



### Signal Word:

Danger

### Hazard Statements:

H318 Causes serious eye damage.  
H315 Causes skin irritation.

### Precautionary Statements:

P264 Wash thoroughly after handling.  
P280 Wear protective gloves/protective clothing/eye protection/face protection.  
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P302+P352 IF ON SKIN: Wash with plenty of soap and water.  
P310 Immediately call a POISON CENTER or doctor/physician.  
P332+P313 If skin irritation occurs: Get medical advice/attention.

### 2.3 Other hazards

WARNING: CONTAINS VOLATILE FLAVORING CHEMICALS; BREATHING THESE CHEMICALS IN THE WORKPLACE MAY LEAD TO SEVERE LUNG DAMAGE.

No data available at this time.

## 3 COMPOSITION/INFORMATION ON INGREDIENTS

Mixture of aromatic substances.

### Contains :

5.0 - 7.5%  
Propanoic Acid, 2-Hydroxy-  
N° CAS : 0000050-21-5  
N° EINECS: 200-018-0

Classification: Xi - R38,R41  
GHS Classification:  
Eye Damage - Cat.1 [H318]  
Skin Irritation - Cat. 2 [H315]

2.5 - 5.0%  
Propionic Acid  
N° CAS : 0000079-09-4  
N° EINECS: 201-176-3

Classification: C - R34  
GHS Classification:  
Skin Corrosion - Cat. 1B [H314]  
Eye Damage - Cat.1 [H318]  
Flammable Liquid - Cat. 3 [H226]

# Firmenich

## Safety Data Sheet

According to Regulation HCS 2012

This Safety Data Sheet cancels and replaces all preceding SDS for this product.

2.5 - 5.0%  
Acetic Acid  
N° CAS : 0000064-19-7  
N° EINECS: 200-580-7

Classification: C - R35,R10  
GHS Classification:  
Skin Corrosion - Cat. 1A [H314]  
Eye Damage - Cat.1 [H318]  
Flammable Liquid - Cat. 3 [H226]

1.0 - 2.5%  
Butyric Acid  
N° CAS : 0000107-92-6  
N° EINECS: 203-532-3

Classification: C - R34,R22  
GHS Classification:  
Skin Corrosion - Cat. 1B [H314]  
Eye Damage - Cat.1 [H318]  
Acute Toxicity (oral) - Cat. 4 [H302]  
Flammable Liquid - Cat. 4 [H227]

0.1 - 0.5%  
2,3-Pentanedione  
N° CAS : 0000600-14-6  
N° EINECS: 209-984-8

Classification: F Xn - R11,R41,R43,R48/20  
GHS Classification:  
Eye Damage - Cat.1 [H318]  
Specific Target Organ Toxicity - Repeated Exposure - Cat. 2 [H373]  
Skin Sensitization - Cat. 1B [H317]  
Flammable Liquid - Cat. 2 [H225]  
WARNING: CONTAINS VOLATILE FLAVORING CHEMICALS; BREATHING THESE CHEMICALS IN THE WORKPLACE MAY LEAD TO SEVERE LUNG DAMAGE. [USH997]

0.1 - 0.5%  
2-Butanone, 3-Hydroxy-  
N° CAS : 0000513-86-0  
N° EINECS: 208-174-1

Classification: - R10  
GHS Classification:  
Flammable Liquid - Cat. 3 [H226]  
WARNING: CONTAINS VOLATILE FLAVORING CHEMICALS; BREATHING THESE CHEMICALS IN THE WORKPLACE MAY LEAD TO SEVERE LUNG DAMAGE. [USH997]

## 4 FIRST-AID MEASURES

### 4.1 Description of first aid measures

General information:

As in all cases of potential poisoning, Obtain medical advice immediately.

In case of eye contact:

In the event of contact with the eyes, irrigate with water for at least 15 minutes; obtain medical advice if irritation persists.

In case of inhalation:

In the event of exposure to vapors, immediately remove from the area to a fresh air environment. Individuals showing evidence of inhalation exposure should be taken to an uncontaminated area. Obtain medical advice immediately.

In case of skin contact:

Remove contaminated clothes. Wash skin with large volumes of water. If irritation persists, or any sign of tissue damage is apparent, obtain medical advice immediately.

In case of ingestion:

# Firmenich

## Safety Data Sheet

According to Regulation HCS 2012

This Safety Data Sheet cancels and replaces all preceding SDS for this product.

In the event of accidental ingestion, rinse mouth with water. Give up to one tumbler (half pint) of milk or water.  
Obtain medical advise immediately.  
Do not induce vomiting, obtain medical advise immediately.

#### 4.2 Most important symptoms and effects, both acute and delayed

No information available on the product itself.

#### 4.3 Indication of immediate medical attention and special treatment needed

None known.

### **5 FIRE-FIGHTING MEASURES**

#### 5.1 Extinguishing media

In the event of fire, adequate extinguishers should be used. Avoid inhalation of smoke and fumes. In case of insufficient ventilation, wear suitable respiratory equipment.

Use standard procedures and preferred extinguishing media as stated below.

Extinguishing media: Water, foam, carbon dioxide or dry chemical.

#### 5.2 Special hazard arising from the substance or mixture

Product is a combustible powder. Like all combustible powders, it may form explosive mixtures if suspended in air.

#### 5.3 Advice for fire-fighters

No specific advice.

### **6 ACCIDENTAL RELEASE MEASURES**

#### 6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel:

Adequate protective gloves should be worn when handling spillages. No smoking. Avoid naked flames or other potential sources of ignition (eg. electrical equipment).

Avoid skin contamination and inhalation of dust.

Individual washing routines should be followed after any potential contact.

Ensure adequate ventilation in working areas following accidental releases.

For emergency personnel:

Apply the same recommendations as section 6.1

#### 6.2 Environmental precautions

Do not discharge directly into drains, air, into soil or into the aquatic environment.

#### 6.3 Methods and material for containment and cleaning up

For containment:

Small Spills can be swept up and disposed of properly.

Do not allow powder to accumulate on horizontal surfaces, as an explosive dust/air mixture could occur if suddenly dispersed into the air.

For cleaning-up:

Spillages should be disposed of in accordance with Governmental Regulations.

### **7 HANDLING AND STORAGE**

# Firmenich

## Safety Data Sheet

According to Regulation HCS 2012

This Safety Data Sheet cancels and replaces all preceding SDS for this product.

### 7.1 Precautions for safe handling

Keep strict control of dust accumulation to a minimum.  
Avoid contact with skin and eyes.  
Wear adequate protective gloves protection and eye/face protection.  
No smoking. Avoid any source of ignition. Use flameproof electrical equipment and spark-reduced tools.  
Ensure that all equipments are properly bonding and earthing.  
Avoid exposing to high temperature during processing.  
Do not ingest or apply to the skin as such. Good personal washing routines should be followed.  
Maintain adequate local and general ventilation where product is handled.

#### 7.1.1 Protective measures

Keep strict control of dust accumulation to a minimum. Maintain adequate local and general ventilation where product is handled. Avoid any sources of ignition.

#### 7.1.2 Advice on general occupational hygiene

Good personal washing routines should be followed.

### 7.2 Conditions for safe storage, including any incompatibilities

It is good general practice to store in closed, preferably full, containers away from heat sources, and protected from extremes of temperature. Do not re-use the empty container.  
Respect general rules for compatibility storage.

### 7.3 Specific end use(s)

Not available at this time.

## **8 EXPOSURE CONTROLS/PERSONAL PROTECTION**

### 8.1 Control parameters

0000064-19-7 : ACETIC ACID (All forms)

NIOSH Recommended Exposure Limits (1994-JUN)

STEL (1994-JUN) : 15 ppm , 15 minutes (All forms)

STEL (1994-JUN) : 37 mg/m<sup>3</sup> , 15 minutes (All forms)

TWA (1994-JUN) : 10 ppm , 10 hours (All forms)

TWA (1994-JUN) : 25 mg/m<sup>3</sup> , 10 hours (All forms)

0000064-19-7 : Acetic acid (All forms)

ACGIH Threshold Limit Values (1994-SEP)

STEL (1994-SEP) : 15 ppm , 15 minutes (All forms)

STEL (1994-SEP) : 37 mg/m<sup>3</sup> , 15 minutes (All forms)

TWA (1994-SEP) : 10 ppm , 8 hours (All forms)

TWA (1994-SEP) : 25 mg/m<sup>3</sup> , 8 hours (All forms)

0000064-19-7 : Acetic acid (All forms)

OSHA Permissible Exposure Limits (1989-MAR)

TWA (1989-MAR) : 10 ppm , 8 hours (All forms)

TWA (1989-MAR) : 25 mg/m<sup>3</sup> , 8 hours (All forms)

0000064-19-7 : Acetic acid (All forms)

OSHA Permissible Exposure Limits, Table Z-1 Limits for Air Contaminants (1993-JUN)

# Firmenich

## Safety Data Sheet

According to Regulation HCS 2012

This Safety Data Sheet cancels and replaces all preceding SDS for this product.

TWA (1993-JUN) : 10 ppm , 8 hours (All forms)  
TWA (1993-JUN) : 25 mg/m<sup>3</sup> , 8 hours (All forms)

0000079-09-4 : PROPIONIC ACID (All forms)  
NIOSH Recommended Exposure Limits (1994-JUN)  
STEL (1994-JUN) : 15 ppm , 15 minutes (All forms)  
STEL (1994-JUN) : 45 mg/m<sup>3</sup> , 15 minutes (All forms)  
TWA (1994-JUN) : 10 ppm , 10 hours (All forms)  
TWA (1994-JUN) : 30 mg/m<sup>3</sup> , 10 hours (All forms)

0000079-09-4 : Propionic acid (All forms)  
ACGIH Threshold Limit Values (1994-SEP)  
TWA (1994-SEP) : 10 ppm , 8 hours (All forms)  
TWA (1994-SEP) : 30 mg/m<sup>3</sup> , 8 hours (All forms)

0000079-09-4 : Propionic acid (All forms)  
OSHA Permissible Exposure Limits (1989-MAR)  
TWA (1989-MAR) : 10 ppm , 8 hours (All forms)  
TWA (1989-MAR) : 30 mg/m<sup>3</sup> , 8 hours (All forms)

### 8.2 Exposure controls

Avoid exposing to high temperature during processing.  
Maintain adequate local and general ventilation where product is handled.

#### 8.2.1 Appropriate engineering controls

Maintain adequate local and general ventilation where product is handled and dispensed.

#### 8.2.2 Environmental exposure controls

Not available at this time. Minimize release to the environment.

### 8.3 Personal protection

Respiratory protection: Breathing of the vapors or dust particles may be hazardous. In the absence of appropriate engineering controls such as spot ventilation, ventilated enclosures, etc., workers should avail themselves of the appropriate NIOSH approved respiratory protection. OSHA has established limits for Respirable dust (PEL of 5 mg/m<sup>3</sup>) TWA and Total dust (PEL of 15 mg/m<sup>3</sup>)TWA. It is recommended that when using powders that air monitoring of the workplace be conducted to ensure that these levels are not exceeded.

Hand protection: Adequate Protective Gloves should be worn.

Eye protection: Adequate safety glasses should be used.

Skin protection: Wear protective clothing, overall if necessary to limit the odour contamination of personal clothing. Individual washing routines should be followed after any potential contact.

## 9 PHYSICAL AND CHEMICAL PROPERTIES

### 9.1 Information on basic physical and chemical properties

Appearance : POWDER  
Colour : CREAM

# Firmenich

## Safety Data Sheet

According to Regulation HCS 2012

This Safety Data Sheet cancels and replaces all preceding SDS for this product.

Odour :	Characteristic strong odour according to the commercial description of the substance.
pH :	Not applicable
Melting point/range (°C) :	Not available
Initial boiling point/range (°C) :	Not available
Flash point (closed cup) :	> 212 Fahrenheit (> 100 Centigrade)
Evaporation rate :	Not available
Flammability (solid/gas) :	Not available
Upper/lower flammability or explosive limits :	Not available
Vapor pressure (At 20°C in mm Hg ) :	
Calculated vapor pressure (At 20°C in mm Hg):	< 0.1 mm
Vapour density :	Not available
Relative density (d 20/20) :	Not available
Water solubility (20°C) :	Not applicable
Partition coef. (n-octanol/water) :	Not applicable
Auto-ignition temperature (°C):	Not available
Decomposition temperature :	Not available
Viscosity :	Not available
Oxidizing properties :	Not available
VOC Content less than:	14%

### 9.2 Other safety information

#### 9.2.1 Explosive properties (Measured)

No data available at this time.  
Please refer to section 9.2.2.

#### 9.2.2 Default Safety Data for Spray Dryer Dust Compounds

Using our experience in Powder operations and internal laboratory testing, we established the following Default Safety Data. This default data represents conservative worst-case values for the listed parameters. This data may be carefully used as guidance in the absence of measured data. Default data should not be used directly for production, storage, transportation or any other industrial purpose. In all cases, actual testing is the best way to obtain specific data on our compounds.

Type	Value	Units
- Particle size distribution	> 10	microns
- Moisture content	< 8	%
- Minimum explosible concentration	> 15	g/m3
- Minimum ignition energy of cloud (MIE)	> 1	mJ
- Minimum ignition energy in layer (MIE)	> 1	mJ
- Cloud ignition temperature [1]	> 100	°C
- Layer ignition temperature (5 mm layer according to the applicable norm) [2]	MELT	°C

# Firmenich

## Safety Data Sheet

According to Regulation HCS 2012

This Safety Data Sheet cancels and replaces all preceding SDS for this product.

- KST	< 400	bars.m/s
- Pmax (abs)	< 11	Bars
- St	3	-
- Resistivity	> 1.E10	Ohm.m

[1] The minimum ignition temperature of a dust cloud is the lowest temperature at which an explosible dust air mixture ignites on contact with a hot surface. Normally the temperature for this powder is not below 120°C and we have to heat up to 200-300°C or higher for possible gas decomposition ignition.

[2] The smoldering /glow temperature can only be determined for substances that do not decompose, melt or evaporate before smoldering. In this case the MSDS indicates "MELT". This powder melts around 120-130°C, before burning can begin.

### **10 STABILITY AND REACTIVITY**

#### **10.1 Reactivity**

No reaction known with water.

#### **10.2 Chemical stability**

Presents no significant reactivity hazard. Normally stable even at elevated temperatures and pressures. Avoid temperatures above or near to the flash point. Not pyrophoric nor reactive with water. Does not undergo explosive decomposition, is shock stable, and is not an oxygen donor. Does not form explosive mixtures with other organic materials. Will not undergo hazardous exothermic polymerization.

#### **10.3 Possibility of hazardous reactions**

Not known.

#### **10.4 Conditions to avoid**

Avoid temperatures above or at least 5 °C below flash point for any flammable liquids.  
Do not heat closed containers.  
Avoid contact with oxidizing agents.

#### **10.5 Incompatible materials**

Avoid strong oxidizing agents.

#### **10.6 Hazardous decomposition products**

Contact with water or storage under recommended conditions for one year should not produce dangerous decomposition products.

### **11 TOXICOLOGICAL INFORMATION**

This mixture has not been subjected to toxicological testing as an entity. According to available data on the constituents the health classification criteria are met.

### **12 ECOLOGICAL INFORMATION**

This mixture has not been subjected to ecotoxicological testing as an entity. According to available data on the constituents the environmental classification criteria are not met.

### **13 DISPOSAL CONSIDERATIONS**

Minimize release to the environment.

### **14 TRANSPORT INFORMATION**



# Firmenich

## Safety Data Sheet

According to Regulation HCS 2012

This Safety Data Sheet cancels and replaces all preceding SDS for this product.

In case of accidental spillage or fire during transport, refer to instructions given under points 5, 6, 7 and 8 above.

### 14.1 UNO

UN-No: Not regulated  
Proper Shipping Name: N/A  
Class: ----  
Packing Group: ---

### 14.2 Land transport (ADR/RID)

UN-No: Not regulated  
Proper Shipping Name: N/A  
Class: ----  
Packing group: ---

### 14.3 Sea transport (IMDG-Code)

UN-No: Not regulated  
Proper Shipping Name: N/A  
Class: ----  
Packing group: ---

### 14.4 Air transport (ICAO-IATA)

UN-No: Not regulated  
Proper Shipping Name: N/A  
Class: ----  
Packing group: ---

## **15 REGULATORY INFORMATION**

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

#### **NFPA Hazard Classification**

Health: 2  
Flammability: 1  
Reactivity: 0

This mixture contains no toxic chemical or chemicals subject to reporting requirements of Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 29 CFR Part 1910.1200.

### 15.2 Chemical Safety Assessment

No data available at this time.

## **16 OTHER INFORMATION**

### 16.1 Revisions

# Firmenich

## Safety Data Sheet

According to Regulation HCS 2012

This Safety Data Sheet cancels and replaces all preceding SDS for this product.

01-Dec-2010: Version 6.1 - First version validated for publication  
04-May-2012: Version 6.2 - Updates to sections 1, 2, 3, 8.3, 11, 12, 16.  
20-Apr-2013: Version 6.3 - Updates to sections 1, 2, 3, 8.1, 14, 16.  
07-July-2014: Version 6.4- Updates to section 2, 3, 14, 16.

### 16.2 Key literature references

RIFM database  
OECD SIDS  
EU IUCLID  
Supplier information

### 16.3 Full text of phrases used under section 2

S24/25	Avoid contact with skin and eyes.
S26	In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
H318	Causes serious eye damage.
H315	Causes skin irritation.
P264	Wash thoroughly after handling.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P302+P352	IF ON SKIN: Wash with plenty of soap and water.
P310	Immediately call a POISON CENTER or doctor/physician.
P332+P313	If skin irritation occurs: Get medical advice/attention.
P362	Take off contaminated clothing and wash before reuse.

### 16.4 Full text of phrases used under section 3

H314	Causes severe skin burns and eye damage.
H227	Combustible liquid
USH997	WARNING: CONTAINS VOLATILE FLAVORING CHEMICALS; BREATHING THESE CHEMICALS IN THE WORKPLACE MAY LEAD TO SEVERE LUNG DAMAGE.
H373	May cause damage to organs through prolonged or repeated exposure.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H302	Harmful if swallowed.
H225	Highly flammable liquid and vapour.
H226	Flammable liquid and vapour.
H315	Causes skin irritation.
R10	Flammable.
R22	Harmful if swallowed.
R34	Causes burns.
R35	Causes severe burns.
R38	Irritating to skin.
R41	Risk of serious damage to eyes.

---

# Firmenich

## Safety Data Sheet

According to Regulation HCS 2012

---

This Safety Data Sheet cancels and replaces all preceding SDS for this product.

---

**We believe that the information contained herein is current as of the date of this Safety Data Sheet. Since the use of this information and the conditions of use of the product are not within the control of Firmenich, it is the user's obligation to determine conditions of safe use of the product.**

**Information contained in this document and related material is proprietary to Firmenich. Disclosure to third parties without the prior written consent of Firmenich except where required by applicable laws and regulations and/or reverse engineering are strictly prohibited.**