According to Regulation HCS 2012

This Safety Data Sheet cancels and replaces all preceding SDS for this product.

1 IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

059275 T ARTIFICIAL LEMON FLAVOR © Firmenich product

1.2 Relevant identified uses of the substance or mixture and uses advised against

Ingredient for use in products that may be ingested. Not for personal use in this form or concentration. Intended to be used in the manufacture of products for consumers.

1.3 Details of the supplier of the safety data sheet

Mr. Thomas Sulich Firmenich Inc. P.O. Box 5880 Princeton - New Jersey 08543 - USA thomas.sulich@firmenich.com Tel.:+1.609.452.10.00 - Fax.:+1.609.275.72.38

1.4 Emergency telephone number

FOR INFORMATION OR IN AN EMERGENCY CALL CHEMTREC @ 1-800-424-9300 or 1-703-527-3887.

2 HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

According to Regulation HCS 2012

Flammable Liquid - Cat. 4	H227
Aspiration Hazard - Cat. 1	H304
Skin Irritation - Cat. 2	H315
Skin Sensitization - Cat. 1	H317
Eye Irritation - Cat.2A	H319
Carcinogenicity - Cat. 2	H351
Environmental Hazard (chronic) - Cat. 2	H411

Additional information

Full text of listed statements : See section 16

2.2 Label elements

Hazard pictograms:

According to Regulation HCS 2012

This Safety Data Sheet cancels and replaces all preceding SDS for this product.



Signal Word: Danger

Hazard Statements:

H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H227	Combustible liquid
H351	Suspected of causing cancer.
H411	Toxic to aquatic life with long lasting effects.

Precautionary Statements:

······································	
P201	Obtain special instructions before use.
P210	Keep away from heat/sparks/open flames/hot surfaces. No smoking.
P261	Avoid breathing dust/fume/gas/mist/vapours/spray.
P264	Wash thoroughly after handling.
P273	Avoid release to the environment.
P202	Do not handle until all safety precautions have been read and understood.

2.3 Other hazards

No data available at this time.

<u>3 COMPOSITION/INFORMATION ON INGREDIENTS</u>

The exact percentage (concentration) of composition has been withheld as a trade secret.

3.2 Mixture

Mixture of aromatic substances.

Contains :

According to Regulation HCS 2012

This Safety Data Sheet cancels and replaces all preceding SDS for this product.

>= 40.0 < 50.0% 2,6-Octadienal, 3,7- Dimethyl- N° CAS : 0005392-40-5 N° EINECS: 226-394-6	Classification: Xi - R38,R43 GHS Classification: Skin Sensitization - Cat. 1B [H317] Skin Irritation - Cat. 2 [H315] Eye Irritation - Cat.2A [H319]
>= 15.0 < 20.0% Limonene N° CAS : 0000138-86-3 N° EINECS: 205-341-0	Classification: Xn N - R38,R43,R50/53,R65,R10 GHS Classification: Aspiration Hazard - Cat. 1 [H304] Skin Sensitization - Cat. 1B [H317] Skin Irritation - Cat. 2 [H315] Environmental Hazard (acute) - Cat. 1 [H400] Environmental Hazard (chronic) - Cat. 1 [H410] Flammable Liquid - Cat. 3 [H226]
>= 5.0 < 7.5% Benzaldehyde, 4- Hydroxy-3-Methoxy- N° CAS : 0000121-33-5 N° EINECS: 204-465-2	Classification: Xi - R36 GHS Classification: Eye Irritation - Cat.2A [H319]
>=2.5 < 5.0% 1,6-Octadien-3-Ol, 3,7- Dimethyl- N° CAS : 0000078-70-6 N° EINECS: 201-134-4	Classification: Xi - R38 GHS Classification: Skin Irritation - Cat. 2 [H315] Eye Irritation - Cat.2A [H319] Flammable Liquid - Cat. 4 [H227]
>= 1.0 < 2.5% Terpineol N° CAS : 0008000-41-7 N° EINECS: 232-268-1	Classification: Xi - R36/38 GHS Classification: Skin Irritation - Cat. 2 [H315] Eye Irritation - Cat.2A [H319] Flammable Liquid - Cat. 4 [H227]
>= 1.0 < 2.5% 1,6-Octadien-3-Ol, 3,7- Dimethyl-, 3-Acetate N° CAS : 0000115-95-7 N° EINECS: 204-116-4	Classification: Xi - R38 GHS Classification: Skin Irritation - Cat. 2 [H315] Eye Irritation - Cat.2A [H319] Flammable Liquid - Cat. 4 [H227]
>= 1.0 < 2.5% Benzyl Alcohol N° CAS : 0000100-51-6 N° EINECS: 202-859-9	Classification: Xn - R20/22,R36 GHS Classification: Acute Toxicity (oral) - Cat. 4 [H302] Acute Toxicity (inhalation) - Cat. 4 [H332] Eye Irritation - Cat.2A [H319]

According to Regulation HCS 2012

This Safety Data Sheet cancels and replaces all preceding SDS for this product.

>= 1.0 < 2.5%	Classification: Xi - R36/38,R43
2,6-Octadien-1-Ol, 3,7-	GHS Classification:
Dimethyl-, (Z)-	Skin Sensitization - Cat. 1B [H317]
N° CAS : 0000106-25-2	Skin Irritation - Cat. 2 [H315]
N° EINECS: 203-378-7	Eye Irritation - Cat.2A [H319]
>= 1.0 < 2.5%	Classification: Xi N - R51/53,R38,R43
2,6-Octadien-1-Ol, 3,7-	GHS Classification:
Dimethyl-, Acetate, (E)-	Skin Sensitization - Cat. 1 [H317]
N° CAS : 0000105-87-3	Skin Irritation - Cat. 2 [H315]
N° EINECS: 203-341-5	Environmental Hazard (chronic) - Cat. 3 [H412]
>= 0.5 < 1.0%	Classification: Xi N - R38,R43,R51/53
6-Octen-1-Ol, 3,7-	GHS Classification:
Dimethyl-	Skin Sensitization - Cat. 1B [H317]
N° CAS : 0000106-22-9	Skin Irritation - Cat. 2 [H315]
N° EINECS: 203-375-0	Eye Irritation - Cat.2A [H319]
>= 0.5 < 1.0%	Classification: Xi - R43,R38,R41
2,6-Octadien-1-Ol, 3,7-	GHS Classification:
Dimethyl-, (E)-	Eye Damage - Cat.1 [H318]
N° CAS : 0000106-24-1	Skin Sensitization - Cat. 1B [H317]
N° EINECS: 203-377-1	Skin Irritation - Cat. 2 [H315]
>= 0.5 < 1.0% Benzene, 1-Methoxy-4- (2-Propenyl)- N° CAS : 0000140-67-0 N° EINECS: 205-427-8	Classification: Xn - R40,R43,R68/22 GHS Classification: Carcinogenicity - Cat. 2 [H351] Mutagenicity - Cat. 2 [H341] Skin Sensitization - Cat. 1B [H317] Acute Toxicity (oral) - Cat. 4 [H302] Flammable Liquid - Cat. 4 [H227]
>= 0.1 < 0.5% 2- Oxabicyclo[2.2.2]Octane, 1,3,3-Trimethyl- N° CAS : 0000470-82-6 N° EINECS: 207-431-5	Classification: Xi - R10,R43 GHS Classification: Skin Sensitization - Cat. 1B [H317] Flammable Liquid - Cat. 3 [H226]

4 FIRST-AID MEASURES

<u>4.1 Description of first aid measures</u> General information: As in all cases of potential poisoning, Obtain medical advice immediately.

In case of eye contact:

According to Regulation HCS 2012

This Safety Data Sheet cancels and replaces all preceding SDS for this product.

In the event of contact with the eyes, irrigate with water for at least 15 minutes; obtain medical advice if irritation persists.

In case of inhalation:

In the event of exposure to vapors, immediately remove from the area to a fresh air environment. Individuals showing evidence of inhalation exposure should be taken to an uncontaminated area. Obtain medical advice immediately.

In case of skin contact:

Remove contaminated clothes. Wash skin with large volumes of water. If irritation persists, or any sign of tissue damage is apparent, obtain medical advice immediately.

In case of ingestion:

In the event of accidental ingestion, rinse mouth with water. Give up to one tumbler (half pint) of milk or water. Obtain medical advise immediately.

Do not induce vomiting, obtain medical advise immediately.

- 4.2 Most important symptoms and effects, both acute and delayed No information available on the product itself.
- 4.3 Indication of immediate medical attention and special treatment needed None known.

5 FIRE-FIGHTING MEASURES

5.1 Extinguishing media

In the event of fire, adequate extinguishers should be used. Avoid inhalation of smoke and fumes. In case of insufficient ventilation, wear suitable respiratory equipment. Use standard procedures and preferred extinguishing media as stated below. Extinguishing media: Foam, carbon dioxide or dry chemical.

- 5.2 Special hazard arising from the substance or mixture None.
- 5.3 Advice for fire-fighters No specific advice.

6 ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel:

Adequate protective gloves should be worn when handling spillages. No smoking. Avoid naked flames or other potential sources of ignition (eg. electrical equipment).

Avoid skin contamination and inhalation of vapour.

Individual washing routines should be followed after any potential contact.

Ensure adequate ventilation in working areas following accidental releases.

For emergency personnel: Apply the same recommendations as section 6.1

6.2 Environmental precautions

According to Regulation HCS 2012

This Safety Data Sheet cancels and replaces all preceding SDS for this product.

Do not discharge directly into drains, air, into soil or into the aquatic environment.

6.3 Methods and material for containment and cleaning up

For containment:

Small spills can be wiped up with a cloth or paper. Standard absorbents can be used (saw dust, sand, vermiculite). Wear rubber gloves. Avoid contact with skin. If skin contact occurs, wash liberally with soap and water.

WARNING: This compound contains one or more chemicals that may auto-oxidize. Rags used to wipe up spills, or activated carbon used to absorb vapors of this compound, may spontaneously ignite (auto-oxidation) if improperly disposed of. Dispose of all waste material in water filled containers.

For cleaning-up:

Spillages should be disposed of in accordance with Governmental Regulations.

7 HANDLING AND STORAGE

7.1 Precautions for safe handling

Avoid contact with skin and eyes.

Wear adequate protective gloves protection and eye/face protection.

No smoking. Avoid any sources of ignition.

Avoid exposing to high temperature during processing.

Do not ingest or apply to the skin as such. Good personal washing routines should be followed.

Maintain adequate local and general ventilation where product is handled.

Protective measures

Keep strict control of dust accumulation to a minimum.Maintain adequate local and general ventilation where product is handled.Avoid any sources of ignition.

Advice on general occupational hygiene

Good personal washing routines should be followed.

7.2 Conditions for safe storage, including any incompatibilities

It is good general practice to store in closed, preferably full, containers away from heat sources, and protected from extremes of temperature. Do not re-use the empty container. Respect generals rules for compatibility storage.

7.3 Specific end use(s)

Not available at this time.

8 EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

0000100-51-6 : Benzyl Alcohol (All forms)

American Industrial Hygiene Association (AIHA) - Workplace Environmental Exposure Levels (WEEL) (1999-JAN)

TWA (1999-JAN) : 10 ppm , 8 hours (All forms)

0005392-40-5 : Citral (Inhalable fraction and vapor) American Conference of Governmental Industrial Hygienists (ACGIH) - Threshold Limit Values (TLV) (2012-MAR)



According to Regulation HCS 2012

This Safety Data Sheet cancels and replaces all preceding SDS for this product.

TWA (2009-NOV) : 5 ppm , 8 hours (All forms)

0000121-33-5 : Vanillin (All forms)

American Industrial Hygiene Association (AIHA) - Workplace Environmental Exposure Levels (WEEL) (2009-JAN)

TWA (2009-JAN) : 10 mg/m3 , 8 hours (All forms)

0000138-86-3 : d-Limonene (All forms)

American Industrial Hygiene Association (AIHA) - Workplace Environmental Exposure Levels (WEEL) (1999-JAN)

TWA (1999-JAN) : 30 ppm , 8 hours (All forms)

8.2 Exposure controls

Avoid exposing to high temperature during processing. Maintain adequate local and general ventilation where product is handled.

Appropriate engineering controls

Maintain adequate local and general ventilation where product is handled and dispensed.

Environmental exposure controls

Not available at this time. Minimize release to the environment.

Personal protection

Respiratory protection: Breathing of the vapors or dust particles may be hazardous. In the absence of appropriate engineering controls such as spot ventilation, ventilated enclosures, etc., workers should avail themselves of the appropriate NIOSH approved respiratory protection.

Hand protection: Adequate Protective Gloves should be worn.

Eye protection: Adequate safety glasses should be used.

Skin protection: Wear protective clothing, overall if necessary to limit the odour contamination of personal clothing. Individual washing routines should be followed after any potential contact.

9 PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Appearance : Colour : Odour :	LIQUID COLOURLESS TO PALE YELLOW Characteristic strong odour according to the commercial description of the substance.
pH : Melting point/range (°C) : Initial boiling point/range (°C) : Flash point (closed cup) : Evaporation rate : Flammability (solid/gas) : Upper/lower flammability or explosive limits :	Not available Not available Not available = 144 Fahrenheit (= 62 Centigrade) Not available Not available

According to Regulation HCS 2012

This Safety Data Sheet cancels and replaces all preceding SDS for this product.

Vapor pressure (At 20°C in mm Hg)	
Calculated vapor pressure (At 20°C in mm Hg):	0.2
Vapour density :	Not available
Relative density (d 20/20) :	0.892 - 0.922
Water solubility (20°C) :	Not applicable
Partition coef. (n-octanol/water) :	Not available
Auto-ignition temperature (°C):	Not available
Decomposition temperature :	Not available
Viscosity :	Not available
Explosive properties :	Not available
Oxidizing properties :	Not available
VOC Content less than:	45%

10 STABILITY AND REACTIVITY

10.1 Reactivity

No reaction known with water.

10.2 Chemical stability

Presents no significant reactivity hazard. Normally stable even at elevated temperatures and pressures. Avoid temperatures above or near to the flash point. Not pyrophoric nor reactive with water. Does not undergo explosive decomposition, is shock stable, and is not an oxygen donor. Does not form explosive mixtures with other organic materials. Will not undergo hazardous exothermic polymerization.

10.3 Possibility of hazardous reactions

Not known.

10.4 Conditions to avoid

Avoid temperatures above or at least 5 °C below flash point for any flammable liquids. Do not heat closed containers. Avoid contact with oxidizing agents.

10.5 Incompatible materials

Avoid strong oxidizing agents.

10.6 Hazardous decomposition products

Contact with water or storage under recommended conditions for one year should not produce dangerous decomposition products.

11 TOXICOLOGICAL INFORMATION

This mixture has not been subjected to toxicological testing as an entity. According to available data on the constituents the health classification criteria are met.

12 ECOLOGICAL INFORMATION

This mixture has not been subjected to ecotoxicological testing as an entity. According to available data on the constituents the environmental classification criteria are met.

According to Regulation HCS 2012

This Safety Data Sheet cancels and replaces all preceding SDS for this product.

13 DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Product: The product should be handled according to the instructions given under sections 6, 7 and 8. Dispose of according to local or national regulations. The product should not be allowed to enter drains or the environment.

Contaminated packaging: Empty packaging should be disposed according to local or national regulations by an approved waste handling

14 TRANSPORT INFORMATION

In case of accidental spillage or fire during transport, refer to instructions given under points 5, 6, 7 and 8 above.

UNO

UN-No: Proper Shipping Name:	3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (LIMONENE)
Class:	9
Packing Group:	III
	Hazardous to the Environment

Land transport (ADR/RID)

UN-No: Proper Shipping Name:	3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
Floper Shipping Name.	(LIMONENE)
Class:	9
Packing group:	III

Sea transport (IMDG-Code)

UN-No: Proper Shipping Name:	3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (LIMONENE)
Class:	9 ý
Packing group:	
	Marine pollutant

Air transport (ICAO-IATA)

UN-No: Proper Shipping Name:	3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (LIMONENE)
Class:	9
Packing group:	III

15 REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

According to Regulation HCS 2012

This Safety Data Sheet cancels and replaces all preceding SDS for this product.

NFPA Hazard Classification

Health:	2
Flammability:	2
Reactivity:	0

This mixture contains no toxic chemical or chemicals subject to reporting requirements of Section 313 of Title III of the Superfund Amendements and Reauthorization Act of 1986 and 29 CFR Part 1910.1200.

15.2 Chemical Safety Assessment

No data available at this time.

16 OTHER INFORMATION

Revisions

01-Dec-2010: Version 6.1 - First version validated for publication 04-May-2012: Version 6.2 - Updates to sections 1, 2, 3, 8.3, 11, 12, 16. 20-Apr-2013: Version 6.3 - Updates to sections 1, 2, 3, 8.1, 14, 16. 07-July-2014: Version 6.4- Updates to section 2, 3, 14, 16. 30-May-2015: Version 6.5- Updates to section 2, 3, 7, 8, 9,13,14,16

Key literature references

RIFM database OECD SIDS EU IUCLID Supplier information

Full text of phrases used under section 2

S24/25 S37	Avoid contact with skin and eyes. Wear suitable gloves.
S57 S61	Use appropriate container to avoid environmental contamination. Avoid release to the environment. Refer to special instructions/Safety data sheets.
S62	If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label.
H227	Combustible liquid
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H351	Suspected of causing cancer /\$#GHS_ROE#\$/.
H411	Toxic to aquatic life with long lasting effects.
P201	Obtain special instructions before use.
P210	Keep away from heat/sparks/open flames/hot surfaces. No smoking.
P261	Avoid breathing dust/fume/gas/mist/vapours/spray.
P264	Wash thoroughly after handling.
P273	Avoid release to the environment.

According to Regulation HCS 2012

This Safety Data Sheet cancels and replaces all preceding SDS for this product.

P202	Do not handle until all safety precautions have been read and understood.
P272	Contaminated work clothing should not be allowed out of the workplace.
P281	Use personal protective equipment as required.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P301+P310	IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact
	lenses, if present and easy to do. Continue rinsing.
P302+P352	IF ON SKIN: Wash with plenty of soap and water.
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
P370+P378	In case of fire: Use appropriate fire extinguishers for fire control.
P391	Collect spillage.
P331	Do NOT induce vomiting.
P362	Take off contaminated clothing and wash before reuse.
P363	Wash contaminated clothing before reuse.
P403+P235	Store in a well-ventilated place. Keep cool.
P405	Store locked up.
P308	IF exposed or concerned:
P337	If eye irritation persists:

Full text of phrases used under section 3

H226	Flammable liquid and vapour.
H227	Combustible liquid
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H341	Suspected of causing genetic defects.
H351	Suspected of causing cancer.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
R10	Flammable.
R20/22	Harmful by inhalation and if swallowed.
R36	Irritating to eyes.
R36/38	Irritating to eyes and skin.
R38	Irritating to skin.
R43	May cause sensitization by skin contact.
R50/53	Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
R51/53	Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
R65	Harmful: may cause lung damage if swallowed.



According to Regulation HCS 2012

This Safety Data Sheet cancels and replaces all preceding SDS for this product.

We believe that the information contained herein is current as of the date of this Safety Data Sheet. Since the use of this information and the conditions of use of the product are not within the control of Firmenich, it is the user's obligation to determine conditions of safe use of the product.

Information contained in this document and related material is proprietary to Firmenich. Disclosure to third parties without the prior written consent of Firmenich except where required by applicable laws and regulations and/or reverse engineering are strictly prohibited.