

# Firmenich

## Safety Data Sheet

According to Regulation HCS 2012

This Safety Data Sheet cancels and replaces all preceding SDS for this product.

### 1 IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

#### 1.1 Product identifier

**860469 TD1290**  
NATURAL FLAVOR (PINEAPPLE TYPE) DURAROME®  
© Firmenich product

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Ingredient for use in products that may be ingested.  
Not for personal use in this form or concentration.  
Intended to be used in the manufacture of products for consumers.

#### 1.3 Details of the supplier of the safety data sheet

**Mr. Thomas Sulich**  
Firmenich Inc.  
P.O. Box 5880  
Princeton - New Jersey 08543 - USA  
thomas.sulich@firmenich.com  
Tel.:+1.609.452.10.00 - Fax.:+1.609.275.72.38

#### 1.4 Emergency telephone number

FOR INFORMATION OR IN AN EMERGENCY CALL CHEMTREC @ 1-800-424-9300 or 1-703-527-3887.

### 2 HAZARDS IDENTIFICATION

#### 2.1 Classification of the substance or mixture

According to Regulation HCS 2012

Carcinogenicity - Cat. 2

H351

#### Additional information

Full text of listed statements : See section 16

#### 2.2 Label elements

##### **Hazard pictograms:**



# Firmenich

## Safety Data Sheet

According to Regulation HCS 2012

This Safety Data Sheet cancels and replaces all preceding SDS for this product.

**Signal Word:**

Warning

**Hazard Statements:**

H351 Suspected of causing cancer.

**Precautionary Statements:**

P201 Obtain special instructions before use.  
P202 Do not handle until all safety precautions have been read and understood.  
P281 Use personal protective equipment as required.  
P308+P313 IF exposed or concerned: Get medical advice/attention.  
P405 Store locked up.

2.3 Other hazards

CAUTION: THIS MATERIAL CONTAINS VOLATILE FLAVORING CHEMICALS IDENTIFIED IN THE FEMA "RESPIRATORY HEALTH AND SAFETY MANUFACTURING WORKPLACE" DOCUMENT.

No data available at this time.

**3 COMPOSITION/INFORMATION ON INGREDIENTS**

The exact percentage (concentration) of composition has been withheld as a trade secret.

**3.2 Mixture**

Mixture of aromatic substances.

Contains :

>= 1.0 < 2.5%	Classification: F Xi - R36,R67,R11
Ethyl Acetate	GHS Classification:
N° CAS : 0000141-78-6	Specific Target Organ Toxicity - Single Exposure - Cat. 3 Narcotic Effects
N° EINECS: 205-500-4	[H336]
	Eye Irritation - Cat.2A [H319]
	Flammable Liquid - Cat. 2 [H225]
>= 0.1 < 0.5%	Classification: F+ Xn - R36/37,R40,R12
Acetaldehyde	GHS Classification:
N° CAS : 0000075-07-0	Carcinogenicity - Cat. 2 [H351]
N° EINECS: 200-836-8	Specific Target Organ Toxicity - Single Exposure - Cat. 3 Respiratory Irritation
	[H335]
	Eye Irritation - Cat.2A [H319]
	Flammable Liquid - Cat. 1 [H224]
>= 0.1 < 0.5%	Classification: - Not Classified
Silica	GHS Classification:
N° CAS : 0007631-86-9	-
N° EINECS: 215-683-2	

# Firmenich

## Safety Data Sheet

According to Regulation HCS 2012

This Safety Data Sheet cancels and replaces all preceding SDS for this product.

>= 0.1 < 0.5%  
Hexanoic Acid, 2-Propenyl Ester  
N° CAS : 0000123-68-2  
N° EINECS: 204-642-4

Classification: T N - R21/22,R23,R50/53  
GHS Classification:  
Acute Toxicity (oral) - Cat. 3 [H301]  
Acute Toxicity (dermal) - Cat. 3 [H311]  
Acute Toxicity (inhalation) - Cat. 3 [H331]  
Environmental Hazard (acute) - Cat. 1 [H400]  
Environmental Hazard (chronic) - Cat. 3 [H412]  
Flammable Liquid - Cat. 4 [H227]

### **4 FIRST-AID MEASURES**

#### 4.1 Description of first aid measures

General information:

As in all cases of potential poisoning, Obtain medical advice immediately.

In case of eye contact:

In the event of contact with the eyes, irrigate with water for at least 15 minutes; obtain medical advice if irritation persists.

In case of inhalation:

In the event of exposure to vapors, immediately remove from the area to a fresh air environment. Individuals showing evidence of inhalation exposure should be taken to an uncontaminated area. Obtain medical advice immediately.

In case of skin contact:

Remove contaminated clothes. Wash skin with large volumes of water. If irritation persists, or any sign of tissue damage is apparent, obtain medical advice immediately.

In case of ingestion:

In the event of accidental ingestion, rinse mouth with water. Give up to one tumbler (half pint) of milk or water. Obtain medical advise immediately.  
Do not induce vomiting, obtain medical advise immediately.

#### 4.2 Most important symptoms and effects, both acute and delayed

No information available on the product itself.

#### 4.3 Indication of immediate medical attention and special treatment needed

None known.

### **5 FIRE-FIGHTING MEASURES**

#### 5.1 Extinguishing media

In the event of fire, adequate extinguishers should be used. Avoid inhalation of smoke and fumes. In case of insufficient ventilation, wear suitable respiratory equipment.

Use standard procedures and preferred extinguishing media as stated below.

Extinguishing media: Water, foam, carbon dioxide or dry chemical.

#### 5.2 Special hazard arising from the substance or mixture

Product is a combustible powder. Like all combustible powders, it may form explosive mixtures if suspended in air.

# Firmenich

## Safety Data Sheet

According to Regulation HCS 2012

This Safety Data Sheet cancels and replaces all preceding SDS for this product.

### 5.3 Advice for fire-fighters

No specific advice.

## **6 ACCIDENTAL RELEASE MEASURES**

### 6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel:

Adequate protective gloves should be worn when handling spillages. No smoking. Avoid naked flames or other potential sources of ignition (eg. electrical equipment).

Avoid skin contamination and inhalation of dust.

Individual washing routines should be followed after any potential contact.

Ensure adequate ventilation in working areas following accidental releases.

For emergency personnel:

Apply the same recommendations as section 6.1

### 6.2 Environmental precautions

Do not discharge directly into drains, air, into soil or into the aquatic environment.

### 6.3 Methods and material for containment and cleaning up

For containment:

Small Spills can be swept up and disposed of properly.

Do not allow powder to accumulate on horizontal surfaces, as an explosive dust/air mixture could occur if suddenly dispersed into the air.

For cleaning-up:

Spillages should be disposed of in accordance with Governmental Regulations.

## **7 HANDLING AND STORAGE**

### 7.1 Precautions for safe handling

Keep strict control of dust accumulation to a minimum.

Avoid contact with skin and eyes.

Wear adequate protective gloves protection and eye/face protection.

No smoking. Avoid any source of ignition. Use flameproof electrical equipment and spark-reduced tools.

Ensure that all equipments are properly bonding and earthing.

Avoid exposing to high temperature during processing.

Do not ingest or apply to the skin as such. Good personal washing routines should be followed.

Maintain adequate local and general ventilation where product is handled.

### Protective measures

Keep strict control of dust accumulation to a minimum. Maintain adequate local and general ventilation where product is handled. Avoid any sources of ignition.

### Advice on general occupational hygiene

Good personal washing routines should be followed.

### 7.2 Conditions for safe storage, including any incompatibilities

It is good general practice to store in closed, preferably full, containers away from heat sources, and protected from extremes of temperature. Do not re-use the empty container.

Respect general rules for compatibility storage.

# Firmenich

## Safety Data Sheet

According to Regulation HCS 2012

This Safety Data Sheet cancels and replaces all preceding SDS for this product.

### 7.3 Specific end use(s)

Not available at this time.

## 8 EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1 Control parameters

0000075-07-0 : Acetaldehyde (All forms)

American Conference of Governmental Industrial Hygienists (ACGIH) - Threshold Limit Values (TLV) (1994-SEP)

C (2012-MAR) : 25 ppm , (All forms)

C (1994-SEP) : 45 mg/m<sup>3</sup> , (All forms)

0000075-07-0 : Acetaldehyde (All forms)

Occupational Safety and Health Administration (OSHA) (29 CFR 1910.1000 Z-1-A) - Permissible Exposure Limits - 1989 vacated values (1989-MAR)

STEL (1989-MAR) : 150 ppm , 15 minutes (All forms)

STEL (1989-MAR) : 270 mg/m<sup>3</sup> , 15 minutes (All forms)

TWA (1989-MAR) : 100 ppm , 8 hours (All forms)

TWA (1989-MAR) : 180 mg/m<sup>3</sup> , 8 hours (All forms)

0000075-07-0 : Acetaldehyde (All forms)

Occupational Safety and Health Administration (OSHA) 29 CFR 1910.1001 to 1910.1048 - Substance-Specific Standards (1993-JUN)

TWA (1993-JUN) : 200 ppm , 8 hours (All forms)

TWA (1993-JUN) : 360 mg/m<sup>3</sup> , 8 hours (All forms)

0000141-78-6 : ETHYL ACETATE (All forms)

National Institute for Occupational Safety and Health (NIOSH) Recommended Exposure Limits (REL) (2010-SEP)

TWA (1994-JUN) : 400 ppm , 10 hours (All forms)

TWA (1994-JUN) : 1400 mg/m<sup>3</sup> , 10 hours (All forms)

0000141-78-6 : Ethyl acetate (All forms)

American Conference of Governmental Industrial Hygienists (ACGIH) - Threshold Limit Values (TLV) (2012-MAR)

TWA (1996-MAY) : 400 ppm , 8 hours (All forms)

TWA (1996-MAY) : 1440 mg/m<sup>3</sup> , 8 hours (All forms)

0000141-78-6 : Ethyl acetate (All forms)

Occupational Safety and Health Administration (OSHA) (29 CFR 1910.1000 Z-1-A) - Permissible Exposure Limits - 1989 vacated values (1989-MAR)

TWA (1989-MAR) : 400 ppm , 8 hours (All forms)

TWA (1989-MAR) : 1400 mg/m<sup>3</sup> , 8 hours (All forms)

0000141-78-6 : Ethyl acetate (All forms)

Occupational Safety and Health Administration (OSHA) 29 CFR 1910.1001 to 1910.1048 - Substance-Specific Standards (1993-JUN)

TWA (1993-JUN) : 400 ppm , 8 hours (All forms)

TWA (1993-JUN) : 1400 mg/m<sup>3</sup> , 8 hours (All forms)

# Firmenich

## Safety Data Sheet

According to Regulation HCS 2012

This Safety Data Sheet cancels and replaces all preceding SDS for this product.

0007631-86-9 : Silicon dioxide (All forms)  
National Institute for Occupational Safety and Health (NIOSH) Recommended Exposure Limits (REL)  
(2013-APR)  
TWA (1994-JUN) : 6 mg/m<sup>3</sup> , 10 hours (All forms)

### 8.2 Exposure controls

Avoid exposing to high temperature during processing.  
Maintain adequate local and general ventilation where product is handled.

### Appropriate engineering controls

Maintain adequate local and general ventilation where product is handled and dispensed.

### Environmental exposure controls

Not available at this time. Minimize release to the environment.

### Personal protection

Respiratory protection: Breathing of the vapors or dust particles may be hazardous. In the absence of appropriate engineering controls such as spot ventilation, ventilated enclosures, etc., workers should avail themselves of the appropriate NIOSH approved respiratory protection. OSHA has established limits for Respirable dust (PEL of 5 mg/m<sup>3</sup>) TWA and Total dust (PEL of 15 mg/m<sup>3</sup>)TWA. It is recommended that when using powders that air monitoring of the workplace be conducted to ensure that these levels are not exceeded.

Hand protection: Adequate Protective Gloves should be worn.

Eye protection: Adequate safety glasses should be used.

Skin protection: Wear protective clothing, overall if necessary to limit the odour contamination of personal clothing. Individual washing routines should be followed after any potential contact.

## **9 PHYSICAL AND CHEMICAL PROPERTIES**

### 9.1 Information on basic physical and chemical properties

Appearance :	GRANULAR POWDER
Colour :	BEIGE TO TAN
Odour :	Characteristic strong odour according to the commercial description of the substance.
pH :	Not applicable
Melting point/range (°C) :	Not available
Initial boiling point/range (°C) :	Not available
Flash point (closed cup) :	> 212 Fahrenheit (> 100 Centigrade)
Evaporation rate :	Not available
Flammability (solid/gas) :	Not available
Upper/lower flammability or explosive limits :	
Vapor pressure (At 20°C in mm Hg ) :	
Calculated vapor pressure (At 20°C in mm Hg):	< 0.1 mm

# Firmenich

## Safety Data Sheet

According to Regulation HCS 2012

This Safety Data Sheet cancels and replaces all preceding SDS for this product.

Vapour density :	Not available
Relative density (d 20/20) :	Not available
Water solubility (20°C) :	Not applicable
Partition coef. (n-octanol/water) :	Not applicable
Auto-ignition temperature (°C):	Not available
Decomposition temperature :	Not available
Viscosity :	Not available
Oxidizing properties :	Not available
VOC Content less than:	6%

### 9.2 Other safety information

#### 9.2.1 Explosive properties (Measured)

No data available at this time.  
Please refer to section 9.2.2.

#### 9.2.2 Default Safety Data for Spray Dryer Dust Compounds

Using our experience in Powder operations and internal laboratory testing, we established the following Default Safety Data. This default data represents conservative worst-case values for the listed parameters. This data may be carefully used as guidance in the absence of measured data. Default data should not be used directly for production, storage, transportation or any other industrial purpose. In all cases, actual testing is the best way to obtain specific data on our compounds.

Type	Value	Units
- Particle size distribution	> 150	microns
- Moisture content	< 8	%
- Minimum explosible concentration	Not applicable	g/m3
- Minimum ignition energy of cloud (MIE)	> 1000	mJ
- Minimum ignition energy in layer (MIE)	> 1000	mJ
- Cloud ignition temperature [1]	> 100	°C
- Layer ignition temperature (5 mm layer according to the applicable norm) [2]	MELT	°C
- KST	< 300	bars.m/s
- Pmax (abs)	< 11	Bars
- St	2	-
- Resistivity	> 1.E10	Ohm.m

[1] The minimum ignition temperature of a dust cloud is the lowest temperature at which an explosible dust air mixture ignites on contact with a hot surface. Normally the temperature for this powder is not below 120°C and we have to heat up to 200-300°C or higher for possible gas decomposition ignition.

[2] The smoldering /glow temperature can only be determined for substances that do not decompose, melt or evaporate before smoldering. In this case the MSDS indicates "MELT" .This powder melts around 120-130°C, before burning can begin.

## 10 STABILITY AND REACTIVITY

### 10.1 Reactivity

No reaction known with water.

# Firmenich

## Safety Data Sheet

According to Regulation HCS 2012

This Safety Data Sheet cancels and replaces all preceding SDS for this product.

### 10.2 Chemical stability

Presents no significant reactivity hazard. Normally stable even at elevated temperatures and pressures. Avoid temperatures above or near to the flash point. Not pyrophoric nor reactive with water. Does not undergo explosive decomposition, is shock stable, and is not an oxygen donor. Does not form explosive mixtures with other organic materials. Will not undergo hazardous exothermic polymerization.

### 10.3 Possibility of hazardous reactions

Not known.

### 10.4 Conditions to avoid

Avoid temperatures above or at least 5 °C below flash point for any flammable liquids.  
Do not heat closed containers.  
Avoid contact with oxidizing agents.

### 10.5 Incompatible materials

Avoid strong oxidizing agents.

### 10.6 Hazardous decomposition products

Contact with water or storage under recommended conditions for one year should not produce dangerous decomposition products.

## **11 TOXICOLOGICAL INFORMATION**

This mixture has not been subjected to toxicological testing as an entity. According to available data on the constituents the health classification criteria are met.

## **12 ECOLOGICAL INFORMATION**

This mixture has not been subjected to ecotoxicological testing as an entity. According to available data on the constituents the environmental classification criteria are not met.

## **13 DISPOSAL CONSIDERATIONS**

### **13.1 Waste treatment methods**

Product: The product should be handled according to the instructions given under sections 6, 7 and 8. Dispose of according to local or national regulations. The product should not be allowed to enter drains or the environment.

Contaminated packaging: Empty packaging should be disposed according to local or national regulations by an approved waste handling

## **14 TRANSPORT INFORMATION**

In case of accidental spillage or fire during transport, refer to instructions given under points 5, 6, 7 and 8 above.

### UNO

UN-No:	Not regulated
Proper Shipping Name:	N/A
Class:	---
Packing Group:	---



# Firmenich

## Safety Data Sheet

According to Regulation HCS 2012

This Safety Data Sheet cancels and replaces all preceding SDS for this product.

### Land transport (ADR/RID)

UN-No: Not regulated  
Proper Shipping Name: N/A  
Class: ----  
Packing group: ---

### Sea transport (IMDG-Code)

UN-No: Not regulated  
Proper Shipping Name: N/A  
Class: ----  
Packing group: ---

### Air transport (ICAO-IATA)

UN-No: Not regulated  
Proper Shipping Name: N/A  
Class: ----  
Packing group: ---

## **15 REGULATORY INFORMATION**

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

#### **NFPA Hazard Classification**

Health: 2  
Flammability: 1  
Reactivity: 0

This mixture contains a toxic chemical or chemicals subject to reporting requirements of Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 29 CFR 1910.1200.

0.5% Acetaldehyde,  
CAS# 75-07-0,

### 15.2 Chemical Safety Assessment

No data available at this time.

## **16 OTHER INFORMATION**

### Revisions

01-Dec-2010: Version 6.1 - First version validated for publication  
04-May-2012: Version 6.2 - Updates to sections 1, 2, 3, 8.3, 11, 12, 16.  
20-Apr-2013: Version 6.3 - Updates to sections 1, 2, 3, 8.1, 14, 16.  
07-July-2014: Version 6.4- Updates to section 2, 3, 14, 16.  
30-May-2015: Version 6.5- Updates to section 2, 3, 7, 8, 9,13,14,16

### Key literature references

RIFM database

# Firmenich

## Safety Data Sheet

According to Regulation HCS 2012

This Safety Data Sheet cancels and replaces all preceding SDS for this product.

OECD SIDS  
EU IUCLID  
Supplier information

### Full text of phrases used under section 2

H351	Suspected of causing cancer /\$#GHS_ROE#\$/.
P201	Obtain special instructions before use.
P202	Do not handle until all safety precautions have been read and understood.
P281	Use personal protective equipment as required.
P308+P313	IF exposed or concerned: Get medical advice/attention.
P405	Store locked up.

### Full text of phrases used under section 3

H224	Extremely flammable liquid and vapour.
H225	Highly flammable liquid and vapour.
H227	Combustible liquid
H301	Toxic if swallowed.
H311	Toxic in contact with skin.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H336	May cause drowsiness or dizziness.
H351	Suspected of causing cancer.
H400	Very toxic to aquatic life.
R11	Highly flammable.
R21/22	Harmful in contact with skin and if swallowed.
R23	Toxic by inhalation.
R36	Irritating to eyes.
R50/53	Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
R67	Vapours may cause drowsiness and dizziness.

**We believe that the information contained herein is current as of the date of this Safety Data Sheet. Since the use of this information and the conditions of use of the product are not within the control of Firmenich, it is the user's obligation to determine conditions of safe use of the product.**

**Information contained in this document and related material is proprietary to Firmenich. Disclosure to third parties without the prior written consent of Firmenich except where required by applicable laws and regulations and/or reverse engineering are strictly prohibited.**