

ProductDIHYDRO TERPINYL ACETATEPrint Date01.04.2016Page 1 (11)

1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name	:	DIHYDRO TERPINYL ACETATE
IFF Code	:	00044170
Cust. Material	:	00044170
MSDS Number	:	R00000219144
	•	• • • • • •

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture : Ingredient used in Flavour and/or Fragrance preparations

1.3 Details of the supplier of the safety data sheet

Company	: IFF Benicarló, S.L.
	Avda. Felipe Klein 2
	12580 BENICARLÓ
Telephone	: +34964470212
Telefax	: +34964473411
E-mail address	: sds@iff.com
Responsible/issuing person	

1.4 Emergency telephone number

Refer to section 16 for country specific emergency contact number.

2. Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)


Chronic aquatic toxicity, Category 2

H411: Toxic to aquatic life with long lasting effects.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms





DIHYDRO TERPINYL ACETATE

Product Print Date

Page 2 (11)

Disposal: P501

01.04.2016

Dispose of contents/ container to an approved waste disposal plant.

Additional Labelling:

EUH208 Contains: limonene. May produce an allergic reaction.

2.3 Other hazards

None reasonably foreseeable.

3. Composition/information on ingredients

3.1 Substances

Chemical name of the substance	: p-menthan-8-yl acetate
Chemical characterization	: esters of aliphatic acids
Molecular formula	: C12 H22 O2
Molecular weight	: 198,00 g/mol
CAS-No.	: 58985-18-5
EINECS-No.	: 261-543-9

Hazardous components

Chemical Name	CAS-No. EC-No.	GHS Classification	Concentration [%]
p-menthan-8-yl acetate	58985-18-5 261-543-9	Aquatic Chronic2; H411	50 - 100
limonene	138-86-3, 5989-27-5, 5989-54-8 205-341-0, 227-813-5, 227-815-6	Flam. Liq.3; H226 Skin Sens.1B; H317 Asp. Tox.1; H304 Aquatic Chronic1; H410 Skin Irrit.2; H315 Aquatic Acute1; H400	0,1 - 0,25

For the full text of the R-phrases mentioned in this Section, see Section 16.

3.2 Mixtures

Not applicable, product is a substance.



Product DIHYDRO TERPINYL ACETATE

01.04.2016

Print Date

Page 3 (11)

4. First aid measures 4.1 Description of first aid measures General advice : Take Risk/Hazard and Safety/Precautionary phrases (section 2 or 15) into account. If inhaled : Remove from exposure site to fresh air and keep at rest. Obtain medical advice. In case of skin contact : Remove contaminated clothes. Wash thoroughly with water (and soap). Contact physician if symptoms persist. In case of eye contact : Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist. If swallowed : Rinse mouth with water and obtain medical advice. 4.2 Most important symptoms and effects, both acute and delayed Symptoms : No information available. Risks : No information available. 4.3 Indication of any immediate medical attention and special treatment needed : No information available. Treatment

5. Firefighting measures

5.1 Extinguishing media				
Suitable extinguishing media	:	Carbondioxide, dry chemical, foam.		
Unsuitable extinguishing media	:	Do not use a direct waterjet on burning material.		
5.2 Special hazards arising from the substance or mixture				
Specific hazards during firefighting 5.3 Advice for firefighters	:	Water may be ineffective.		
Further information	:	Standard procedure for chemical fires.		

6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures



Product	DIHYDRO TERPINYL ACETATE	
Print Date	01.04.2016 Page 4 (11)	
Personal precautions	: Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.	
6.2 Environmental precaution	15	
Environmental precaution	s : Keep away from drains, surface- and groundwater and soil.	
6.3 Methods and materials for	r containment and cleaning up	
Methods for cleaning up	: Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapours. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.	
6.4 Reference to other section	IS	
Prevent spreading over a	wide area (e.g. by containment or oil barriers).	
7. Handling and store	age	
7.1 Precautions for safe hand	ling	
Advice on safe handling	: Avoid excessive inhalation of concentrated vapors. Follow good manufacturing practices for housekeeping and personal hygiene. Wash any exposed skin immediately after any chemical contact, before breaks and meals, and at the end of each work period. Contaminated clothing and shoes should be thoroughly cleaned before re-use.	
	If appropriate, procedures used during the handling of this material should also be used when cleaning equipment or removing residual chemicals from tanks or other containers, especially when steam or hot water is used, as this may increase vapor concentrations in the workplace air. Where chemicals are openly handled, access should be restricted to properly trained employees. Keep all heated processes at the lowest necessary temperature in order to minimize emissions of volatile chemicals into the air.	
Advice on protection agai fire and explosion	nst : Keep away from ignition sources and naked flame.	
7.2 Conditions for safe storag	e, including any incompatibilities	
Requirements for storage and containers	areas : Store in a cool, dry, ventilated area away from heat sources. Keep containers upright and tightly closed when not in use.	
7.3 Specific end use(s)		

p se(s)



DIHYDRO TERPINYL ACETATE

Product Print Date

01.04.2016

Page 5 (11)

Specific use(s)

: No information available.

8. Exposure controls/personal protection

8.1 Control parameters

Contains no substances with occupational exposure limit values.

8.2 Exposure controls

Engineering measures

Where appropriate, use closed systems to transfer and process this material. If appropriate, isolate mixing rooms and other areas where this material is used or openly handled. Maintain these areas under negative air pressure relative to the rest of the plant.

Personal protective equipment

Respiratory protection	:	Use local exhaust ventilation around open tanks and other open sources of potential exposures in order to avoid excessive inhalation, including places where this material is openly weighed or measured. In addition, use general dilution ventilation of the work area to eliminate or reduce possible worker exposures. No respiratory protection is required during normal operations in a workplace where engineering controls such as adequate ventilation, etc. are sufficient. If engineering controls and safe work practices are not sufficient, an approved, properly fitted respirator with organic vapor cartridges or canisters and particulate filters should be used: a)while engineering controls and appropriate safe work practices and/or procedures are being implemented; or b)during short term maintenance procedures when engineering controls are not in normal operation or are not sufficient; or c)if normal operational workplace vapor concentration in the air is increased due to heat ; d)during emergencies; or e)if engineering controls and operational practices are not sufficient to reduce airborne concentrations below an established occupational exposure limit.
Hand protection	:	Avoid skin contact. Use chemically resistant gloves.
Eye protection	:	Use tight-fitting goggles, face shield or safety glasses with side shields if eye contact might occur.

Version Revision Date



Product	DIHYDRO TERPINYL ACETATE	RO TERPINYL ACETATE		
Print Date	01.04.2016 Page 6	5 (11)		
Hygiene measures	 To the extent deemed appropriate, implement pre-placement an regularly scheduled ascertainment of symptoms and spirometry testing of lung function for workers who are regularly exposed this material. To the extent deemed appropriate, use an experienced air sample expert to identify and measure volatile chemicals that could be present in the workplace air to determine potential exposures are ensure the continuing effectiveness of engineering controls and operational practices to minimize exposure. 	to ing 1d to		
Environmental exposure	controls			
General advice	: Keep away from drains, surface- and groundwater and soil.			

9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance	: liquid
Colour	: colorless
Odour	: conforms to standard
Odour Threshold	: not determined
Flash point	: 90 °C
Lower explosion limit	: not determined
Upper explosion limit	: not determined
Flammability (solid, gas)	: not determined
Oxidizing properties	: not determined
Auto-ignition temperature	: not determined
pH	: not determined
Melting point	: not determined
Boiling point	: not determined
Vapour pressure	: 0,06 hPa Calculated
Density	: not determined
Water solubility	: not determined
Partition coefficient: n-	: log Pow: 4,140
octanol/water	
Solubility in other solvents	: not determined
Viscosity, dynamic	: not determined
Viscosity, kinematic	: not determined
Relative vapour density	: not determined
Evaporation rate	: not determined
Other information	
Refractive index	: not determined

9.2

: 6.0 : 22.03.2016



Product	DIHYDRO TERPINYL ACETATE				
Print Date	01.04.2016 Page 7 (11)				
Relative density	: 0,93 - 0,937				
10. Stability and read	ctivity				
10.1 Reactivity					
No hazards to be speciall	y mentioned.				
10.2 Chemical stability					
Stable under normal cond	litions.				
10.3 Possibility of hazardous	reactions				
Hazardous reactions	: Note: Presents no significant reactivity hazard, by itself or in contact with water. Avoid contact with strong acids, alkali or oxidizing agents.				
10.4 Conditions to avoid					
Conditions to avoid	: Direct sources of heat.				
10.5 Incompatible materials					
Materials to avoid	: Avoid contact with strong acids, alkali or oxidizing agents.				
10.6 Hazardous decomposition products					
Hazardous decomposition products	: Carbon monoxide and unidentified organic compounds may be formed during combustion.				

11. Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Acute oral toxicity	: LD50: 3.000 mg/kg Species: Rat
Acute dermal toxicity	: LD50: > 5.000 mg/kg Species: Rabbit
Skin corrosion/irritation	
Skin irritation Skin irritation	 No information available. Species: human Result: No skin irritation Method: closed patch test Exposure time: 48 h



Product	DIHYDRO TERPINYL ACETA	TE
Print Date	01.04.2016	Page 8 (11)
	: Species: Rabbit Result: Skin irritation Exposure time: 24 h	
Serious eye damag	/eye irritation	
No information avai Respiratory or skir		
No information avai Sensitisation	: maximisation study Species: human	sensitisation on laboratory animals. 1 petrolatum
Germ cell mutagen	icity	
No information avai Carcinogenicity	able.	
No information avai Reproductive toxic		
No information avai Target Organ Syst e	able. e mic Toxicant - Single exposure	
No information avai Target Organ Syst e	able. e mic Toxicant - Repeated exposure	
No information avai Aspiration hazard	able.	
No information avai	able.	
12. Ecological inj	formation	
12.1 Toxicity		
12.2 Persistence and deg	radability	
No information avai 12.3 Bioaccumulative po		
No information avai 12.4 Mobility in soil	able.	
12.5 Results of PBT and	vPvB assessment	
This substance/mixt	are contains no components considered t	to be either persistent, bioaccumulative and toxic



Product DIHYDRO TERPINYL ACETATE

Print Date 01.04.2016

Page 9 (11)

 No information available.

 13. Disposal considerations

 13.1 Waste treatment methods

 Product
 : Dispose of according to local regulations. Avoid disposing into drainage systems and into the environment.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.

14. Transport information

ADR		
UN number	:	3082
Description of the goods	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
		(DIHYDRO TERPINYL ACETATE)
Labels	:	9
Packing group	:	III
Environmentally hazardous	:	yes
IATA		
UN number	:	3082
Description of the goods	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
		(DIHYDRO TERPINYL ACETATE)
Labels	:	9
Packing group	:	III
Environmentally hazardous	:	yes
IMDG		
UN number	:	3082
Description of the goods	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
		(DIHYDRO TERPINYL ACETATE)
Labels	:	9
Packing group	:	III
Marine pollutant	:	yes (DIHYDRO TERPINYL ACETATE)
Special precautions for	:	No special precautions required.
user		

15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Water contaminating class	:	WGK 2water endangering
(Germany)		Classification according to appendix 3

Version Revision Date



Product

SAFETY DATA SHEET INTERNATIONAL FLAVORS & FRAGRANCES

DIHYDRO TERPINYL ACETATE

01.04.2016

Print Date

Page 10 (11)

15.2 Chemical Safety Assessment

A Chemical Safety Assessment has not been carried out for this product.

16. Other information				
Full text of H-Statements referred to under sections 2 and 3.				
H226	Flammable liquid and vapour.			
H304	May be fatal if swallowed and enters airways.			
H315	Causes skin irritation.			
H317	May cause an allergic skin reaction.			
H400	Very toxic to aquatic life.			
H410	Very toxic to aquatic life with long lasting effects.			
H411	Toxic to aquatic life with long lasting effects.			

Further information

In December 2003, the National Institute for Occupational Safety and Health ("NIOSH") published an Alert on preventing lung disease in workers who use or make flavorings [NIOSH Publication Number 2004-110]. In August 2004, the United States Flavor and Extract Manufacturers Association (FEMA) issued a report entitled "Respiratory Safety in the Flavor Manufacturing Workplace".

Both of these reports provide recommendations for reducing employee exposure and for medical surveillance in the workplace. The recommendations in these reports are generally applicable to the use of any chemical in the workplace and you are strongly urged to review both of these reports.

The report published by FEMA also contains a list of "high priority" chemicals. If any of these chemicals are present in this product at a concentration $\geq 1.0\%$ due to an intentional addition by IFF, the chemical(s) will be identified in this safety data sheet.

According to Regulation (EC) No. 1907/2006 the information in this safety data sheet is based on the properties of the material known to IFF at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment International Flavors & Fragrances holds no responsibility. This document is not intended for quality assurance purposes.

Emergency telephone number

Austria	+43 1 406 43 43
Belgium	+32 70 245 245
Bulgaria	+359 2 9154 233
Croatia	(+385 1) 2348342
Czech Republic	+420 224 919 293 / +420 224 915 402
Denmark	+45 82 12 12 12



DIHYDRO TERPINYL ACETATE

Product

Print Date 01.04.2016

Page 11 (11)

Estonia	16662 (National), International (+372) 626 93 90
Finland	+358 9 471977
France	+ 33 (0)1 45 42 59 59
Germany	+31 13 4642 211
Greece	+31 13 4642 211
Hungary	(+36-80) 201-199
Iceland	+354 543 2222
Ireland	+353 1 8092566 / +353 1 8379964
Italy	+39 06 68593726
Latvia	+371 67042473
Lithuania	+370 5 236 20 52 or +370 687 53378
Luxembourg	+352 8002 5500
Malta	+356 21224071
Netherlands	+31 30 2748888 (Only for the purpose of informing medical personnel in
	cases of acute intoxications).
Norway	+47 22 59 13 00
Poland	+31 13 4642 211
Portugal	808 250 143
Poland	+31 13 4642 211
Portugal	808 250 143
Romania	+31 13 4642 211
Slovakia	+31 13 4642 211
Slovenia	+31 13 4642 211
Spain	+34 91 562 04 20 (only for the purpose of informing medical personnel in
~ .	cases of acute intoxications).
Sweden	+46 112
United Kingdom	For medical professionals only +44 845 46 47 (England and Wales) + 44 8454 24 24 24 (Scotland)