

Safety Data Sheet
29 CFR 1910.1200

Section 1: Company and Product Identification

Product Name: DIMETHYL HEPTANOL

Company: THE JOHN D. WALSH CO., INC.
 25 EXECUTIVE PKWY.
 RINGWOOD, NJ 07456

Emergency Response: 24 HOUR EMERGENCY NUMBER
 CHEMTREC (800) 424-9300

Section 2: Hazards Identification

BLANK GHS07 BLANK BLANK

Hazard Pictograms:



Signal Word: Danger

Hazard Category: Flammable Liq Cat 4
 Aspiration hazard Cat 1
 Skin corrosion/irritation Cat 2
 Serious eye damage/eye irritation Cat 2
 Hazard to aquatic environment, acute Cat 3
 Hazard to aquatic environment, chronic Cat 3

Hazard Statements: H227: Combustible liquid
 H315: Causes skin irritation
 H319: Causes serious eye irritation
 H402: Harmful to aquatic life
 H412: Harmful to aquatic life with long lasting effects

Precautionary Statements: P210: Keep away from heat/sparks/open flames/hot surfaces – No smoking
 P264: Wash thoroughly after handling
 P273: Avoid release to the environment
 P280: Wear protective gloves/protective clothing/eye protection/face protection
 P302+352: IF ON SKIN: Wash with soap and water
 P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do – continue rinsing
 P321: Specific treatment (see section 5 on this label)
 P337+313: If eye irritation persists get medical advice/attention
 P362: Take off contaminated clothing and wash before reuse
 P338: Remove contact lenses if present and easy to do. continue rinsing
 P370+378: In case of fire: Use carbon dioxide (CO2), water spray, fog, dry chemical, or alcohol resistant foam for extinction
 P403+235: Store in a well ventilated place. Keep cool
 P501 Dispose of om a safe manner in accordance with local/national regulations

Section 3: Composition / Information on Ingredients

SUBSTANCE	CAS#	Weight %
2,6-DIMETHYLHEPTAN-2-OL	13254-34-7	100

Section 4: First Aid Measures

If ingested: NEVER: Give anything by mouth to an unconscious person. DO NOT: Induce vomiting. Rinse mouth with water. Seek immediate medical attention.

If inhaled: If having difficulty breathing, remove to fresh air and let rest. Obtain medical attention if asthma-like symptoms or other symptoms develop.

Eye contact: Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses if present and easy to do. Get medical attention if irritation develops or persists.

Skin contact: Take off immediately all contaminated clothing. Rinse with water thoroughly. Get medical advice if irritation develops or persists.

Additional Info: Observe for any symptoms for several hours after exposure. Follow up with medical attention if symptoms develop.

Section 5: Fire Fighting Measures

Extinguishing Method / Equipment: Carbon dioxide (CO₂), water spray, fog, dry chemical, or alcohol resistant foam. Firefighters should wear self-contained breathing apparatus (SCBA) and full protective equipment. NEVER USE: A heavy stream of water as this may spread the fire.

Hazardous Decomposition Info: Constituents associated with burning / combustion are to be considered toxic.

Section 6: Accidental Release Measures

Personal precautions, protective equipment and procedures: Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Wear appropriate protective equipment and clothing during clean-up. Avoid breathing vapors. Ventilate area if easy to do so. Contact local authorities if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Containment Equipment and Procedures: Large Spills: Contain actively spilling material if safe and easy to do so. Dike the spilled material, where this is possible. Utilize absorbent clay or sand to contain and stop spreading material.

Small Spills: Utilize absorbent clay or sand and transfer to waste receptacles. Clean surface to remove residual contamination.

Cleanup Procedures: Collect all contaminated clay, media, or other cleanup materials into a waste receptacle. If cleaning surface is necessary, utilize mineral spirits or other solvents, provided adequate ventilation is available.

Section 7: Handling and Storage

Safe Handling Precautions: Do not handle until all safety precautions have been read and understood. Do not handle near an open flame or sources of ignition. Ensure adequate ventilation. Take precautionary measures against static discharges. Avoid breathing vapors. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Wear appropriate personal protective equipment.

Recommendations for Storage: Store in cool area in product container away from sources of ignition or flame.

Incompatibilities: Store away from strong acids or oxidizing agents. Refer to Section 10.

Section 8: Exposure Control / Personal Protection

General / Local exhaust ventilation should be utilized to control vapors / substances below exposure limits. Eye Engineering wash facilities must be available when handling this product.

Controls:

Work Clothing: Protective work clothing which covers skin and prevents exposures.

Eye/face protection: Wear safety goggles or face shield.

Skin Protection: Wear solvent resistant gloves.

Respiratory Protection: Utilize organic vapor respirator if airborne levels are not maintained below exposure limits, or if ventilation is inadequate.

Additional Information: Observe good chemical hygiene practices. Do not smoke or eat while using this product. Wash hands or exposed skin after using the product.

Section 9: Physical and Chemical Properties

State: Liquid	Melting Point: Not avail	Freezing Point: Not avail
Color: Refer to spec sheet	Boiling Point/Range: 179C	pH: Not avail
Sp Grav: .81 @ 25C	Odor: Characteristic	Water Solubility: Insoluble
Molecular Weight: 144.26 g/mol	Flash Point: 62.8C	Part. Coeff (n-octanol/water): Not avail
Upper Flam Limits: Not avail	Lower Flam Limits: Not avail	Vapor Density: 5
VOC Content (lbs/gal): Not avail	Viscosity: Not avail	Autoignition Temp: Not avail

Section 10: Stability and Reactivity

General: This product is stable and non-reactive under normal conditions of use. Solvent vapors will evaporate from exposed material. Product is not subject to hazardous polymerization. Avoid open flame and ignition sources.

Incompatible materials: Strong oxidizing agents.

Decomposition products: No decomposition products known. Toxic substances may be released in the event of a fire.

Section 11: Toxicological Information

Toxicological Information (contained substances)

Substance (name)	LD50 Oral	LD50 Dermal
2,6-DIMETHYLHEPTAN-2-OL	>5000 mg/day (Rat)	>5000 mg/day (Rabbit)

Carcinogenicity or mutagenicity: Not listed

Sensitization: Not expected to cause skin sensitization

Section 12: Ecological Information

Aquatic toxicity: Harmful to aquatic life with long lasting effects. Accumulation in aquatic organisms is expected.

Degradation / Mobility info: No data available

Bioaccumulative potential: No data available

Section 13: Disposal Information

Product disposal: Dispose of product in accordance with local, regional, and national regulations. Consult with waste contractor. Contains low levels of flammable solvents.

Container disposal: Treat empty containers with extra care, as residual solvents may pose ignition hazard. Consult waste contractor.

Section 14: Transport Information

DOT GROUND NON NOT REGULATED

BULK

IMO/IMDG: NOT REGULATED

IATA: NOT REGULATED

Section 15: Regulatory Information

TSCA: NOT LISTED

CERCLA RQ: NOT LISTED

SARA 311/312: YES LISTED

SARA 313 NOT LISTED

California Prop 65 NOT LISTED

Substances:

Canadian DSL: YES LISTED

HMIS: H-2,F-2,R-0

Section 16: Other Information

Version Date:

8/9/2016

Disclaimer: The information in this MSDS was obtained from current and reliable sources. However the data is provided without any warranty, expressed or implied, regarding its correctness or accuracy. It is the user's responsibility both to determine safe conditions for use of this product and to assume liability for loss, injury, damage, or, expense resulting from improper use of this product