

Material security data sheet

Printed : 17/07/2015

Review : 001NEW-9-GHS du 17/07/2015

GALBANUM OIL - GALBA0024

1. PRODUCT AND COMPANY IDENTIFICATION

1.1. Product identifier

GALBANUM OIL - GALBA0024

1.2. Relevant identified uses of the substance or mixture and uses advised against

NOT RELEVANT

1.3. Details of the supplier of the safety data sheet

Company SAS MATIÈRES PREMIÈRES ESSENTIELLES
6, chemin St Joseph
BP 25265
06131 GRASSE CEDEX
Tel :04 93 09 19 27
Fax :04 93 77 89 88
Web :www.mpe-grasse.fr
Email :sales@mpe-grasse.fr

1.4. Emergency telephone number

NOT RELEVANT

2. HAZARD IDENTIFICATION

2.1. Classification of the substance or mixture

GHS classification in conformity with directive 1272/2008

(RegulationGHS)

AH1 Aspiration hazard 1
EHA3 Hazardous to the aquatic environment, acute hazard 3
EHC3 Hazardous to the aquatic environment, long-term hazard 3
FL3 Flammable Liquids 3
SCI2 Skin corrosion / irritation 2
SS1B Sensitisation, skin 1B

H226 - Flammable liquid and vapour.
H316 - Causes mild skin irritation
H317 - May cause an allergic skin reaction.
H400 - Very toxic to aquatic life.
H410 - Very toxic to aquatic life with long lasting effects.

Conform with UE 67/548/CEE et 1999/45/CE :

- Physico-chemical Hazards : F-
R10:Flammable.

- Health Hazards : Xn
R38:Irritating to skin.
R43:May cause sensitization by skin contact.
R65:Harmful: May cause lung damage if swallowed.

- Environmental Hazards : N
R51-53:Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment

2.2. Label elements

GHS classification in conformity with directive 1272/2008

Material security data sheet

Printed : 17/07/2015

GALBANUM OIL - GALBA0024

Review : 001NEW-9-GHS du 17/07/2015

(RegulationGHS)

Warning mention : Danger

AH1 Aspiration hazard 1
EHA3 Hazardous to the aquatic environment, acute hazard 3
EHC3 Hazardous to the aquatic environment, long-term hazard 3
FL3 Flammable Liquids 3
SCI2 Skin corrosion / irritation 2
SS1B Sensitisation, skin 1B

H226 - Flammable liquid and vapour.
H316 - Causes mild skin irritation
H317 - May cause an allergic skin reaction.
H400 - Very toxic to aquatic life.
H410 - Very toxic to aquatic life with long lasting effects.

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P233 - Keep container tightly closed.
P241 - Use explosion-proof electrical/ventilating/lighting/.../equipment.
P242 - Use only non-sparking tools.
P243 - Take precautionary measures against static discharge.
P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.
P272 - Contaminated work clothing should not be allowed out of the workplace.
P273 - Avoid release to the environment.
P280 - Wear protective gloves/protective clothing/eye protection/face protection.
P302+P352 - IF ON SKIN: Wash with plenty of water/...



Conform with UE 67/548/CEE et 1999/45/CE :

- Physico-chemical Hazards : F-
R10:Flammable.

- Health Hazards : Xn
R38:Irritating to skin.
R43:May cause sensitization by skin contact.
R65:Harmful: May cause lung damage if swallowed.

- Environmental Hazards : N
R51-53:Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment

S24:Avoid contact with skin.
S61:Avoid release to the environment. Refer to special instructions / Safety data sheets.
S62:If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label.
S37:Wear suitable gloves.



2.3. Other hazards

Contains

beta-Pinene,delta-3-Carene,alpha-Pinene,Myrcene,d-Limonene,alpha-Cedrene,3,7-Dimethyl-1,3,6-octat

Material security data sheet

Printed : 17/07/2015

GALBANUM OIL - GALBA0024

Review : 001NEW-9-GHS du 17/07/2015

3. COMPOSITION / INFORMATION ON INGREDIENT

Component list :

3.1. Substances

NOT RELEVANT

3.2. Mixtures

Material	C.A.S	EINECS	Risk Symbol	Classification GHS	Percent %
beta-Pinene	127-91-3	204-872-5	F-, Xn R10 R38 R43 R65	AH1, FL3, SCI2, SS1B - H226, H304, H315, H317	> à 50 %
delta-3-Carene	13466-78-9	236-719-3	F-, Xn R10 R38 R43 R65	AH1, ATO5, FL3, SCI2, SS1B - H226, H303+H313, H304, H315, H317	[10-15]
alpha-Pinene	80-56-8	201-291-9	F-, Xn R10 R38 R43 R65	AH1, ATO5, FL3, SCI2, SS1B - H226, H303, H304, H315, H317	[5-10]
Guaiac wood oil	8016-23-7	289-632-8		SCI3 - H316	[1-5]
Myrcene	123-35-3	204-622-5	F-, Xn R10 R38 R65	AH1, EDI2, EDI2A, FL3, SCI2 - H226, H304, H315, H319	[1-5]
d-Limonene	5989-27-5	227-813-5	F-, N, Xn R10 R38 R43 R50-53 R65	AH1, EHA1, EHC1, FL3, SCI2, SS1B	[1-5]
1,3,3-Trimethyl-2-norbornanyl acetate	13851-11-1	237-588-5		FL4, SCI3 - H227, H316	[0-1]
3,7-Dimethyl-1,3,6-octatriene	13877-91-3	237-641-2	F-, Xn R10 R65	AH1, FL3, SCI3	[0-1]
Camphene	79-92-5	201-234-8	F, F-, N, Xi R11 R10 R36 R50-53	EDI2, EDI2A, EHA1, EHC1, FL3, SCI3 - H228, H316, H319, H400, H410	[0-1]
Terpinolene	586-62-9	209-578-0	F-, N, Xn R10 R43 R50-53 R65	AH1, ATO5, EHA1, EHC1, FL3, SCI3, SS1B - H226, H303, H304, H316, H317, H400, H410	[0-1]
alpha-Cedrene	469-61-4	207-418-4		AH1, EHA1, EHC1, SCI3	[0-1]

4. FIRST AID MEASURES

4.1. Description of first aid measures

NOT RELEVANT

4.2. Most important symptoms and effects, both acute and delayed

NOT RELEVANT

4.3. Indication of any immediate medical attention and special treatment needed

Contact with skin : wash immediately and abundantly with water and soap. Rinse then with clear water.

Contact with eyes : Abundant rinsing with water (15 minutes open eyelids) then washing with an ocular lotion standard Dacryoserum. In case of disorder, consult an ophtalmologist.

In the event of swallowed : Not make vomit, maintain the patient at rest. Resort to the medical care.

Soiled clothing : withdraw soiled clothing and re-use them only after decontamination.

5. FIRE FIGHTING

5.1. Extinguishing media

Material security data sheet

Printed : 17/07/2015

GALBANUM OIL - GALBA0024

Review : 001NEW-9-GHS du 17/07/2015

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

5.2. Special hazards arising from the substance or mixture

Flammability : The product is flammable..
Prévention: Do not smoke. Do not use flame near.

5.3. Advice for firefighters

Never use a direct stream of water.

6. ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Use appropriate personal protective equipment during clean-up.

6.2. Environmental precautions

Do not allow to enter sewers/ surface or ground water.

6.3. Methods and material for containment and cleaning up

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

6.4. Reference to other sections

NOT RELEVANT

7. HANDLING AND STORAGE

7.1. Precautions for safe handling

Close packing after use. Reproduce labelling if transfer in another container.

7.2. Conditions for safe storage, including any incompatibilities

- Avoid any useless exposure. Keep away from food and drinks.
- Preserve only in the container of origin in a fresh place and broken down well. Keep the containers closed out of their use.
- Do not leave it near heat source, direct rays of the sun

7.3. Specific end use(s)

Wash the hands and any other zone exposed with soap and water before eating, drinking, to smoke and before leaving work.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1. Control parameters

NOT RELEVANT

8.2. Exposure controls

General protective and hygienic measures: Avoid skin and eyes contact. Keep away from foodstuffs, beverages and feed. Wash hands before breaks and at the end of work.

Personal Protection :

- Hands protection : Protection not required if a good ventilation is maintained.
- Eyes protection : Protection not required if a good ventilation is maintained.
- Respiratory protection : Protection not required if a good ventilation is maintained.

Material security data sheet

Printed : 17/07/2015

GALBANUM OIL - GALBA0024

Review : 001NEW-9-GHS du 17/07/2015

-Ingestion : Do not use, drink and smoke during use.

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Relative density (d ₂₀ /20) :	[0.860 ; 0.890]
Refractive index at 20 C :	[1.460 ; 1.490]
Angular rotation () :	[0 ; +12]
Color :	colorless
Appearance :	liquid
Odor :	turpentine, balsamic
Flash point (C) :	47 C

9.2. Other information

NOT RELEVANT

10. STABILITY AND REACTIVITY

10.1. Reactivity

·**Dangerous reactions** : No dangerous reactions known.

10.2. Chemical stability

NOT RELEVANT

10.3. Possibility of hazardous reactions

NOT RELEVANT

10.4. Conditions to avoid

NOT RELEVANT

10.5. Incompatible materials

NOT RELEVANT

10.6. Hazardous decomposition products

Thermal decomposition / conditions to be avoided: Avoid contact with any flame or spark, flame, Overheat. Avoid Direct rays of the sun. No decomposition if used according to specifications.

Dangerous decomposition products: No dangerous decomposition products known.

11. TOXICOLOGICAL INFORMATION

11.1. Information on toxicological

Toxicological Information : No data available.

Toxicological Informations Acute :

- Orale

Non Déterminée

- Inhalation

Non Déterminée

- Skin

Non Déterminée

Material security data sheet

Printed : 17/07/2015

GALBANUM OIL - GALBA0024

Review : 001NEW-9-GHS du 17/07/2015

12. ECOLOGICAL INFORMATION

12.1. Toxicity

Do not leave the product, even diluted or in great quantity, penetrate the ground water, water or the drains.

12.2. Persistence and degradability

NOT RELEVANT

12.3. Bioaccumulative potential

NOT RELEVANT

12.4. Mobility in soil

NOT RELEVANT

12.5. Results of PBT and vPvB assessment

NOT RELEVANT

12.6. Other adverse effects

NOT RELEVANT

13. DISPOSAL RECOMMENDATIONS

13.1. Waste treatment methods

Product : Recommendation : Does not have to be evacuated with the refuse . Not to let penetrate in the sewers.

Not cleaned packing : Recommendation : Evacuation in accordance with the regulations.

14. TRANSPORT INFORMATION

ADR:



IMDG:



IATA:



14.1. UN number

ADR : 1266 (Tunel code :(D/E))

IMDG:1266

IATA :1266

Custom tariff :

33012941

Material security data sheet

Printed : 17/07/2015

GALBANUM OIL - GALBA0024

Review : 001NEW-9-GHS du 17/07/2015

14.2. UN proper shipping name

ADR : PERFUMERY PRODUCTS with flammable solvents
IMDG:PERFUMERY PRODUCTS with flammable solvents
IATA :PERFUMERY PRODUCTS with flammable solvents

14.3. Transport hazard class(es)

ADR : 3
IMDG:3
IATA :3

14.4. Packing group

ADR : III
IMDG:III
IATA :III

14.5. Environmental hazards

IMDG : NOT RELEVANT

14.6. Special precautions for user

NOT RELEVANT

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

NOT RELEVANT

15. REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Class of water contamination (Germany) : WGK 3

15.2. Chemical safety assessment

Contains R43 items Terpinolene, alpha-Pinene, beta-Pinene, d-Limonene, delta-3-Carene : Can cause allergic reaction.

16. OTHER INFORMATION

Full text of phrases H quoted in point 3 :

H226 Flammable liquid and vapour.
H227 Combustible liquid
H228 Flammable solid.
H303 May be harmful if swallowed
H303+H313 May be harmful if swallowed or in contact with skin
H304 May be fatal if swallowed and enters airways.
H315 Causes skin irritation.
H316 Causes mild skin irritation
H317 May cause an allergic skin reaction.
H319 Causes serious eye irritation.
H400 Very toxic to aquatic life.
H410 Very toxic to aquatic life with long lasting effects.

Full text of phrases R quoted in point 3 :

R10 Flammable.

Material security data sheet

Printed : 17/07/2015

GALBANUM OIL - GALBA0024

Review : 001NEW-9-GHS du 17/07/2015

- R11 Highly flammable.
- R38 Irritating to skin.
- R43 May cause sensitization by skin contact.
- R65 Harmful: May cause lung damage if swallowed.
- R50-53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment
- R36 Irritating to eyes.

Material security data sheet according to 2001/58/CEE.

These indications are founded on the current state of our knowledge, but do not constitute a guarantee as for the properties of the product and do not give place to a contractual legal report.

Modifiedpointslist:2.2 2.3 3.2 14