

# Material security data sheet

Printed : 01/03/2017

Review : 001NEW-10-GHS from 01/03/2017

## YLANG OIL, II

### 1. PRODUCT AND COMPANY IDENTIFICATION

#### 1.1. Product identifier

YLANG OIL, II

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use : Industrial, only for professional use.

#### 1.3. Details of the supplier of the safety data sheet

Company SAS MATIÈRES PREMIÈRES ESSENTIELLES  
6, chemin St Joseph  
BP 25265  
06131 GRASSE CEDEX  
Tel:04 93 09 19 27  
Fax :04 93 77 89 88  
Web :www.mpe-grasse.fr  
Email :sales@mpe-grasse.fr

#### 1.4. Emergency telephone number

In case of emergency call NHS Direct in England or Wales 0845 46 47 or NHS 24 in Scotland 08454 24 24 24 (UK only).

### 2. HAZARD IDENTIFICATION

#### 2.1. Classification of the substance or mixture

GHS Classification :

RegulationGHS

Asp.Tox.1Aspirationhazard1 H304 : May be fatal if swallowed and enters airways.

EyeIrrit.2ASeriouseyedamage/eyeirritation2A H319 : Causes serious eye irritation.

AquaticAcute2Hazardoustotheaquaticenvironment,acutehazard2 H401 : Toxic to aquatic life

AquaticChronic3Hazardoustotheaquaticenvironment,long-termhazard H412 : Harmful to aquatic life with long lasting effects.

Flam.Liq.4FlammableLiquids4 H227 : Combustible liquid

Repr.2Reproductivetoxicity2 H361 : Suspected of damaging fertility or the unborn child <state specific effect if known> <state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard>.

SkinIrrit.2Skincorrosion/irritation2 H315 : Causes skin irritation.

# Material security data sheet

Printed : 01/03/2017

YLANG OIL, II

Review : 001NEW-10-GHS from 01/03/2017

SkinSens.1ASensitisation,skin1A H317 : May cause an allergic skin reaction.

## 2.2. Label elements

GHS Classification :

RegulationGHS

Warning mention : Danger

Asp. Tox. 1 Aspiration hazard 1

Eye Irrit. 2A Serious eye damage / eye irritation 2A

Aquatic Acute 2 Hazardous to the aquatic environment, acute hazard 2

Aquatic Chronic 3 Hazardous to the aquatic environment, long-term hazard 3

Flam. Liq. 4 Flammable Liquids 4

Repr. 2 Reproductive toxicity 2

Skin Irrit. 2 Skin corrosion / irritation 2

Skin Sens. 1A Sensitisation, skin 1A

H227 - Combustible liquid

H304 - May be fatal if swallowed and enters airways.

H315 - Causes skin irritation.

H317 - May cause an allergic skin reaction.

H319 - Causes serious eye irritation.

H361 - Suspected of damaging fertility or the unborn child <state specific effect if known> <state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard>.

H401 - Toxic to aquatic life

H412 - Harmful to aquatic life with long lasting effects.

P201 - Obtain special instructions before use.

P202 - Do not handle until all safety precautions have been read and understood.

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P264 - Wash ... thoroughly after handling.

P272 - Contaminated work clothing should not be allowed out of the workplace.

P273 - Avoid release to the environment.

P280 - Wear protective gloves/protective clothing/eye protection/face protection.

P301+P310 - IF SWALLOWED: Immediately call a POISON CENTER/doctor/...

P302+P352 - IF ON SKIN: Wash with plenty of water/...

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.



## 2.3. Other hazards

Contains Linalool, Benzyl salicylate, Geranyl acetate, p-Methylanisole, Geraniol, p-Methylanisole, Isoeugenol

## 3. COMPOSITION / INFORMATION ON INGREDIENT

# Material security data sheet

Printed : 01/03/2017

YLANG OIL, II

Review : 001NEW-10-GHS from 01/03/2017

Component list :

## 3.1. Substances

Not available

## 3.2. Mixtures

Material	C.A.S	EINECS	Risk Symbol	Percent %
Benzyl acetate	140-11-4	205-399-7	Acute Tox. 5 (O), Aquatic Acute 2, Aquatic Chronic 3, Flam. Liq. 4, Skin Irrit. 3 - H303, H401, H412, H227, H316	[ 5-10 ]
Benzyl benzoate	120-51-4	204-402-9	Acute Tox. 5 (D), Acute Tox. 4 (O), Aquatic Acute 1, Aquatic Chronic 2, Flam. Liq. 4 - H313, H302, H400, H411, H227	[ 5-10 ]
Benzyl salicylate	118-58-1	204-262-9	Acute Tox. 5 (O), Eye Irrit. 2, Eye Irrit. 2A, Aquatic Acute 2, Aquatic Chronic 3, Skin Sens. 1B - H303, H319, H401, H412, H317	[ 5-10 ]
Linalool	78-70-6	201-134-4	Acute Tox. 5 (O), Eye Irrit. 2, Eye Irrit. 2A, Aquatic Acute 3, Flam. Liq. 4, Skin Irrit. 2 - H303, H319, H402, H227, H315	[ 5-10 ]
beta-Caryophyllene	87-44-5	201-746-1	Asp. Tox. 1, Skin Irrit. 3 - H304, H316	[ 5-10 ]
Cinnamyl acetate	103-54-8	203-121-9	Acute Tox. 5 (O), Skin Irrit. 3 - H303, H316	[ 1-5 ]
Geranyl acetate (No REACH : 01-2119973480-35-0000)	105-87-3	203-341-5	Aquatic Acute 2, Aquatic Chronic 3, Flam. Liq. 4, Skin Irrit. 2, Skin Sens. 1B - H401, H412, H227, H315, H317	[ 1-5 ]
Methyl benzoate	93-58-3	202-259-7	Acute Tox. 4 (O), Flam. Liq. 4, Skin Irrit. 3 - H302, H227, H316	[ 1-5 ]
caryophyllene beta			Asp. Tox. 1, Skin Irrit. 3 - H304, H316	[ 1-5 ]
p-Methylanisole	104-93-8	203-253-7	Acute Tox. 4 (O), Aquatic Acute 3, Aquatic Chronic 3, Flam. Liq. 3, Repr. 2, Skin Irrit. 2 - H302, H402, H412, H226, H361, H315	[ 1-5 ]
3-Methyl-2-butenyl acetate	1191-16-8	214-730-4	Acute Tox. 5 (O), Aquatic Acute 3, Flam. Liq. 3 - H303, H402, H226	[ 0-1 ]
Geraniol (No REACH : 01-2119552430-49-0000)	106-24-1	203-377-1	Acute Tox. 5 (O), Eye Dam. 1, Aquatic Acute 3, Skin Irrit. 2, Skin Sens. 1A - H303, H318, H402, H315, H317	[ 0-1 ]
Isoeugenol	97-54-1	202-590-7	Acute Tox. 4 (D), Acute Tox. 4 (O), Eye Irrit. 2, Eye Irrit. 2A, Aquatic Acute 2, Skin Irrit. 2, Skin Sens. 1A - H312, H302, H319, H401, H315, H317	[ 0-1 ]
p-Methylanisole	104-93-8	203-253-7	Acute Tox. 4 (O), Aquatic Acute 3, Aquatic Chronic 3, Flam. Liq. 4, Repr. 2, Skin Irrit. 2 - H302, H402, H412, H227, H361, H315	[ 0-1 ]

## 4. FIRST AID MEASURES

### 4.1. Description of first aid measures

General Notes :

# Material security data sheet

Printed : 01/03/2017

YLANG OIL, II

Review : 001NEW-10-GHS from 01/03/2017

If in doubt, always call a doctor.

If Inhaled :

If the person is unconscious, place in the fresh air . Consult a doctor

Contact with skin :

Remove soiled clothing . Wash immediately and abundantly with water.

Contact with eyes :

Abundant rinsing with water then washing with an ocular lotion standard Dacryoserum. Consult an ophthalmologist.

If swallowed :

Do not induce vomiting, maintain the patient at rest. Resort to the medical care.

## **4.2. Most important symptoms and effects, both acute and delayed**

Not available

## **4.3. Indication of any immediate medical attention and special treatment needed**

Not available

## **5. FIRE FIGHTING**

Flammability class : The product is not flammable.

### **5.1. Extinguishing media**

**Appropriate extinction method :**

In case of fire, use water spray (or fog) and appropriate fire extinguishers (CO<sub>2</sub>, powder ...)

**Inappropriate extinction method :**

In case of fire, never use direct water stream.

### **5.2. Special hazards arising from the substance or mixture**

**Flammability :** The product is not flammable..

In case of fire, may produce toxic fumes of carbon monoxide (CO) or carbon dioxide (CO<sub>2</sub>). Exposure to decomposition products may be hazardous to health. Do not breathe fumes.

### **5.3. Advice for firefighters**

Not available

## **6. ACCIDENTAL RELEASE MEASURES**

### **6.1. Personal precautions, protective equipment and emergency procedures**

Prevent a manager.

Refer to protective measures listed in sections 7 and 8.

For non-emergency personnel:

Avoid breathing vapors. Avoid all contact with skin and eyes. If necessary, evacuate staff by trained operators equipped with safety equipment

For emergency responders:

Appropriate personal protective equipment will be required (refer to Section 8).

Use appropriate personal protective equipment during clean-up .

### **6.2. Environmental precautions**

# Material security data sheet

Printed : 01/03/2017

YLANG OIL, II

Review : 001NEW-10-GHS from 01/03/2017

Prevent contamination of soil and water, while entering into drains, ditches and rivers. Notify authorities if the product penetrates into the sewers or public waters.

## **6.3. Methods and material for containment and cleaning up**

Diking with sand or diatomaceous earth, pumping and rinsing with water after recovery of specific waste in plastic drums and labeled then deliver to an approved waste facility.  
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

## **6.4. Reference to other sections**

Refer to sections 8 and 13 for information on exposure control, personal protection and disposal.

## **7. HANDLING AND STORAGE**

### **7.1. Precautions for safe handling**

Wash hands after use.  
Reproduce labeling if transfer to another container.  
Ensure adequate ventilation.  
Provide safety showers and eye washes.

#### **Fire prevention :**

Prevent access by unauthorized persons.  
Handle in well ventilated areas.

#### **Equipment and procedures :**

For personal protection, see Section 8.  
Observe precautions stated on the label and regulations of labor protection.  
Close the packaging after use.  
Avoid inhalation of vapors and contact with skin or eyes.

### **7.2. Conditions for safe storage, including any incompatibilities**

Keep tightly closed containers away from heat sources and protected from extreme temperatures.  
Keep containers closed when not in use.  
Always keep in appropriate packages (identical to the original material).

### **7.3. Specific end use(s)**

Not available

## **8. EXPOSURE CONTROLS / PERSONAL PROTECTION**

### **8.1. Control parameters**

**Exposition limit (France INRS - ED984 07/2012)**

**- V.M.E ( 8 hr)**

No component

**- V.L.E (15 mn)**

No component

### **8.2. Exposure controls**

# Material security data sheet

Printed : 01/03/2017

YLANG OIL, II

Review : 001NEW-10-GHS from 01/03/2017

Individual protection measures, such as personal protective equipment

Personal protective equipment :

Hands protection : Not required but recommended. Eyes protection : Not required but recommended. Respiratory protection : Not required if a good ventilation is maintained.

Body protection :

Wear regularly cleaned overalls. In case of contact, all soiled parts should be washed.

Engineering measures :

Avoid contact with eyes, skin or clothing. Do not ingest. Avoid contact with food, drinks.

Do not eat, do not drink and do not smoke during use.

Symbol compulsory wearing of personal protective equipment (PPE):

## 9. PHYSICAL AND CHEMICAL PROPERTIES

### 9.1. Information on basic physical and chemical properties

Relative density (d <sub>20</sub> /20) :	<b>[0,923 ; 0,935]</b>
Flash point ( C ) :	<b>87 C</b>
Color :	<b>yellow to dark yellow</b>
Refractive index at 20 C :	<b>[1,502 ; 1,511]</b>
Appearance :	<b>liquid</b>
Angular rotation ( ) :	<b>[-35 ; -50]</b>
Odor :	<b>flowery, sweet</b>

### 9.2. Other information

Not available

## 10. STABILITY AND REACTIVITY

### 10.1. Reactivity

No dangerous reactions during storage and handling according to specifications.

### 10.2. Chemical stability

Stable product during storage and handling according to specifications.

### 10.3. Possibility of hazardous reactions

No dangerous reactions during storage and handling according to specifications.

### 10.4. Conditions to avoid

Avoid excessive heat (naked flames, sparks, ...).

### 10.5. Incompatible materials

Not available

# Material security data sheet

Printed : 01/03/2017

YLANG OIL, II

Review : 001NEW-10-GHS from 01/03/2017

## 10.6. Hazardous decomposition products

### Thermal decomposition / conditions to be avoided :

Avoid contact with any flame or spark, flame, Overheat. Avoid Direct rays of the sun.

No decomposition if used according to specifications.

### Dangerous decomposition products :

No dangerous decomposition products known.

## 11. TOXICOLOGICAL INFORMATION

### 11.1. Information on toxicological

Toxicological Information :

No data available.

Toxicological Informations Acute :

Oral (mg/kg) : Not classified

Inhalation (mg/kg) : Not determined

Skin (mg/kg) : Not classified

## 12. ECOLOGICAL INFORMATION

### 12.1. Toxicity

Do not leave the product, even diluted or in great quantity, penetrate the ground water, water or the drains.

### 12.2. Persistence and degradability

Not available

### 12.3. Bioaccumulative potential

Not available

### 12.4. Mobility in soil

Not available

### 12.5. Results of PBT and vPvB assessment

Not available

### 12.6. Other adverse effects

Not available

## 13. DISPOSAL RECOMMENDATIONS

### 13.1. Waste treatment methods

**Waste** : Do not flush with household garbage. Do not pour into drains or waterways. Dispose of according to current legislation, by a collector or a specialized company.

**Contaminated packaging** : Keep the label on the container. Give to a certified disposal.

## 14. TRANSPORT INFORMATION

IATA:

# Material security data sheet

Printed : 01/03/2017

YLANG OIL, II

Review : 001NEW-10-GHS from 01/03/2017



## 14.1. UN number

ADR : Not Regulated  
IMDG:Not Regulated  
IATA :3334

Custom tariff : 33012911

## 14.2. UN proper shipping name

ADR : Not Regulated  
IMDG:Not Regulated  
IATA :AVIATION REGULATED LIQUID, N.O.S.(Linalool)

## 14.3. Transport hazard class(es)

ADR : Not Regulated  
IMDG:Not Regulated  
IATA :9

## 14.4. Packing group

ADR : Not Regulated  
IMDG:Not Regulated  
IATA :III

## 14.5. Environmental hazards

IMDG : Not Regulated

## 14.6. Special precautions for user

Not available

## 14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Not available

## 15. REGULATORY INFORMATION

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Class of water contamination (Germany) : WGK 2

### 15.2. Chemical safety assessment

Contient Linalool, Benzyl salicylate, Geranyl acetate, p-Methylanisole, Geraniol, p-Methylanisole, Isoeugenol : Peut provoquer des allergies.

## 16. OTHER INFORMATION

Full H sentences text in point 3 :

H226 Flammable liquid and vapour.  
H227 Combustible liquid  
H302 Harmful if swallowed.



# Material security data sheet

Printed : 01/03/2017

YLANG OIL, II

Review : 001NEW-10-GHS from 01/03/2017

- H302+H312 Harmful if swallowed or in contact with skin
- H303 May be harmful if swallowed
- H304 May be fatal if swallowed and enters airways.
- H313 May be harmful in contact with skin
- H315 Causes skin irritation.
- H316 Causes mild skin irritation
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- H319 Causes serious eye irritation.
- H361 Suspected of damaging fertility or the unborn child <state specific effect if known> <state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard>.
- H400 Very toxic to aquatic life.
- H401 Toxic to aquatic life
- H402 Harmful to aquatic life
- H411 Toxic to aquatic life with long lasting effects.
- H412 Harmful to aquatic life with long lasting effects.

Material security data sheet according to (CE) 1272/2008

These indications are founded on the current state of our knowledge, but do not constitute a guarantee as for the properties of the product and do not give place to a contractual legal report.

Modified points : 2.3 / 3.2 / 8.1 / 15.2