



SAFETY DATA SHEET

INTERNATIONAL FLAVORS & FRAGRANCES

Product UNIPINE 85

Print Date 10/06/2017

Page 1 (16)

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : UNIPINE 85
IFF Code : 00216015
Cust. Material : 00216015
SDS Number : R00000495333
Product Use Description : Fragrance Compound

Company : IFF Inc.
600 Highway 36
Hazlet NJ 07730

Telephone : (732) 264-4500
Telefax : (732) 335-2551
Emergency telephone number : +1 800 424 9300

SECTION 2 HAZARDS IDENTIFICATION

GHS-Classification

Flammable liquids, Category 4
Skin irritation, Category 2
Eye irritation, Category 2A
Skin sensitisation, Category 1
Aspiration hazard, Category 1

GHS-Labeling

Symbol(s) :



Signal word : Danger

Version : 4

Revision Date : 08/07/2017

IFF Inc.
600 Highway 36
Hazlet NJ 07730

IFF Inc.
600 Highway 36
Hazlet NJ 07730

Telephone: +17322644500

Telefax: +17323352551



SAFETY DATA SHEET

INTERNATIONAL FLAVORS & FRAGRANCES

Product UNIPINE 85

Print Date 10/06/2017

Page 2 (16)

Hazard statements : H227: Combustible liquid.
H304: May be fatal if swallowed and enters airways.
H315: Causes skin irritation.
H317: May cause an allergic skin reaction.
H319: Causes serious eye irritation.

Precautionary statements : P210: Keep away from heat/sparks/open flames/hot surfaces. No smoking.
P280: Wear protective gloves/ eye protection/ face protection.
P301 + P310: IF SWALLOWED: Immediately call a POISON CENTER or doctor/ physician.
P302 + P352: IF ON SKIN: Wash with plenty of soap and water.
P305 + P351 + P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P331: Do NOT induce vomiting.

Carcinogenicity:

No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical nature : Fragrance for consumer product

Hazardous components

Component	CAS-No.
Oils, pine	8002-09-3, 8000-41-7

Version : 4

Revision Date : 08/07/2017

IFF Inc.
600 Highway 36
Hazlet NJ 07730

IFF Inc.
600 Highway 36
Hazlet NJ 07730

Telephone: +17322644500

Telefax: +17323352551



SAFETY DATA SHEET

INTERNATIONAL FLAVORS & FRAGRANCES

Product UNIPINE 85

Print Date 10/06/2017

Page 3 (16)

SECTION 4. FIRST AID MEASURES

First aid procedures

- Inhalation : Remove from exposure site to fresh air and keep at rest. If victim is unconscious, remove foreign bodies from the mouth. If victim has stopped breathing, give artificial respiration. Obtain medical advice.
- Skin contact : Remove contaminated clothes. Wash thoroughly with water (and soap). Contact physician if symptoms persist.
- Eye contact : Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist.
- Ingestion : Rinse mouth with water and obtain medical advice.

SECTION 5. FIREFIGHTING MEASURES

Flammable properties

- Flash point : 162 °F (72 °C)

Fire fighting

- Suitable extinguishing media : Use water spray, dry chemical, carbon dioxide or appropriate foam.

Protective equipment and precautions for firefighters

- Special protective equipment for firefighters : Wear NIOSH approved self-contained breathing apparatus and full protective clothing when fighting fires involving chemicals. Use water spray to cool containers exposed to fire.

Version : 4

Revision Date : 08/07/2017

IFF Inc.
600 Highway 36
Hazlet NJ 07730

IFF Inc.
600 Highway 36
Hazlet NJ 07730

Telephone: +17322644500

Telefax: +17323352551



SAFETY DATA SHEET

INTERNATIONAL FLAVORS & FRAGRANCES

Product UNIPINE 85

Print Date 10/06/2017

Page 4 (16)

SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions : Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.
- Environmental precautions : Keep away from drains, surface- and groundwater and soil.
- Methods for containment /
Methods for cleaning up : Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapours. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

SECTION 7. HANDLING AND STORAGE

- Handling : Avoid excessive inhalation of concentrated vapors. Follow good manufacturing practices for housekeeping and personal hygiene. Wash any exposed skin immediately after any chemical contact, before breaks and meals, and at the end of each work period. Contaminated clothing and shoes should be thoroughly cleaned before re-use.
- If appropriate, procedures used during the handling of this material should also be used when cleaning equipment or removing residual chemicals from tanks or other containers, especially when steam or hot water is used, as this may increase vapor concentrations in the workplace air. Where chemicals are openly handled, access should be restricted to properly trained employees.
Keep all heated processes at the lowest necessary temperature in order to minimize emissions of volatile chemicals into the air.
- Advice on protection against fire and explosion : Keep away from ignition sources and naked flame.

Version : 4
Revision Date : 08/07/2017

IFF Inc.
600 Highway 36
Hazlet NJ 07730

IFF Inc.
600 Highway 36
Hazlet NJ 07730

Telephone: +17322644500

Telefax: +17323352551



SAFETY DATA SHEET

INTERNATIONAL FLAVORS & FRAGRANCES

Product UNIPINE 85

Print Date 10/06/2017

Page 5 (16)

Requirements for storage areas and containers : Store in a cool, dry, ventilated area away from heat sources. Keep containers upright and tightly closed when not in use.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	Listed by	Value type	Exposure limit(s)
3-Cyclohexene-1-methanol, .alpha.,.alpha.,4-trimethyl-	USA. ACGIH Threshold Limit Values (TLV)	8-hour, time-weighted average	20 ppm
Cyclohexene, 1-methyl-4-(1-methylethenyl)-, Cyclohexene, 1-methyl-4-(1-methylethenyl)-, (4R)-, Cyclohexene, 1-methyl-4-(1-methylethenyl)-, (4S)-	USA. Workplace Environmental Exposure Levels (WEEL)	8-hr TWA	30 ppm

Engineering measures

Engineering measures : Where feasible, isolate mixing rooms and other areas where this material is used or openly handled. Maintain these areas under negative air pressure relative to the rest of the plant. Where feasible, use closed systems to transfer and process this material

Personal protective equipment

Eye protection : Use tight-fitting goggles, face shield or safety glasses with side

Version : 4

Revision Date : 08/07/2017

IFF Inc.
600 Highway 36
Hazlet NJ 07730

IFF Inc.
600 Highway 36
Hazlet NJ 07730

Telephone: +17322644500

Telefax: +17323352551



SAFETY DATA SHEET

INTERNATIONAL FLAVORS & FRAGRANCES

Product UNIPINE 85

Print Date 10/06/2017

Page 6 (16)

shields if eye contact might occur.

Hand protection : Avoid skin contact. Use chemically resistant gloves.

Respiratory protection : Use local exhaust ventilation around open tanks and other open sources of potential exposures in order to avoid excessive inhalation, including places where this material is openly weighed or measured. In addition, use general dilution ventilation of the work area to eliminate or reduce possible worker exposures. No respiratory protection is required during normal operations in a workplace where engineering controls such as adequate ventilation, etc. are sufficient.

If engineering controls and safe work practices are not sufficient, an approved, properly fitted respirator with organic vapor cartridges or canisters and particulate filters should be used:

- a) while engineering controls and appropriate safe work practices and/or procedures are being implemented; or
- b) during short term maintenance procedures when engineering controls are not in normal operation or are not sufficient; or
- c) if normal operational workplace vapor concentration in the air is increased due to heat ;
- d) during emergencies; or
- e) if engineering controls and operational practices are not sufficient to reduce airborne concentrations below an established occupational exposure limit.

Hygiene measures : To the extent deemed appropriate, implement pre-placement and regularly scheduled ascertainment of symptoms and spirometry testing of lung function for workers who are regularly exposed to this material. To the extent deemed appropriate, use an experienced air sampling expert to identify and measure volatile chemicals that could be present in the workplace air to determine potential exposures and to ensure the continuing effectiveness of engineering controls and operational practices to minimize exposure.

Version : 4

Revision Date : 08/07/2017

IFF Inc.
600 Highway 36
Hazlet NJ 07730

IFF Inc.
600 Highway 36
Hazlet NJ 07730

Telephone: +17322644500

Telefax: +17323352551



SAFETY DATA SHEET

INTERNATIONAL FLAVORS & FRAGRANCES

Product UNIPINE 85

Print Date 10/06/2017

Page 7 (16)

Protective measures : In December 2003, the National Institute for Occupational Safety and Health ("NIOSH") published an Alert on preventing lung disease in workers who use or make flavorings [NIOSH Publication Number 2004-110].
In August 2004, the United States Flavor and Extract Manufacturers Association (FEMA) issued a report entitled "Respiratory Safety in the Flavor Manufacturing Workplace".
Both of these reports provide recommendations for reducing employee exposure and for medical surveillance in the workplace. The recommendations in these reports are generally applicable to the use of any chemical in the workplace and you are strongly urged to review both of these reports.
The report published by FEMA also contains a list of "high priority" chemicals. If any of these chemicals are present in this product at a concentration $\geq 1.0\%$ due to an intentional addition by IFF, the chemical(s) will be identified in this safety data sheet.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance

Physical state : liquid
Appearance : CLEAR LIQUID
Colour : colorless to pale yellow
Odour : conforms to standard

Safety data

Flash point : 162 °F (72 °C)
Vapour pressure : 5.33 hPa (5.33 hPa)
Note: Calculated

Version : 4
Revision Date : 08/07/2017

IFF Inc.
600 Highway 36
Hazlet NJ 07730

IFF Inc.
600 Highway 36
Hazlet NJ 07730



SAFETY DATA SHEET

INTERNATIONAL FLAVORS & FRAGRANCES

Product UNIPINE 85

Print Date 10/06/2017

Page 8 (16)

Relative density (20 °C) : 0.9240 - 0.9310

SECTION 10. STABILITY AND REACTIVITY

Conditions to avoid : Remarks: Direct sources of heat.

Chemical stability : Remarks: Presents no significant reactivity hazard, by itself or in contact with water. Avoid contact with strong acids, alkali or oxidizing agents.

Hazardous decomposition products : Note: Carbon monoxide and unidentified organic compounds may be formed during combustion.

SECTION 11. TOXICOLOGICAL INFORMATION

Acute oral toxicity : Acute toxicity estimate
Dose: 2,027 mg/kg
Method: Calculation method

Acute oral toxicity (Component) : Component: 98-55-5
LD50 Rat
Dose: 4,300 mg/kg
Method: OECD Test Guideline 401
Remarks: RIFM

Component: 138-86-3
LD50 Rat
Dose: 5,300 mg/kg

Component: 586-62-9
LD50 Rat
Dose: 3,840 mg/kg

Version : 4

Revision Date : 08/07/2017

IFF Inc.
600 Highway 36
Hazlet NJ 07730

IFF Inc.
600 Highway 36
Hazlet NJ 07730

Telephone: +17322644500

Telefax: +17323352551



SAFETY DATA SHEET

INTERNATIONAL FLAVORS & FRAGRANCES

Product UNIPINE 85

Print Date 10/06/2017

Page 9 (16)

Remarks: RIFM

Component: 562-74-3
LD50 Rat
Dose: 1,300 mg/kg
Remarks: RIFM

Component: 470-82-6
LD50 Rat
Dose: 2,480 mg/kg
Remarks: Supplier

Acute dermal toxicity : Acute toxicity estimate
Dose: 3,733 mg/kg
Method: Calculation method

Acute dermal toxicity : Component: 98-55-5
(Component) LD50 Rabbit
Dose: > 3,000 mg/kg
Method: OECD Test Guideline 402

Component: 138-86-3
LD50 Rabbit
Dose: > 5,000 mg/kg

Component: 586-62-9
LD50 Rabbit
Dose: > 5,000 mg/kg

Component: 562-74-3
LD50 Rabbit
Dose: 2,500 mg/kg

Component: 470-82-6
LD50 Rabbit
Dose: > 5,000 mg/kg

Version : 4
Revision Date : 08/07/2017

IFF Inc.
600 Highway 36
Hazlet NJ 07730

IFF Inc.
600 Highway 36
Hazlet NJ 07730

Telephone: +17322644500

Telefax: +17323352551



SAFETY DATA SHEET

INTERNATIONAL FLAVORS & FRAGRANCES

Product UNIPINE 85

Print Date 10/06/2017

Page 10 (16)

Skin irritation (Component) : Component: 98-55-5
Rabbit
Result: Skin irritation
Method: OECD Test Guideline 404
Exposure time: 24 h

Component: 138-86-3
Rabbit
Result: Skin irritation
Exposure time: 24 h
Test substance:(undiluted)
human
Result: No skin irritation
Method: closed patch test
Exposure time: 48 h

Component: 586-62-9
human
Result: No skin irritation
Method: closed patch test
Exposure time: 48 h
Rabbit
Result: No skin irritation
Exposure time: 24 h

Component: 562-74-3
Rabbit
Result: Skin irritation
Exposure time: 24 h

Component: 470-82-6
Rabbit
Result: No skin irritation
Exposure time: 24 h

Eye irritation(Component) : Component: 98-55-5
Rabbit

Version : 4

Revision Date : 08/07/2017

IFF Inc.
600 Highway 36
Hazlet NJ 07730

IFF Inc.
600 Highway 36
Hazlet NJ 07730

Telephone: +17322644500

Telefax: +17323352551



SAFETY DATA SHEET

INTERNATIONAL FLAVORS & FRAGRANCES

Product UNIPINE 85

Print Date 10/06/2017

Page 11 (16)

Result: Eye irritation
Method: OECD Test Guideline 405
Exposure time: 72 h

Sensitisation (Component) : Component: 98-55-5
LLNA Rat
Result: causes no sensitization
Method: OECD Test Guideline 429

Component: 138-86-3
LLNA Mouse
Result: Causes sensitisation.
Test substance: 22% in ethanol/DEP (75:25)
maximisation study human
Result: causes no sensitization
Test substance: 20% in petrolatum

Component: 586-62-9
maximisation study human
Result: Did not cause sensitisation on laboratory animals.
Test substance: 20% in petrolatum

Component: 562-74-3
human
Result: causes no sensitization

Repeated dose toxicity(Component) : Component: 98-55-5
OralRat
NOEL: > 314 mg/kg
Method: OECD Test Guideline 408
Remarks: No adverse effect has been observed in chronic toxicity tests.

Component: 138-86-3

Component: 586-62-9

Version : 4

Revision Date : 08/07/2017

IFF Inc.
600 Highway 36
Hazlet NJ 07730

IFF Inc.
600 Highway 36
Hazlet NJ 07730

Telephone: +17322644500

Telefax: +17323352551



SAFETY DATA SHEET

INTERNATIONAL FLAVORS & FRAGRANCES

Product UNIPINE 85

Print Date 10/06/2017

Page 12 (16)

Component: 562-74-3

Carcinogenicity (Component) : Component: 98-55-5

SECTION 12. ECOLOGICAL INFORMATION

Component:

98-55-5

alpha-Terpineol

Toxicity to fish:

semi-static test LC50

Species: Brachydanio rerio (zebrafish)

Dose: 70 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Information taken from reference works and the literature.

Toxicity to daphnia and other aquatic invertebrates:

static test EC50

Species: Daphnia magna (Water flea)

Dose: 73 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Information taken from reference works and the literature.

Toxicity to algae:

static test EC50

Species: Pseudokirchneriella subcapitata (aglae)

Dose: 68 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Information taken from reference works and the literature.

Toxicity to algae:

static test NOEC

Species: Pseudokirchneriella subcapitata (aglae)

Version : 4

Revision Date : 08/07/2017

IFF Inc.
600 Highway 36
Hazlet NJ 07730

IFF Inc.
600 Highway 36
Hazlet NJ 07730

Telephone: +17322644500

Telefax: +17323352551



SAFETY DATA SHEET

INTERNATIONAL FLAVORS & FRAGRANCES

Product UNIPINE 85

Print Date 10/06/2017

Page 13 (16)

Dose: 3.9 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
Information taken from reference works and the literature.

Toxicity to bacteria:
static test NOEC
Species: activated sludge
Dose: 25.7 mg/l
Method: OECD Test Guideline 310

138-86-3 Dipentene Toxicity to fish:
LC50
Species:
Dose: 0.702 mg/l
Exposure time: 96 h

586-62-9 Terpinolene Toxicity to fish:
LC50
Species:
Dose: 1.21 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates:
EC50
Species:
Dose: 1.38 mg/l
Exposure time: 48 h

Toxicity to daphnia and other aquatic invertebrates:
EC50
Species:
Dose: 2.55 mg/l
Exposure time: 48 h

Version : 4
Revision Date : 08/07/2017

IFF Inc.
600 Highway 36
Hazlet NJ 07730

IFF Inc.
600 Highway 36
Hazlet NJ 07730

Telephone: +17322644500

Telefax: +17323352551



SAFETY DATA SHEET

INTERNATIONAL FLAVORS & FRAGRANCES

Product UNIPINE 85

Print Date 10/06/2017

Page 15 (16)

IMDG

UN number	:	3082
Description of the goods	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (DIPENTENE)
Class	:	9
Packing group	:	III
IMDG-Labels	:	9
EmSNumber 1	:	F-A
EmSNumber 2	:	S-F
Marine pollutant	:	yes (DIPENTENE)

SECTION 15. REGULATORY INFORMATION

SARA 311/312 Hazards : Fire Hazard
Acute Health Hazard

Reportable Quantity :

HMIS Classification : Health hazard: 1
Flammability: 2
Physical and chemical hazards: 0

SECTION 16. OTHER INFORMATION

Further information

Version : 4
Revision Date : 08/07/2017

IFF Inc.
600 Highway 36
Hazlet NJ 07730

IFF Inc.
600 Highway 36
Hazlet NJ 07730

Telephone: +17322644500

Telefax: +17323352551



SAFETY DATA SHEET

INTERNATIONAL FLAVORS & FRAGRANCES

Product UNIPINE 85

Print Date 10/06/2017

Page 16 (16)

The information in this MSDS was obtained from current and reliable sources. However the data is provided without any warrant, expressed or implied, regarding its correctness or accuracy. Since the use, handling, storage and disposal of this product are beyond IFF control, it is the responsibility of the user both to determine safe conditions for the use of this product and to assume liability of loss, damage, or expense arising out of the product's improper use. No warranty expressed or implied regarding the product described herein shall be created by or inferred from any statement or omission in this MSDS. Various Federal, State or Provincial agencies may have specific regulations concerning the transportation, handling, storage, use, or disposal of this product which may not be reflected in this MSDS. The user should review these regulations to ensure full compliance.

Version : 4
Revision Date : 08/07/2017

IFF Inc.
600 Highway 36
Hazlet NJ 07730

IFF Inc.
600 Highway 36
Hazlet NJ 07730

Telephone: +17322644500

Telefax: +17323352551