Safety Data Sheet 29 CFR 1910.1200

Section 1: Company and Product Identification

Product Name: GALBNUM RESINOID 50% TEC BHT

Company: THE JOHN D. WALSH CO., INC.

EXECUTIVE PKWY. RINGWOOD, NJ 07456 25

Emergency 24 HOUR EMERGENCY NUMBER **Response:** CHEMTREC (800) 424-9300

Section 2: Hazards Identification

BLANK

BLANK

Hazard Pictograms:





Signal Word: Warning

Hazard Category: Acute tox, oral Cat 5

Skin corrosion/irritation Cat 2 Sensitization, skin Cat 1

Hazard to aquatic environment, acute Cat 2 Hazard to aquatic environment, chronic Cat 2

Hazard Statements: H303: May be harmful if swallowed

H315: Causes skin irritation

H317: May cause an allergic skin reaction

H401: Toxic to aquatic life

H411: Toxic to aquatic life with long lasting effects

Precautionary P261: Avoid breathing dust/fume/gas/mist/vapours/spray

Statements: P264: Wash thoroughly after handling

P272: Contaminated work clothing should not be allowed out of the workplace P280: Wear protective gloves/protective clothing/eye protection/face protection

P302+352: IF ON SKIN: Wash with soap and water

P312: Call a POISON CENTER or doctor/physician if you feel unwell P332+313: If skin irritation occurs: Get medical advice/attention P333+313: If skin irritation or a rash occurs: Get medical advice/attention

P362: Take off contaminated clothing and wash before reuse

P501: Dispose of contents/container in accordance with local/national/international

rules.

Section 3: Composition / Information on Ingredients

SUBSTANCE	CAS#	Weight %
GALBNUM RESINOID 50% TEC BHT	COMPOUND	100

Section 4: First Aid Measures

General Info: ENSURE THAT MEDICAL PERSONNEL ARE AWARE OF THE MATERIAL INVOLVED, AND TAKE PRECAUTIONS TO PROTECT THEMSELVES. SHOW SDS TO DOCTOR IN ATTENDANCE

If ingested: Rinse mouth. Seek immediate medical attention. Do not induce vomiting. If vomiting occurs, the head should be kept low so that the vomit doesn't enter the lungs

If inhaled: Remove to fresh air. Obtain medical attention if asthma-like symptoms or other symptoms develop.

Oxygen may be necessary.

Eye contact: Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses if present and easy to do. Get medical attention if irritation develops or persists.

Skin contact: Take off immediately all contaminated clothing. Rinse with water thoroughly. Get medical advice if irritation develops or persists.

Additional Info: Observe for any symptoms for several hours after exposure. Follow up with medical attention if symptoms develop.

Section 5: Fire Fighting Measures

General Info: Product contains flammable solvents. Direct water spray may spread fire. Isolate any uncompromised product from area if possible. Do not breath fumes.

Extinguishing Water spray, Carbon dioxide (CO2), dry chemical, foam. Firefighters should wear self-contained breathing **Method / Equipment:** apparatus (SCBA) and full protective equipment.

 ${\bf Hazardous} \ \ {\bf Fire} \ {\bf may} \ produce \ irritating, \ corrosive \ and/or \ toxic \ gases \ {\bf Decomposition} \ {\bf Info:}$

Section 6: Accidental Release Measures

Personal precautions, Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Eliminate all ignition protective equipment sources (no smoking, flares, sparks, or flames in immediate area). Wear appropriate and procedures: protective equipment and clothing during clean-up. Avoid breathing vapors. Ventilate area if easy to do so. Contact local authorities if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Containment Large Spills: Contain actively spilling material if safe and easy to do so. Dike the spilled material, where Equipment and this is possible. Utilize absorbent clay or sand to contain and stop spreading material.

Procedures:

Small Spills: Utilize absorbent clay or sand and transfer to waste receptacles.

Cleanup Procedures: Collect all contaminated clay, media, or other cleanup materials into a waste receptacle. If cleaning surface is necessary, utilize mineral spirits or other solvents, provided adequate ventilation is available.

Section 7: Handling and Storage

Safe Handling Do not handle until all safety precautions have been read and understood. Do not handle near an open Precautions: flame or sources of ignition. Ensure adequate ventilation. Take precautionary measures against static discharges. Avoid breathing vapors. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Wear appropriate personal protective equipment.

Recommendations Store in cool area in product container away from sources of ignition or flame. **for Storage:**

Section 8: Exposure Control / Personal Protection

THE JOHN D. WALSH CO., INC.

General / Local exhaust ventilation should be utilized to control vapors / substances below exposure limits. Eye wash Engineering facilities must be available when handling this product.

Controls:

Work Clothing: Protective work clothing which covers skin and prevents exposures.

Eye/face protection: Wear safety goggles or face shield.

Skin Protection: Wear solvent resistant gloves.

Respiratory chemical respirator with organic vapor cartridge and full face plate

Protection:

Additional Observe good chemical hygiene practices. Do not smoke or eat while using this product. Wash hands or Information: exposed skin after using the product.

Section 9: Physical and Chemical Properties

State: Liquid Melting Point: Not avail Freezing Not avail

Point:

Color: Orange to brown Boiling point: Not avail pH Not avail

Water Insoluble Appearance: Viscous

Solubility:

Evaporation rate: Not avail Flash Point: 130°C Part. Coeff (n. Not avail

> octanol/water Lower Flam Not avail Vapor NA

Upper Flam Limits: Not avail Limits: Pressure:

VOC Content Not avail Viscosity: Not avail Autoignition Not avail (lbs/gal): Temp:

Section 10: Stability and Reactivity

General: This product is stable and non-reactive under normal conditions of use. Solvent vapors will evaporate from exposed material. Product is not subject to hazardous polymerization. Avoid open flame and ignition sources.

Incompatible No information available.

materials:

Decomposition No decomposition products known. Toxic substances may be released in the event of a fire.

products:

Section 11: Toxicological Information

Likely Routes of No data available Exposure:

Toxicological Information (contained substances)

Substance	LD50 Oral	LD50 Dermal
GALBNUM RESINOID 50% TEC BHT	NA	NA

 ${\bf Carcinogenicity\ or\ No\ data\ available}$

mutagenicity:

Sensitization: Not determined

Other Notes: Not applicable.

Section 12: Ecological Information

Aquatic toxicity: Toxic to aquatic life with long lasting effects.

Degradation / Mobility info: No specific data available.

Bioaccumulative potential: No specific data available.

Section 13: Disposal Information

Product disposal: Dispose of product in accordance with local, regional, and national regulations. Consult with waste

contractor. Contains low levels of flammable solvents.

Container disposal: Treat empty containers with extra care, as residual solvents may pose ignition hazard. Consult waste

contractor.

Section 14: Transport Information

DOT GROUND NON UN3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (BETA PINENE)9,III

BULK:

IMO/IMDG: UN3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (BETA PINENE)9,III,

MARINE POLLUTANT

IATA: UN3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (BETA PINENE)9,III

Section 15: Regulatory Information

TSCA: NOT REGULATED

CERCLA RQ: NOT REGULATED

SARA 311/312: NOT REGULATED

SARA 313 NOT REGULATED

California Prop 65 NOT REGULATED

Substances:

Section 16: Other Information

Version Date:

3/24/2020

THE JOHN D. WALSH CO., INC.

Disclaimer: The information in this MSDS was obtained from current and reliable sources.

However the data is provided without any warranty, expressed or implied, regarding its correctness or accuracy. It is the user's responsibility both to determine safe conditions for use of this product and to assume liability for loss, injury, damage, or, expense resulting from improper use of this product