

Safety Data Sheet
29 CFR 1910.1200

Section 1: Company and Product Identification**Product Name:** ALDEHYDE C-12 MNA

Company: THE JOHN D. WALSH CO., INC.
25 EXECUTIVE PKWY.
RINGWOOD, NJ 07456

Emergency 24 HOUR EMERGENCY NUMBER
Response: CHEMTREC (800) 424-9300

Section 2: Hazards Identification

GHS07

BLANK

BLANK

BLANK

Hazard Pictograms:**Signal Word:** Warning

Hazard Category: Skin corrosion/irritation Cat 2
Sensitization, skin Cat 1

Hazard Statements: H315: Causes skin irritation
H317: May cause an allergic skin reaction

Precautionary Statements:

P261: Avoid breathing dust/fume/gas/mist/vapours/spray
P264: Wash thoroughly after handling
P272: Contaminated work clothing should not be allowed out of the workplace
P280: Wear protective gloves/protective clothing/eye protection/face protection
P302+352: IF ON SKIN: Wash with soap and water
P333+313: If skin irritation or a rash occurs: Get medical advice/attention
P362: Take off contaminated clothing and wash before reuse
P501: Dispose of contents/container in accordance with local/national/international rules.

Section 3: Composition / Information on Ingredients

SUBSTANCE	CAS#	Weight %
UNDECANAL, 2-METHYL	110-41-8	100

Section 4: First Aid Measures

If ingested: NEVER: Give anything by mouth to an unconscious person. Rinse mouth with water. Seek immediate medical attention.

If inhaled: If having difficulty breathing, remove to fresh air. Obtain medical attention if asthma-like symptoms or other symptoms develop.

Eye contact: Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses if present and easy to do. Get medical attention if irritation develops or persists.

Skin contact: Take off immediately all contaminated clothing. Rinse with soap and water thoroughly. Get medical advice if irritation develops or persists.

Additional Info: Observe for any symptoms for several hours after exposure. Follow up with medical attention if symptoms develop.

Section 5: Fire Fighting Measures

Extinguishing Method / Equipment: Carbon dioxide (CO₂), dry chemical, sand, and alcohol resistant foam. Firefighters should wear self-contained breathing apparatus (SCBA) and full protective equipment.

Hazardous Decomposition Info: Constituents associated with burning / combustion are to be considered toxic.

Section 6: Accidental Release Measures

Personal precautions, protective equipment and procedures: Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Wear appropriate protective equipment and clothing during clean-up. Avoid breathing vapors. Ventilate area if easy to do so. Contact local authorities if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Containment Equipment and Procedures: Large Spills: Contain actively spilling material if safe and easy to do so. Dike the spilled material, where this is possible. Utilize absorbent clay or sand to contain and stop spreading material. Shovel contaminated material into proper waste containers and dispose of in accordance with local and federal regulations.

Small Spills: Utilize absorbent clay or sand and transfer to waste receptacles. CAUTION: if product is absorbed on paper or cloth, arrange for disposal by incineration promptly to prevent spontaneous combustion. Surfaces may be slippery after spillage.

Cleanup Procedures: Collect all contaminated clay, media, or other cleanup materials into a waste receptacle. If cleaning surface is necessary, utilize mineral spirits or other solvents, provided adequate ventilation is available. Absorbents should be kept wet to avoid autoignition.

Section 7: Handling and Storage

Safe Handling Precautions: Do not handle until all safety precautions have been read and understood. Do not handle near an open flame or sources of ignition. Ensure adequate ventilation. Take precautionary measures against static discharges. Avoid breathing vapors. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Wear appropriate personal protective equipment.

Recommendations for Storage: Store in cool area, out of direct sunlight, in product container away from sources of ignition or flame. Provide adequate local exhaust ventilation to maintain worker exposure below adequate limits.

Incompatibilities: Store away from alkalies and oxidizing agents. Refer to Section 10.

Section 8: Exposure Control / Personal Protection

General / Engineering Controls: Local exhaust ventilation should be utilized to control vapors / substances below exposure limits. Eye wash facilities must be available when handling this product.

Work Clothing: Protective work clothing which covers skin and prevents exposures.

Eye/face protection: Wear safety goggles or face shield.

Skin Protection: Wear solvent resistant gloves.

Respiratory Protection: Utilize organic vapor respirator if airborne levels are not maintained below exposure limits, or if ventilation is inadequate.

Additional Information: Observe good chemical hygiene practices. Do not smoke or eat while using this product. Wash hands or exposed skin after using the product.

Section 9: Physical and Chemical Properties

State: Liquid	Melting Point: Not avail	Freezing Point: Not avail
Color: Colorless to light yellow	Boiling Point/Range: 232 C	pH: Not avail
Relative Density: .83g/mL @ 20C	Odor: Characteristic	Water Solubility: Poor in water
Flammability Class: IIIB	Flash Point: 113C	Part. Coeff (n-octanol/water): Not avail
Upper Flam Limits: Not avail	Lower Flam Limits: Not avail	Vapor Pressure: .045 mm Hg @ 20C

Section 10: Stability and Reactivity

General: This product is stable and non-reactive under normal conditions of use. Solvent vapors will evaporate from exposed material. Product is not subject to hazardous polymerization. Avoid open flame and ignition sources. This product oxidizes when exposed to air. SPONTANEOUS COMBUSTION POSSIBLE: When finely distributed.

Incompatible materials: Avoid contact with strong alkali and strong oxidizers.

Section 11: Toxicological Information

General Information: This product may cause slight irritation to the respiratory system. Not expected to be a primary skin irritant or cause any significant eye irritation.

Likely Routes of Exposure: Inhalation of vapors.

Toxicological Information (contained substances)

Substance	LD50 Oral	LD50 Dermal
ALDEHYDE C-12 MNA	>5g/kg (RAT)	>10g/kg(RABBIT)

Carcinogenicity or mutagenicity: Not applicable.

Section 12: Ecological Information

Aquatic toxicity: Very toxic to aquatic life with long lasting effects.

Degradation / Mobility info: No specific data available. Contained solvents are expected to degrade rapidly in the environment.

Bioaccumulative potential: No specific data available. Contained solvents are expected to degrade rapidly in the environment.

Section 13: Disposal Information

Product disposal: Dispose of product in accordance with local, regional, and national regulations. Consult with waste contractor.

Container disposal: Treat empty containers with extra care, as residual solvents may pose ignition hazard. Consult waste contractor.

Other considerations: No further information.

Section 14: Transport Information

DOT GROUND NON NOT REGULATED

BULK:

IMO/IMDG: UN3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCES, LIQUID, N.O.S.(CONTAINS 2-METHYL UNDECANAL) 9, III, MARINE POLLUTANT

IATA: UN3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCES, LIQUID, N.O.S.(CONTAINS 2-METHYL UNDECANAL) 9, III

Section 15: Regulatory Information

TSCA: YES LISTED

CERCLA RQ: NOT LISTED

SARA 311/312: NOT LISTED

SARA 313 NOT LISTED

California Prop 65 NOT LISTED

Substances:

Canadian DSL YES LISTED

WHMIS: H:1,F:1, R:0

Section 16: Other Information

Version Date: 3/25/2020

Disclaimer: The information in this SDS was obtained from current and reliable sources. However the data is provided without any warranty, expressed or implied, regarding its correctness or accuracy. It is the user's responsibility both to determine safe conditions for use of this product and to assume liability for loss, injury, damage, or, expense resulting from improper use of this product