



SAFETY DATA SHEET

INTERNATIONAL FLAVORS & FRAGRANCES

Product DAMASCONE ALPHA TOCO

Print Date 10/30/2019

Page 1 (11)

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : DAMASCONE ALPHA TOCO
IFF Code : 00040838
Cust. Material : 00040838
SDS Number : R00000219057
Product Use Description : Fragrance Ingredient

Company : IFF Inc.
600 Highway 36
Hazlet NJ 07730

Telephone : (732) 264-4500
Telefax : (732) 335-2551
Emergency telephone number : +1 800 424 9300

SECTION 2 HAZARDS IDENTIFICATION

GHS-Classification

Acute toxicity, Category 4, Oral
Skin sensitisation, Sub-category 1B

GHS-Labeling

Symbol(s)



Signal word : Warning

Hazard statements : H302: Harmful if swallowed.
H317: May cause an allergic skin reaction.

Precautionary statements : P280: Wear protective gloves.
P301 + P312 + P330: IF SWALLOWED: Call a POISON
CENTER/doctor if you feel unwell. Rinse mouth.
P302 + P352: IF ON SKIN: Wash with plenty of soap and water.

Version : 4
Revision Date : 10/30/2019

IFF Inc.
600 Highway 36
Hazlet NJ 07730

IFF Inc.
600 Highway 36
Hazlet NJ 07730

Telephone: +17322644500

Telefax: +17323352551



SAFETY DATA SHEET

INTERNATIONAL FLAVORS & FRAGRANCES

Product DAMASCONE ALPHA TOCO

Print Date 10/30/2019

Page 2 (11)

Carcinogenicity:

No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous components

Component	CAS-No.
2-Buten-1-one, 1-(2,6,6-trimethyl-2-cyclohexen-1-yl)-, (E)-	24720-09-0
2H-1-Benzopyran-6-ol, 3,4-dihydro-2,5,7,8-tetramethyl-2-(4,8,12-trimethyltridecyl)-	10191-41-0

SECTION 4. FIRST AID MEASURES

First aid procedures

- Inhalation : Remove from exposure site to fresh air and keep at rest. If victim is unconscious, remove foreign bodies from the mouth. If victim has stopped breathing, give artificial respiration. Obtain medical advice.
- Skin contact : Remove contaminated clothes. Wash thoroughly with water (and soap). Contact physician if symptoms persist.
- Eye contact : Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist.
- Ingestion : Rinse mouth with water and obtain medical advice.

SECTION 5. FIREFIGHTING MEASURES

Version : 4
Revision Date : 10/30/2019

IFF Inc.
600 Highway 36
Hazlet NJ 07730

IFF Inc.
600 Highway 36
Hazlet NJ 07730

Telephone: +17322644500

Telefax: +17323352551



SAFETY DATA SHEET

INTERNATIONAL FLAVORS & FRAGRANCES

Product DAMASCONE ALPHA TOCO

Print Date 10/30/2019

Page 3 (11)

Flammable properties

Flash point : 213.01 °F (100.56 °C)

Fire fighting

Suitable extinguishing media : Use water spray, dry chemical, carbon dioxide or appropriate foam.

Protective equipment and precautions for firefighters

Special protective equipment for firefighters : Wear NIOSH approved self-contained breathing apparatus and full protective clothing when fighting fires involving chemicals. Use water spray to cool containers exposed to fire.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions : Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

Environmental precautions : Keep away from drains, surface- and groundwater and soil.

Methods for containment /
Methods for cleaning up : Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapours. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

SECTION 7. HANDLING AND STORAGE

Handling : Avoid excessive inhalation of concentrated vapors. Follow good manufacturing practices for housekeeping and personal hygiene. Wash any exposed skin immediately after any chemical contact, before breaks and meals, and at the end of each work period. Contaminated clothing and shoes should be thoroughly cleaned before re-use.

If appropriate, procedures used during the handling of this material

Version : 4

Revision Date : 10/30/2019

IFF Inc.
600 Highway 36
Hazlet NJ 07730

IFF Inc.
600 Highway 36
Hazlet NJ 07730

Telephone: +17322644500

Telefax: +17323352551



SAFETY DATA SHEET

INTERNATIONAL FLAVORS & FRAGRANCES

Product DAMASCONE ALPHA TOCO

Print Date 10/30/2019

Page 4 (11)

should also be used when cleaning equipment or removing residual chemicals from tanks or other containers, especially when steam or hot water is used, as this may increase vapor concentrations in the workplace air. Where chemicals are openly handled, access should be restricted to properly trained employees.

Keep all heated processes at the lowest necessary temperature in order to minimize emissions of volatile chemicals into the air.

Advice on protection against fire and explosion : Keep away from ignition sources and naked flame.

Requirements for storage areas and containers : Store in a cool, dry, ventilated area away from heat sources. Keep containers upright and tightly closed when not in use.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Engineering measures

Engineering measures : Where feasible, isolate mixing rooms and other areas where this material is used or openly handled. Maintain these areas under negative air pressure relative to the rest of the plant.
Where feasible, use closed systems to transfer and process this material

Personal protective equipment

Eye protection : Use tight-fitting goggles, face shield or safety glasses with side shields if eye contact might occur.

Hand protection : Avoid skin contact. Use chemically resistant gloves.

Respiratory protection : Use local exhaust ventilation around open tanks and other open sources of potential exposures in order to avoid excessive inhalation, including places where this material is openly weighed or measured. In addition, use general dilution ventilation of the work area to eliminate or reduce possible worker exposures.
No respiratory protection is required during normal operations in a workplace where engineering controls such as adequate ventilation, etc. are sufficient.

Version : 4
Revision Date : 10/30/2019



SAFETY DATA SHEET

INTERNATIONAL FLAVORS & FRAGRANCES

Product DAMASCONE ALPHA TOCO

Print Date 10/30/2019

Page 5 (11)

If engineering controls and safe work practices are not sufficient, an approved, properly fitted respirator with organic vapor cartridges or canisters and particulate filters should be used:

- a) while engineering controls and appropriate safe work practices and/or procedures are being implemented; or
- b) during short term maintenance procedures when engineering controls are not in normal operation or are not sufficient; or
- c) if normal operational workplace vapor concentration in the air is increased due to heat ;
- d) during emergencies; or
- e) if engineering controls and operational practices are not sufficient to reduce airborne concentrations below an established occupational exposure limit.

Hygiene measures

- : To the extent deemed appropriate, implement pre-placement and regularly scheduled ascertainment of symptoms and spirometry testing of lung function for workers who are regularly exposed to this material.
To the extent deemed appropriate, use an experienced air sampling expert to identify and measure volatile chemicals that could be present in the workplace air to determine potential exposures and to ensure the continuing effectiveness of engineering controls and operational practices to minimize exposure.

Protective measures

- : In December 2003, the National Institute for Occupational Safety and Health ("NIOSH") published an Alert on preventing lung disease in workers who use or make flavorings [NIOSH Publication Number 2004-110].
In August 2004, the United States Flavor and Extract Manufacturers Association (FEMA) issued a report entitled "Respiratory Safety in the Flavor Manufacturing Workplace".
Both of these reports provide recommendations for reducing employee exposure and for medical surveillance in the workplace. The recommendations in these reports are generally applicable to the use of any chemical in the workplace and you are strongly urged to review both of these reports.
The report published by FEMA also contains a list of "high priority" chemicals. If any of these chemicals are present in this product at a concentration $\geq 1.0\%$ due to an intentional addition by IFF, the

Version : 4
Revision Date : 10/30/2019

IFF Inc.
600 Highway 36
Hazlet NJ 07730

IFF Inc.
600 Highway 36
Hazlet NJ 07730

Telephone: +17322644500

Telefax: +17323352551



SAFETY DATA SHEET

INTERNATIONAL FLAVORS & FRAGRANCES

Product DAMASCONE ALPHA TOCO

Print Date 10/30/2019

Page 6 (11)

chemical(s) will be identified in this safety data sheet.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance

Physical state : liquid
Appearance : CLEAR LIQUID
Colour : colorless to pale yellow
Odour : conforms to standard

Safety data

Flash point : 213.01 °F (100.56 °C)
Vapour pressure : .02 hPa (0.02 hPa)
Note: Calculated
Relative density (20 °C) : 0.930 - 0.936
Partition coefficient: n-octanol/water : log Pow: 3.905

SECTION 10. STABILITY AND REACTIVITY

Conditions to avoid : Remarks: Direct sources of heat.
Chemical stability : Remarks: Presents no significant reactivity hazard, by itself or in contact with water. Avoid contact with strong acids, alkali or oxidizing agents.
Hazardous decomposition products : Note: Carbon monoxide and unidentified organic compounds may be formed during combustion.

SECTION 11. TOXICOLOGICAL INFORMATION

Acute oral toxicity : Acute toxicity estimate
Version : 4
Revision Date : 10/30/2019



SAFETY DATA SHEET

INTERNATIONAL FLAVORS & FRAGRANCES

Product DAMASCONE ALPHA TOCO

Print Date 10/30/2019

Page 7 (11)

Dose: 1,664 mg/kg
Method: Calculation method

Acute oral toxicity (Component) : Component: 24720-09-0
LD50 Rat
Dose: 1,700 mg/kg

Component: 57378-68-4
LD50 Rat
Dose: 1,400 mg/kg
Method: OECD Test Guideline 401

Component: 23726-93-4
LD50 Rat
Dose: > 2,000 mg/kg

Acute dermal toxicity (Component) : Component: 57378-68-4
LD50 Rabbit
Dose: > 5,000 mg/kg
Method: OECD Test Guideline 402

Component: 23726-93-4
Dose: 2,900 mg/kg

Skin irritation (Component) : Component: 57378-68-4
human
Result: irritating
Method: Tested according to Annex V of Directive 67/548/EEC.
Exposure time: 42 h

Component: 23726-93-4
human
Result: No skin irritation
Method: repeated insult patch test
Rabbit
Result: No skin irritation

Eye irritation(Component) : Component: 57378-68-4
Chicken
Result: No eye irritation
Method: OECD 438

Version : 4

Revision Date : 10/30/2019

IFF Inc.
600 Highway 36
Hazlet NJ 07730

IFF Inc.
600 Highway 36
Hazlet NJ 07730

Telephone: +17322644500

Telefax: +17323352551



SAFETY DATA SHEET

INTERNATIONAL FLAVORS & FRAGRANCES

Product DAMASCONA ALPHA TOCO

Print Date 10/30/2019

Page 8 (11)

Component: 23726-93-4
Rabbit
Result: No eye irritation
Test substance: 0.5% in propylene glycol

Sensitisation (Component) : Component: 57378-68-4
LLNA Mouse
Result: Causes sensitisation.
Method: OECD 429

Component: 23726-93-4
Guinea pig
Result: Causes sensitisation.
Test substance: 1.50%

Repeated dose toxicity(Component) : Component: 57378-68-4
Oral Rat
Number of exposures: 1x /day
NOEL: 30 mg/kg
Method: OECD 408

Component: 23726-93-4

SECTION 12. ECOLOGICAL INFORMATION

Component:
57378-68-4

cis-delta-
Damascone

Toxicity to fish:
semi-static test LC50
Species: *Oryzias latipes* (Orange-red killifish)
Dose: 0.97 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203

Toxicity to algae:
Growth inhibition EbC50
Species: *Pseudokirchneriella subcapitata* (green algae)
Dose: 2.47 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

Version : 4
Revision Date : 10/30/2019



SAFETY DATA SHEET

INTERNATIONAL FLAVORS & FRAGRANCES

Product DAMASCONE ALPHA TOCO

Print Date 10/30/2019

Page 9 (11)

Toxicity to algae:

Growth inhibitionErC50

Species: Pseudokirchneriella subcapitata (green algae)

Dose: 4.54 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Toxicity to algae:

Growth inhibitionNOEC

Species: Pseudokirchneriella subcapitata (green algae)

Dose: 0.883 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Toxicity to bacteria:

Respiration inhibition EC50

Species:

Dose: 241 mg/l

Exposure time: 3 h

Method: OECD 209

<03EHS L TEXT(CED-H12.00200010)>

<03EHS L TEXT(CED-H11.00000120)>:

semi-static test NOEC

Species: Daphnia magna (Water flea)

Concentration: .35 mg/l

Exposure time: 21 d

Method: OECD 211

23726-93-4

trans-beta-
Damascenone

Toxicity to fish:

LC50

Species: Fish

Dose: 1.49 mg/l

Exposure time: 48 h

SECTION 13. DISPOSAL CONSIDERATIONS

Contaminated packaging : Place material into sealed containers and dispose of in accordance

Version : 4

Revision Date : 10/30/2019

IFF Inc.
600 Highway 36
Hazlet NJ 07730

IFF Inc.
600 Highway 36
Hazlet NJ 07730

Telephone: +17322644500

Telefax: +17323352551



SAFETY DATA SHEET

INTERNATIONAL FLAVORS & FRAGRANCES

Product DAMASCONA ALPHA TOCO

Print Date 10/30/2019

Page 10 (11)

with local, state and federal regulations.

SECTION 14. TRANSPORT INFORMATION

DOT Not dangerous goods

IATA UN number : 3082
Description of the goods : ENVIRONMENTALLY HAZARDOUS
SUBSTANCE, LIQUID, N.O.S.
(1-(2,6,6-trimethyl-3-cyclohexen-1-yl)-2-buten-1-one)
Class : 9
Packing group : III
ICAO-Labels : 9

IMDG UN number : 3082
Description of the goods : ENVIRONMENTALLY HAZARDOUS
SUBSTANCE, LIQUID, N.O.S.
(1-(2,6,6-trimethyl-3-cyclohexen-1-yl)-2-buten-1-one)
Class : 9
Packing group : III
IMDG-Labels : 9
EmSNumber 1 : F-A
EmSNumber 2 : S-F
Marine pollutant : yes
(1-(2,6,6-trimethyl-3-cyclohexen-1-yl)-2-buten-1-one)

SECTION 15. REGULATORY INFORMATION

SARA 311/312 Hazards : Acute Health Hazard

Reportable Quantity :

HMIS Classification : Health hazard: 2
Chronic Health Hazard: *
Flammability: 1
Physical and chemical hazards: 0

Version : 4
Revision Date : 10/30/2019



SAFETY DATA SHEET

INTERNATIONAL FLAVORS & FRAGRANCES

Product DAMASCONE ALPHA TOCO

Print Date 10/30/2019

Page 11 (11)

SECTION 16. OTHER INFORMATION

Further information

The information in this MSDS was obtained from current and reliable sources. However the data is provided without any warrant, expressed or implied, regarding its correctness or accuracy. Since the use, handling, storage and disposal of this product are beyond IFF control, it is the responsibility of the user both to determine safe conditions for the use of this product and to assume liability of loss, damage, or expense arising out of the product's improper use. No warranty expressed or implied regarding the product described herein shall be created by or inferred from any statement or omission in this MSDS. Various Federal, State or Provincial agencies may have specific regulations concerning the transportation, handling, storage, use, or disposal of this product which may not be reflected in this MSDS. The user should review these regulations to ensure full compliance.

Version : 4
Revision Date : 10/30/2019

IFF Inc.
600 Highway 36
Hazlet NJ 07730

IFF Inc.
600 Highway 36
Hazlet NJ 07730

Telephone: +17322644500

Telefax: +17323352551