Printed: 01/03/2017 Review: 001NEW-3-GHS from 01/03/2017

## **CYPRESS OIL**

## 1. PRODUCT AND COMPANY IDENTIFICATION

### 1.1. Product identifier

CYPRESS OIL

Pre-No REACH : 05-2116946702-31-0000

C.A.S Number : 8013-86-3

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use: Industrial, only for professional use.

### 1.3. Details of the supplier of the safety data sheet

Company SAS MATIÈRES PREMIÈRES ESSENTIELLES

6, chemin St Joseph

BP 25265

06131 GRASSE CEDEX Tel:04 93 09 19 27 Fax :04 93 77 89 88 Web :www.mpe-grasse.fr Email :sales@mpe-grasse.fr

### 1.4. Emergency telephone number

In case of emergency call NHS Direct in England or Wales 0845 46 47 or NHS 24 in Scotland 08454 24 24 24 (UK only).

### 2. HAZARD IDENTIFICATION

## 2.1. Classification of the substance or mixture

### **GHS Classification:**

RegulationGHS

Asp.Tox.1Aspirationhazard1

H304: May be fatal if swallowed

and enters airways.

AquaticAcute1Hazardoustotheaquaticenvironment,acutehazard1

H400 : Very toxic to

aquatic life.

AquaticChronic1Hazardoustotheaquaticenvironment,long-tremhazard H410: Very toxic

to aquatic life with long lasting effects.

Flam.Liq.3FlammableLiquids3

H226: Flammable liquid and

vapour.

SkinIrrit.2Skincorrosion/irritation2 H315: Causes skin irritation.

SkinSens.1ASensitisation,skin1A H317: May cause an allergic skin

reaction.

Printed: 01/03/2017 CYPRESS OIL Review: 001NEW-3-GHS from 01/03/2017

#### 2.2. Label elements

### **GHS Classification:**

RegulationGHS

Warning mention: Danger

Asp. Tox. 1 Aspiration hazard 1

Aquatic Acute 1 Hazardous to the aquatic environment, acute hazard 1

Aquatic Chronic 1 Hazardous to the aquatic environment, long-trem hazard 1

Flam. Liq. 3 Flammable Liquids 3

Skin Irrit. 2 Skin corrosion / irritation 2

Skin Sens. 1A Sensitisation, skin 1A

H226 - Flammable liquid and vapour.

H304 - May be fatal if swallowed and enters airways.

H315 - Causes skin irritation.

H317 - May cause an allergic skin reaction.

H400 - Very toxic to aquatic life.

H410 - Very toxic to aquatic life with long lasting effects.

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P233 - Keep container tightly closed.

P241 - Use explosion-proof electrical/ventilating/lighting/.../equipment.

P242 - Use only non-sparking tools.

P243 - Take precautionary measures against static discharge.

P264 - Wash ... thoroughly after handling.

P272 - Contaminated work clothing should not be allowed out of the workplace.

P273 - Avoid release to the environment.

P280 - Wear protective gloves/protective clothing/eye protection/face protection.

P301+P310 - IF SWALLOWED: Immediately call a POISON CENTER/doctor/...









### 2.3. Other hasards

Contains 2,6,6-trimethyl-bicyclo-2-heptene, delta-3-Carene, d-Limonene, Myrcene, Terpinene-1ol-4, alpha-Terpineol

## 3. COMPOSITION / INFORMATION ON INGREDIENT

Component list:

### 3.1. Substances

Material	C.A.S	EINECS	Risk Symbol	Percent %
2,6,6-trimethyl-bicyclo-2-heptene	80-56-8	201-291-9	Asp. Tox. 1, Acute Tox. 5 (O), Aquatic Acute 1, Aquatic Chronic 1, Flam. Liq. 3, Skin Irrit. 2, Skin Sens. 1B - H304, H303, H400, H410, H226, H315, H317	> 50 %

Printed: 01/03/2017 CYPRESS OIL Review: 001NEW-3-GHS from 01/03/2017

13466-78-9	236-719-3	Asp. Tox. 1, Acute Tox. 5 (O), Flam. Liq. 3, Skin Irrit. 2, Skin Sens. 1B - H304, H303, H226, H315, H317	[ 20-25 ]
77-53-2	201-035-6	Aquatic Acute 2, Aquatic Chronic 2, Flam. Liq. 4, Skin Irrit. 3 - H401, H411, H227, H316	[ 1-5 ]
123-35-3	204-622-5	Asp. Tox. 1, Eye Irrit. 2, Eye Irrit. 2A, Flam. Liq. 3, Skin Irrit. 2 - H304, H319, H226, H315	[ 1-5 ]
562-74-3	209-235-5	Acute Tox. 5 (D), Acute Tox. 4 (O), Eye Irrit. 2, Eye Irrit. 2A, Aquatic Acute 3, Flam. Liq. 4, Skin Irrit. 2 - H313, H302, H319, H402, H227, H315	[ 1-5 ]
586-62-9	209-578-0	Asp. Tox. 1, Acute Tox. 5 (O), Aquatic Acute 1, Aquatic Chronic 1, Flam. Liq. 3, Skin Irrit. 3, Skin Sens. 1B - H304, H303, H400, H410, H226, H316, H317	[ 1-5 ]
	904-693-9	Acute Tox. 5 (O), Aquatic Acute 2, Aquatic Chronic 2, Flam. Liq. 4, Skin Irrit. 3 - H303, H401, H411, H227, H316	[ 1-5 ]
98-55-5	202-680-6	Acute Tox. 5 (O), Eye Irrit. 2, Eye Irrit. 2A, Aquatic Acute 2, Flam. Liq. 4, Skin Irrit. 2 - H303, H319, H401, H227, H315	[ 1-5 ]
5989-27-5	227-813-5	Asp. Tox. 1, Aquatic Acute 1, Aquatic Chronic 1, Flam. Liq. 3, Skin Irrit. 2, Skin Sens. 1B - H304, H400, H410, H226, H315, H317	[ 1-5 ]
79-92-5	201-234-8	Eye Irrit. 2, Eye Irrit. 2A, Aquatic Acute 1, Aquatic Chronic 1, Flam. Liq. 3, Skin Irrit. 3 - H319, H400, H410, H226, H316	[ 0-1 ]
11028-42-5	234-257-7	Asp. Tox. 1, Aquatic Acute 1, Aquatic Chronic 1, Skin Irrit. 3 - H304, H400, H410, H316	[ 0-1 ]
	77-53-2 123-35-3 562-74-3 586-62-9 98-55-5 5989-27-5	77-53-2 201-035-6  123-35-3 204-622-5  562-74-3 209-235-5  586-62-9 209-578-0  904-693-9  98-55-5 202-680-6  5989-27-5 227-813-5  79-92-5 201-234-8	13466-78-9       236-719-3       3, Skin Irrit. 2, Skin Sens. 1B - H304, H303, H226, H315, H317         77-53-2       201-035-6       Aquatic Acute 2, Aquatic Chronic 2, Flam. Liq. 4, Skin Irrit. 3 - H401, H411, H227, H316         123-35-3       204-622-5       Asp. Tox. 1, Eye Irrit. 2, Eye Irrit. 2A, Flam. Liq. 3, Skin Irrit. 2 - H304, H319, H226, H315         562-74-3       209-235-5       Acute Tox. 5 (D), Acute Tox. 4 (O), Eye Irrit. 2, Eye Irrit. 2A, Aquatic Acute 3, Flam. Liq. 4, Skin Irrit. 2 - H313, H302, H319, H402, H227, H315         586-62-9       Asp. Tox. 1, Acute Tox. 5 (O), Aquatic Acute 1, Aquatic Chronic 1, Flam. Liq. 3, Skin Irrit. 3, Skin Sens. 1B - H304, H303, H400, H410, H226, H316, H317         904-693-9       Acute Tox. 5 (O), Aquatic Acute 2, Aquatic Chronic 2, Flam. Liq. 4, Skin Irrit. 3 - H303, H401, H411, H227, H316         98-55-5       202-680-6         Acute Tox. 5 (O), Eye Irrit. 2, Eye Irrit. 2A, Aquatic Acute 2, Flam. Liq. 4, Skin Irrit. 2 - H303, H319, H401, H227, H315         Asp. Tox. 1, Aquatic Acute 1, Aquatic Chronic 1, Flam. Liq. 3, Skin Irrit. 2, Skin Sens. 1B - H304, H400, H410, H226, H315, H317         79-92-5       201-234-8         11028-42-5       234-257-7         Asp. Tox. 1, Aquatic Acute 1, Aquatic Chronic 1, Flam. Liq. 3, Skin Irrit. 3 - H319, H400, H410, H226, H316         Asp. Tox. 1, Aquatic Acute 1, Aquatic Chronic 1, Skin Irrit. 3 - H304, H400,

### 3.2. Mixtures

Not available

## 4. FIRST AID MEASURES

## 4.1. Description of first aid measures

General Notes:

If in doubt, always call a doctor.

If Inhaled:

If the person is unconscious, place in the fresh air. Consult a doctor

Contact with skin:

Remove soiled clothing. Wash immediately and abundantly with water.

Contact with eyes:

Abundant rinsing with water then washing with an ocular lotion standard Dacryoserum. Consult an ophtalmologist.

If swallowed:

Do not induce vomiting, maintain the patient at rest. Resort to the medical care.

## 4.2. Most important symptoms and effects, both acute and delayed

Printed: 01/03/2017 CYPRESS OII Review: 001NEW-3-GHS from 01/03/2017

Not available

## 4.3. Indication of any immediate medical attention and special treatment needed

Not available

### 5. FIRE FIGHTING

Flammability class: The product is flammable.

### 5.1. Extinguishing media

### Appropriate extinction method:

In case of fire, use water spray (or fog) and appropriate fire extinguishers (CO2, powder ...)

#### Inappropriate extinction method:

In case of fire, never use direct water stream.

### 5.2. Special hazards arising from the substance or mixture

Flammability: The product is flammable...

In case of fire, may produce toxic fumes of carbon monoxide (CO) or carbon dioxide (CO2). Exposure to decomposition products may be hazardous to health. Do not breathe fumes.

### 5.3. Advice for firefighters

Not available

### ACCIDENTAL RELEASE MEASURES

### 6.1. Personal precautions, protective equipment and emergency procedures

Prevent a manager.

Refer to protective measures listed in sections 7 and 8.

For non-emergency personnel:

Avoid breathing vapors. Avoid all contact with skin and eyes. If necessary, evacuate staff by trained operators equipped with safety equipment

For emergency responders:

Appropriate personal protective equipment will be required (refer to Section 8).

Use appropriate personal protective equipment during clean-up.

### 6.2. Environmental precautions

Prevent contamination of soil and water, while entering into drains, ditches and rivers. Notify authorities if the product penetrates into the sewers or public waters.

### 6.3. Methods and material for containment and cleaning up

Diking with sand or diatomaceous earth, pumping and rinsing with water after recovery of specific waste in plastic drums and labeled then deliver to an approved waste facility.

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

### 6.4. Reference to other sections

Refer to sections 8 and 13 for information on exposure control, personal protection and disposal.

### 7. HANDLING AND STORAGE

Printed: 01/03/2017 CYPRESS OIL Review: 001NEW-3-GHS from 01/03/2017

### 7.1. Precautions for safe handling

Wash hands after use.

Reproduce labeling if transfer to another container.

Ensure adequate ventilation.

Provide safety showers and eye washes.

#### Fire prevention:

Prevent access by unauthorized persons.

Handle in well ventilated areas.

### Equipment and procedures:

For personal protection, see Section 8.

Observe precautions stated on the label and regulations of labor protection.

Close the packaging after use.

Avoid inhalation of vapors and contact with skin or eyes.

## 7.2. Conditions for safe storage, including any incompatibilities

Keep tightly closed containers away from heat sources and protected from extreme temperatures. Keep containers closed when not in use.

Always keep in approriate packages (identical to the original material).

### 7.3. Specific end use(s)

Not available

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

### 8.1. Control parameters

### Exposition limit (France INRS - ED984 07/2012)

- V.M.E (8 hr)

No component

## - V.L.E (15 mn)

No component

### 8.2. Exposure controls

Individual protection measures, such as personal protective equipment

Personal protective equipment:

Hands protection: Gloves required. Eyes protection: Not required but recommanded. Repiratory protection: Mask required.

Body protection:

Wear regularly cleaned overalls. In case of contact, all soiled parts should be washed.

Engineering measures:

Avoid contact with eyes, skin or clothing. Do not ingest. Avoid contact with food, drinks.

Do not eat, do not drink and do not smoke during use.

Symbol compulsory wearing of personal protective equipment (PPE):

Printed: 01/03/2017 CYPRESS OIL Review: 001NEW-3-GHS from 01/03/2017





### 9. PHYSICAL AND CHEMICAL PROPERTIES

### 9.1. Information on basic physical and chemical properties

Relative density (d20/20): [0.863; 0.885]
Refractive index at 20 C: [1.468; 1.478]

Angular rotation ( ): [+15; +30]

Color: pale yellow to yellow

Appearence: liquid

Odor: woody, turpentine, rustic

Flash point (C): 35 C

#### 9.2. Other information

Not available

## 10. STABILITY AND REACTIVITY

### 10.1. Reactivity

No dangerous reactions during storage and handling according to specifications.

### 10.2. Chemical stability

Stable product during storage and handling according to specifications.

### 10.3. Possibility of hazardous reactions

No dangerous reactions during storage and handling according to specifications.

## 10.4. Conditions to avoid

Avoid excessive heat (naked flames, sparks, ...).

## 10.5. Incompatible materials

Not available

## 10.6. Hazardous decomposition products

### Thermal decomposition / conditions to be avoided:

Avoid contact with any flame or spark, flame, Overheat. Avoid Direct rays of the sun. No decomposition if used according to specifications.

## Dangerous decomposition products:

No dangerous decomposition products known.

## 11. TOXICOLOGICAL INFORMATION

## 11.1. Information on toxicological

Printed: 01/03/2017 CYPRESS OIL Review: 001NEW-3-GHS from 01/03/2017

Toxicological Information:

No data available.

Toxicological Informations Acute:

Oral (mg/kg): Not determined Inhalation (mg/kg): Not determined Skin (mg/kg): Not determined

### 12. ECOLOGICAL INFORMATION

### 12.1. Toxicity

Do not leave the product, even diluted or in great quantity, penetrate the ground water, water or the drains.

## 12.2. Persistence and degradability

Not available

### 12.3. Bioaccumulative potential

Not available

12.4. Mobility in soil

Not available

## 12.5. Results of PBT and vPvB assessment

Not available

## 12.6. Other adverse effects

Not available

### 13. DISPOSAL RECOMMENDATIONS

### 13.1. Waste treatment methods

**Waste:** Do not flush with household garbage. Do not pour into drains or waterways. Dispose of according to current legislation, by a collector or a specialized company.

Contaminated packaging: Keep the label on the container. Give to a certified disposal.

### 14. TRANSPORT INFORMATION

ADR:





IMDG:





IATA:

Printed: 01/03/2017 CYPRESS OIL Review: 001NEW-3-GHS from 01/03/2017



#### 14.1. UN number

ADR: 1169 (Tunel code:(D/E))

IMDG:1169 IATA:1169

Custom tariff: **33012941** 

### 14.2. UN proper shipping name

ADR: EXTRACTS, AROMATIC, LIQUID IMDG:EXTRACTS, AROMATIC, LIQUID IATA: EXTRACTS, AROMATIC, LIQUID

## 14.3. Transport hazard class(es)

ADR: 3 IMDG:3 IATA:3

### 14.4. Packing group

ADR : III IMDG:III IATA :III

## 14.5. Environmental hazards

IMDG: Not available

## 14.6. Special precautions for user

Not available

### 14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Not available

### 15. REGULATORY INFORMATION

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Class of water contamination (Germany): WGK 3

### 15.2. Chemical safety assessment

Contient 2,6,6-trimethyl-bicyclo-2-heptene, delta-3-Carene, d-Limonene, Myrcene, Terpinene-1ol-4, alpha-Terpineol: Peut provoquer des allergies.

### 16. OTHER INFORMATION

Full H sentenses text in point 3:

H226 Flammable liquid and vapour.

H227 Combustible liquid

Printed:	01/03/2017	CYPRESS OIL	Review: 001NEW-3-GHS from 01/03/2017					
H302 H303	Harmful if swallowed.  May be harmful if swallowed	ſ						
H304	May be fatal if swallowed and enters airways.							
H313	May be harmful in contact with skin							
H315	Causes skin irritation.							
H316	Causes mild skin irritation							
H317	May cause an allergic skin reaction.							
H319	Causes serious eye irritatio	n.						
H400	Very toxic to aquatic life.							
H401	Toxic to aquatic life							
H402	Harmful to aquatic life							
H410	Very toxic to aquatic life with	n long lasting effects.						
H411	Toxic to aquatic life with long	g lasting effects.						

Material security data sheet according to (CE) 1272/2008

These indications are founded on the current state of our knowledge, but do not constitute a guarantee as for the properties of the product and do not give place to a contractual legal report.

Modified points: 8.1