Safety Data Sheet 29 CFR 1910.1200

Section 1: Company and Product Identification

Product Name: ETHYL BUTYRATE

Company: THE JOHN D. WALSH CO., INC.

25 EXECUTIVE PKWY. RINGWOOD, NJ 07456

Emergency Response: 24 HOUR EMERGENCY NUMBER

CHEMTREC (800) 424-9300

Section 2: Hazards Identification

BLANK

BLANK

Hazard Pictograms:



Signal Word: Warning

Hazard Category: Flammable Liq Cat 3

Hazard Statements: H226: Flammable liquid and vapour

Precautionary P210: Keep away from heat/sparks/open flames/hot surfaces – No smoking

Statements: P240: Ground/bond container and receiving equipment

P241: Use explosion-proof electrical/ventilating/light/.../equipment

P280: Wear protective gloves/protective clothing/eye protection/face protection

P303+361+353: IF ON SKIN (or hair): Remove/Take off immediately all contaminated

clothing. Rinse skin with water/shower

P370+378: In case of fire: Use appropriate media to extinguish

P501 Dispose of om a safe manner in accordance with local/national regulations

Section 3: Composition / Information on Ingredients

SUBSTANCE	CAS#	Weight %
ETHYL BUTYRATE	105-54-4	100

Section 4: First Aid Measures

If ingested: Rinse mouth. Seek immediate medical attention.

If inhaled: Remove to fresh air. Obtain medical attention if asthma-like symptoms or other symptoms develop.

Eye contact: Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses if present and easy to do. Get medical attention if irritation develops or persists.

Skin contact: Take off immediately all contaminated clothing. Rinse with water thoroughly. Get medical advice if

irritation develops or persists.

Additional Info: Observe for any symptoms for several hours after exposure. Follow up with medical attention if symptoms

develop.

Section 5: Fire Fighting Measures

Extinguishing Carbon dioxide (CO2), dry chemical, foam. Firefighters should wear self-contained breathing apparatus **Method / Equipment:** (SCBA) and full protective equipment.

 ${\bf Hazardous} \ \ {\bf Constituents} \ \ associated \ \ with \ burning \ / \ combustion \ are \ to \ be \ considered \ toxic. \ \\ {\bf Decomposition \ Info:}$

protection, see section 8 of the SDS.

Section 6: Accidental Release Measures

Personal precautions, Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Eliminate all ignition protective equipment sources (no smoking, flares, sparks, or flames in immediate area). Wear appropriate and procedures: protective equipment and clothing during clean-up. Avoid breathing vapors. Ventilate area if easy to do so. Contact local authorities if significant spillages cannot be contained. For personal

Containment Large Spills: Contain actively spilling material if safe and easy to do so. Dike the spilled material, where

Equipment and this is possible. Utilize absorbent clay or sand to contain and stop spreading material.

Procedures:

Small Spills: Utilize absorbent clay or sand and transfer to waste receptacles.

Cleanup Procedures: Collect all contaminated clay, media, or other cleanup materials into a waste receptacle. If cleaning surface is necessary, utilize mineral spirits or other solvents, provided adequate ventilation is available.

Section 7: Handling and Storage

Safe Handling Do not handle until all safety precautions have been read and understood. Do not handle near an open **Precautions:** flame or sources of ignition. Ensure adequate ventilation. Take precautionary measures against static discharges. Avoid breathing vapors. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Wear appropriate personal protective equipment.

Recommendations for Store in cool area in product container away from sources of ignition or flame. **Storage:**

Incompatibilities: Store away from strong acids or oxidizing agents. Refer to Section 10.

Section 8: Exposure Control / Personal Protection

General / Local exhaust ventilation should be utilized to control vapors / substances below exposure limits. Eye Engineering wash facilities must be available when handling this product.

Controls:

Work Clothing: Protective work clothing which covers skin and prevents exposures.

Eye/face protection: Wear safety goggles or face shield.

Skin Protection: Wear solvent resistant gloves.

Respiratory Utilize organic vapor respirator if airborne levels are not maintained below exposure limits, or if **Protection:** ventilation is inadequate.

Additional Observe good chemical hygiene practices. Do not smoke or eat while using this product. Wash hands or **Information:** exposed skin after using the product.

Section 9: Physical and Chemical Properties

State: Liquid Melting Point: Not avail Freezing Not avail Point:

Color: Colorless to pale yellow Point/Range: pH Not avail

THE JOHN D. WALSH CO., INC.

Sp Grav: 0.9 Odor: Not avail Water 6.2g/l Solubility:

Evaporation rate: Not avail Flash Point: 25C Part. Coeff (n. Not avail

octanol/water

Upper Flam Limits: Not avail Lower Flam Not avail Vapor 13.33hPa
Limits: Pressure:

VOC Content Not avail Viscosity: Not avail Autoignition 460C (lbs/gal):

Temp:

Section 10: Stability and Reactivity

General: This product is stable and non-reactive under normal conditions of use. Solvent vapors will evaporate from exposed material. Product is not subject to hazardous polymerization. Avoid open flame and

Incompatible Strong oxidizing agents.

materials:

Decomposition No decomposition products known. Toxic substances may be released in the event of a fire.

products:

Section 11: Toxicological Information

Toxicological Information (contained substances)

Substance (name)	LD50 Oral	LD50 Dermal
ETHYL BUTYRATE	13000mg/kg (Rat)	N/A

Carcinogenicity or NOT LISTED

mutagenicity:

Sensitization: NOT AVAILABLE

Other Notes: Not applicable.

Section 12: Ecological Information

Degradation / Mobility info: No specific data available. Contained solvents are expected to degrade rapidly in the environment.

Bioaccumulative potential: No specific data available. Contained solvents are expected to degrade rapidly in the environment.

Section 13: Disposal Information

 $\textbf{Product disposal:} \ \ Dispose \ of \ product \ in \ accordance \ with \ local, \ regional, \ and \ national \ regulations. \ \ Consult \ with \ waste$

contractor. Contains low levels of flammable solvents.

Container disposal: Treat empty containers with extra care, as residual solvents may pose ignition hazard. Consult waste

contractor.

Section 14: Transport Information

DOT GROUND NON UN1180,ETHYL BUTYRATE,3,PGIII

BULK:

IMO/IMDG: UN1180,ETHYL BUTYRATE,3,PGIII

THE JOHN D. WALSH CO., INC.

IATA: UN1180,ETHYL BUTYRATE,3,PGIII

Section 15: Regulatory Information

TSCA: NOT LISTED

CERCLA RQ: NOT LISTED

SARA 311/312: YES LISTED

SARA 313 NOT LISTED

California Prop 65 NOT LISTED

Substances:

Canadian DSL: YES LISTED

WHMIS: H-0,F-3,R-0

Section 16: Other Information

Version Date:

5/1/2020

Disclaimer: The information in this MSDS was obtained from current and reliable sources.

However the data is provided without any warranty, expressed or implied, regarding its correctness or accuracy. It is the user's responsibility both to determine safe conditions for use of this product and to assume liability for loss, injury, damage, or, expense resulting from improper use of this product