Safety Data Sheet 29 CFR 1910.1200

Section 1: Company and Product Identification

Product Name: HEXYL ACETATE

Company: THE JOHN D. WALSH CO., INC.

25 EXECUTIVE PKWY. RINGWOOD, NJ 07456

Emergency Response: 24 HOUR EMERGENCY NUMBER

CHEMTREC (800) 424-9300

Section 2: Hazards Identification

BLA

BLANK

Hazard Pictograms:



Signal Word: Warning

Hazard Category: Flammable Liq Cat 3

Hazard Statements: H226: Flammable liquid and vapour

Precautionary Statements: P210: Keep away from heat/sparks/open flames/hot surfaces - No smoking

P233: Keep container tightly closed

P240: Ground/bond container and receiving equipment

 $P241: Use\ explosion-proof\ electrical/ventilating/light/.../equipment$

P242: Use only non-sparking tools

P243: Take precautionary measures against static discharge

P280: Wear protective gloves/protective clothing/eye protection/face protection

 $P303+361+353: IF\ ON\ SKIN\ (or\ hair):\ Remove/Take\ off\ immediately\ all\ contaminated$

clothing. Rinse skin with water/shower

P370+378: In case of fire: Use water spray, dry chemical, or alcohol resistant foam for

extinction

P403+235: Store in a well ventilated place. Keep cool

P501: Dispose of contents/container in accordance with local/national/international

rules.

Hazards not otherwise classified:

Not applicable, none known.

Section 3: Composition / Information on Ingredients

Common Name:	CAS#	Weight %
HEXYL ACETATE	142-92-7	100

Section 4: First Aid Measures

If ingested: Clean mouth with water and afterwards drink plenty of water.

If inhaled: Remove to fresh air. Obtain medical attention if asthma-like symptoms or other symptoms develop.

Oxygen may be necessary.

Eye contact: Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a

physician.

Skin contact: Take off immediately all contaminated clothing. Rinse with water thoroughly. Get medical advice if

irritation develops or persists.

Additional Info: Observe for any symptoms for several hours after exposure. Follow up with medical attention if

symptoms develop.

Section 5: Fire Fighting Measures

Extinguishing Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Method / Equipment: DO NOT USE: A solid water stream as it may scatter the fire.

Hazardous Fire may produce irritating, corrosive and/or toxic gases **Decomposition Info:**

Section 6: Accidental Release Measures

Personal precautions, Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Eliminate all ignition

 $\textbf{protective equipment} \ \ \text{sources (no smoking, flares, sparks, or flames in immediate area)}. \ \ \text{Wear appropriate}$

and procedures: protective equipment and clothing during clean-up. Avoid breathing vapors. Ventilate

area if easy to do so. Contact local authorities if significant spillages cannot be contained. For personal

protection, see section 8 of the SDS.

Containment Large Spills: Contain actively spilling material if safe and easy to do so. Dike the spilled material, where **Equipment and** this is possible. Utilize absorbent clay or sand to contain and stop spreading material.

Procedures:

Small Spills: Utilize absorbent clay or sand and transfer to waste receptacles.

Cleanup Procedures: Collect all contaminated clay, media, or other cleanup materials into a waste receptacle. If cleaning surface is necessary, utilize mineral spirits or other solvents, provided adequate ventilation is available.

Section 7: Handling and Storage

Safe Handling Do not handle until all safety precautions have been read and understood. Do not handle near an open **Precautions:** flame or sources of ignition. Ensure adequate ventilation. Take precautionary measures against static discharges. Avoid breathing vapors. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Wear appropriate personal protective equipment.

Recommendations for Store in cool area in product container away from sources of ignition or flame. **Storage:**

Section 8: Exposure Control / Personal Protection

General / Local exhaust ventilation should be utilized to control vapors / substances below exposure limits. Eye **Engineering** wash facilities must be available when handling this product.

Controls:

Work Clothing: Protective work clothing which covers skin and prevents exposures.

Eye/face protection: Wear safety goggles or face shield.

Skin Protection: Wear solvent resistant gloves.

Respiratory chemical respirator with organic vapor cartridge and full face plate **Protection:**

Additional Observe good chemical hygiene practices. Do not smoke or eat while using this product. Wash hands or **Information:** exposed skin after using the product.

Section 9: Physical and Chemical Properties

State: Liquid Melting Point: -33F Freezing Not avail

Point:

Color: Clear colorless **Boiling point:** 334F **pH** Not avail

Sp Grav: 0.87 Water Insoluble in water

Solubility:

Molecular Weight: 144.21 Flash Point: 130F Odor: Characteristic

Upper Flam Limits: Not avail Lower Flam Not avail Vapor 1.02

Limits: Pressure:

Section 10: Stability and Reactivity

Incompatible None known based on information supplied.

materials:

Decomposition No decomposition products known. Toxic substances may be released in the event of a fire.

products:

Section 11: Toxicological Information

Toxicological Information (contained substances)

Substance	LD50 Oral	LD50 Dermal
HEXYL ACETATE	41500 pL/kg (Rat)	5 g/kg (Rabbit)

Carcinogenicity or No information available

mutagenicity:

Sensitization: No information available

Section 12: Ecological Information

Aquatic toxicity: Toxic to aquatic life

Degradation / Mobility info: No specific data available.

Bioaccumulative potential: No specific data available.

Section 13: Disposal Information

Product disposal: Dispose of product in accordance with local, regional, and national regulations. Consult with waste

contractor. Contains low levels of flammable solvents.

Container disposal: Treat empty containers with extra care, as residual solvents may pose ignition hazard. Consult waste

contractor.

Section 14: Transport Information

THE JOHN D. WALSH CO., INC.

DOT GROUND NON NOT REGULATED

BULK:

IMO/IMDG: UN3272, ESTERS, N.O.S., (HEXYL ACETATE), 3, III

IATA: UN3272, ESTERS, N.O.S., (HEXYL ACETATE), 3, III

Section 15: Regulatory Information

TSCA: COMPLIES Canadian DSL: YES LISTED

WHMIS: H-0,F-2,R-0

Section 16: Other Information

Version Date:

5/4/2020

Disclaimer: The information in this MSDS was obtained from current and reliable sources. However the data is provided without any warranty, expressed or implied, regarding its correctness or accuracy. It is the user's responsibility both to determine safe conditions for use of this product and to assume liability for loss, injury, damage, or, expense resulting from improper use of this product