

Trade name : METHYL OCTALACTONE

Revision date: 04.01.2017 **Version (Revision):** 2.0.0 (1.1.0)

Print date : 12-4-2017

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier

METHYL OCTALACTONE (W00757)

5-BUTYLDIHYDRO-4-METHYLFURAN-2(3H)-ONE; CAS No.: 39212-23-2; EC No.: 254-357-4

1.2 Relevant identified uses of the substance or mixture and uses advised against Relevant identified uses

Flavour and fragrance ingredient. Fragrance ingredient which may be used in fragrance compounds according to the current legislation and IFRA rules. Reserved for industrial and professional use.

Uses advised against

_

1.3 Details of the supplier of the safety data sheet

Supplier (manufacturer/importer/only representative/downstream user/distributor)

PFW Aroma Ingredients B.V. **Street:** Veemweg 29-31

Postal code/city: NL - 3771 MT Barneveld

Telephone: +31 342 407 700 **Telefax:** +31 342 407 720

Information contact: regulatory.affairs@keva.co.in

1.4 Emergency telephone number

+31 342 407 793 USA: +1 800 222 1222

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to the Globally Harmonised System of Classification and Labelling of Chemicals (GHS)

None

2.2 Label elements

None

2.3 Other hazards

None

SECTION 3: Composition/information on ingredients

3.1 Substances

Substance name: 5-BUTYLDIHYDRO-4-METHYLFURAN-2(3H)-ONE

EC No.: 254-357-4 **CAS No.:** 39212-23-2 **Purity:** ≥ 95 % [mass]

Synonymes

IUPAC: 5-BUTYL-4-METHYLDIHYDROFURAN-2(3H)-ONE

INCI: 3-METHYL-GAMMA-OCTALACTONE

Page: 1/9

(EN/USA)



Trade name : METHYL OCTALACTONE

Revision date: 04.01.2017 **Version (Revision):** 2.0.0 (1.1.0)

Print date : 12-4-2017

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

When in doubt or if symptoms are observed, get medical advice. Remove victim out of the danger area. Put victim at rest, cover with a blanket and keep warm. Do not leave affected person unattended. If unconscious place in recovery position and seek medical advice.

Following inhalation

Remove casualty to fresh air and keep warm and at rest. If breathing is irregular or stopped, administer artificial respiration.

In case of skin contact

Wash immediately with: Water Do not wash with: Solvents/Thinner

After eye contact

Rinse immediately carefully and thoroughly with eye-bath or water.

After ingestion

Rinse mouth immediately and drink plenty of water. Let water be drunken in little sips (dilution effect). Do NOT induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed

No information available.

4.3 Indication of any immediate medical attention and special treatment needed

None

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

alcohol resistant foam Extinguishing powder

Unsuitable extinguishing media

Strong water jet Water mist

5.2 Special hazards arising from the substance or mixture

Hazardous combustion products

In case of fire may be liberated: Carbon dioxide (CO2) Carbon monoxide (CO).

5.3 Advice for firefighters

Do not inhale explosion and combustion gases. Use water spray jet to protect personnel and to cool endangered containers.

Special protective equipment for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Special danger of slipping by leaking/spilling product. See protective measures under point 7 and 8.

6.2 Environmental precautions

In case of entry into waterways, soil or drains, inform the responsible authorities.

6.3 Methods and material for containment and cleaning up

Suitable material for taking up: Sand Kieselguhr Universal binder Sawdust Collect in closed and suitable containers for

Page: 2/9



Trade name : METHYL OCTALACTONE

Revision date: 04.01.2017 **Version (Revision):** 2.0.0 (1.1.0)

Print date : 12-4-2017

disposal.

6.4 Reference to other sections

See protective measures under point 7 and 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

When using do not eat, drink, smoke, sniff. Wash hands before breaks and after work. Wear personal protection equipment (refer to section 8).

7.2 Conditions for safe storage, including any incompatibilities

Technical measures and storage conditions

Keep the packing dry and well sealed to prevent contamination and absorbtion of humidity. Never use pressure to empty container.

Hints on joint storage

Keep away from oxidising agent , acid and alkali .

7.3 Specific end use(s)

None

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

To date, no national critical limit values exist.

8.2 Exposure controls

When using do not eat, drink, smoke, sniff. Wash hands before breaks and after work.

Appropriate engineering controls

No special technical protective measures are necessary.

Personal protection equipment

Eye/face protection

Eye glasses with side protection

Skin protection

Hand protection

Hand protection is not required

Body protection

Overall

Respiratory protection

Respiratory protection necessary at: exceeding exposure limit values insufficient ventilation insufficient exhaust Handling larger quantities. Container device with compressed air (DIN EN 137) / Filtering device (full mask or mouthpiece) with filter: Filter types:A, B, E, K. Class 1: Maximum permitted contaminant concentration in inhaled air = 1000 mL/m3 (0.1 % by vol.); class 2: maximum permitted contaminant concentration in inhaled air = 5000 mL/m3 (0.5 % by vol.); class 3: maximum permitted contaminant concentration in inhaled air = 10000 mL/m3 (1.0 % by vol.)

Environmental exposure controls

Send to a hazardous waste incinerator facility under observation of official regulations.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Page: 3 / 9



°C

g/cm³

No data available

No data available

none

Trade name : METHYL OCTALACTONE

Revision date: 04.01.2017 **Version (Revision):** 2.0.0 (1.1.0)

Print date : 12-4-2017

Odour threshold in air: No data available

Safety relevant basis data

 Physical state :
 liquid

 Colour :
 colourless to pale yellow

 Odour :
 intense sweet

 Melting point/melting range :
 6,3

 Initial boiling point and boiling
 approx.

Initial boiling point and boiling approx. 260 °C

Initial boiling point and boiling (1013 hPa) approx. 260 °C

range: (1013 liPa) 200 °C

Freezing point: < -20 °C

Flash point (Closed Cup): > 93 °C DIN EN 51578

Auto-ignition temperature: No data available

Auto-ignition temperature : Lower explosion limit : Upper explosion limit : Explosive properties :

 Vapour pressure :
 (50 °C)
 approx.
 0,167 hPa
 hPa

 Vapour pressure :
 (20 °C)
 0,013 hPa
 hPa

 Evaporation rate (n-butylacetate = 1):
 No data available

 1):
 Surface tension (20°C) (20 °C)
 No data available

 Relative density (water = 1): (20 °C) (0,957 - 0,965)
 Density: (20 °C) (0,959 - 0,967)

Water solubility: 1387
pH value: No data available
Log Pow: approx. 2

Viscosity: (20 °C) No data available NEN-ISO 2884

Vapour density (air = 1): (1013 hPa/20 °C) 1 Oxidising properties: none

9.2 Other information

None

SECTION 10: Stability and reactivity

10.1 Reactivity

No information available.

10.2 Chemical stability

No information available.

10.3 Possibility of hazardous reactions

No information available.

10.4 Conditions to avoid

No information available.

10.5 Incompatible materials

Exothermic reaction with: oxidising agent strong acid strong alkali

10.6 Hazardous decomposition products

Decomposition with: Carbon dioxide. Carbon monoxide (CO).

SECTION 11: Toxicological information

Page: 4/9



Trade name : METHYL OCTALACTONE

Revision date: 04.01.2017 **Version (Revision):** 2.0.0 (1.1.0)

Print date : 12-4-2017

11.1 Information on toxicological effects

Acute effects

Acute oral toxicity

Parameter: LD50 (5-BUTYLDIHYDRO-4-METHYLFURAN-2(3H)-ONE; CAS No.: 39212-23-2)

Exposure route: Oral Species: Rat

Effective dose: > 9660 mg/kg

Method: OECD 401 Acute Oral Toxicity
Source: PFW Aroma Chemicals BV

Irritant and corrosive effects

Primary irritation to the skin

Parameter: Irritation of the skin (5-BUTYLDIHYDRO-4-METHYLFURAN-2(3H)-ONE; CAS No.:

39212-23-2)

Species: Albino rabbit
Parameter: in-vivo
Result: No Irritation

Method: OECD 404 Acute Dermal Irritation/Corrosion

Source: PFW Aroma Chemicals BV

Sensitisation

In case of skin contact

Parameter: Skin sensitisation (5-BUTYLDIHYDRO-4-METHYLFURAN-2(3H)-ONE; CAS No.: 39212-

23-2)

Species: Guinea pig
Parameter: in-vivo
Result: not sensitising

Method: OECD 406 Skin Sensitisation
Source: PFW Aroma Chemicals BV

Parameter: Skin sensitisation (5-BUTYLDIHYDRO-4-METHYLFURAN-2(3H)-ONE ; CAS No. : 39212-

23-2)

Species : Guinea pig Parameter : in-vivo

Result: no photosensitisation

Method : Draize

Source : PFW Aroma Chemicals BV

Parameter: Skin sensitisation (5-BUTYLDIHYDRO-4-METHYLFURAN-2(3H)-ONE ; CAS No. : 39212-23-2)

rabbit in-vivo

Result: not phototoxic Method: Draize

Source : PFW Aroma Chemicals BV

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity

Species:

Parameter:

No information available.

Acute (short-term) fish toxicity

Parameter: LC50 (5-BUTYLDIHYDRO-4-METHYLFURAN-2(3H)-ONE; CAS No.: 39212-23-2)

Species : Acute (short-term) fish toxicity

Effective dose: 10 - 100 mg/l

Page: 5 / 9



Trade name : METHYL OCTALACTONE

Revision date: 04.01.2017 **Version (Revision):** 2.0.0 (1.1.0)

Print date : 12-4-2017

Exposure time: 96 h
Method: QSAR

Source: PFW Aroma Chemicals BV

Acute (short-term) daphnia toxicity

Parameter: EC50 (5-BUTYLDIHYDRO-4-METHYLFURAN-2(3H)-ONE; CAS No.: 39212-23-2)

Species: Acute (short-term) daphnia toxicity

Effective dose : 10 - 100 mg/l Exposure time : 48 h Method : QSAR

Source: PFW Aroma Chemicals BV

Acute (short-term) algae toxicity

Parameter: EC50 (5-BUTYLDIHYDRO-4-METHYLFURAN-2(3H)-ONE; CAS No.: 39212-23-2)

Species: Acute (short-term) algae toxicity

Effective dose : 10 - 100 mg/l Exposure time : 96 h Method : OSAR

Source: PFW Aroma Chemicals BV

12.2 Persistence and degradability

Biodegradation

Analytical method: Biodegradation (5-BUTYLDIHYDRO-4-METHYLFURAN-2(3H)-ONE; CAS No.: 39212-23-

2)

Parameter : Degree of elimination

Type: Aerobic Degradation rate: 98 % Time: 28 days

Evaluation: readily biodegradable (>73% degraded after 28 days)

Method: Closed Bottle Test (Method OECD 301D)

Source : PFW Aroma Chemical BV

12.3 Bioaccumulative potential

Parameter: Bioconcentration factor (BCF) (5-BUTYLDIHYDRO-4-METHYLFURAN-2(3H)-ONE ; CAS

No.: 39212-23-2)

Species: BCF

Result: approx. 10 l/kg ww

Method: QSAR

Source : PFW Aroma Chemicals BV

Parameter: Partition coefficient: n-octanol/water (5-BUTYLDIHYDRO-4-METHYLFURAN-2(3H)-ONE ;

CAS No.: 39212-23-2)

Result : approx. 2 Method : QSAR

Source : PFW Aroma Chemicals BV

Based on the n-octanol/water partition coefficient accumulation in organisms is not expected.

12.4 Mobility in soil

No information available.

12.5 Results of PBT and vPvB assessment

This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.

12.6 Other adverse effects

None

12.7 Additional ecotoxicological information

None

SECTION 13: Disposal considerations

Page: 6 / 9

(EN/USA)



Trade name : METHYL OCTALACTONE

Revision date: 04.01.2017 **Version (Revision):** 2.0.0 (1.1.0)

Print date : 12-4-2017

13.1 Waste treatment methods

Send to a hazardous waste incinerator facility under observation of official regulations. Clean IBCs or drums at approved facility only. Contaminated packages must be completely emptied and can be re-used following proper cleaning. Packing which cannot be properly cleaned must be disposed of. Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information

14.1 UN number

No dangerous good in sense of these transport regulations.

14.2 UN proper shipping name

No dangerous good in sense of these transport regulations.

14.3 Transport hazard class(es)

No dangerous good in sense of these transport regulations.

14.4 Packing group

No dangerous good in sense of these transport regulations.

14.5 Environmental hazards

No dangerous good in sense of these transport regulations.

14.6 Special precautions for user

None

SECTION 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

Water hazard class (WGK)

Class: water pollutant according VwVwS

Other regulations, restrictions and prohibition regulations which apply

U.S. - Section 8(b) Inventory (TSCA) Present

Inventory - China - Inventory of Existing Chemical Substances (IECSC) Present 10501

Inventory - Taiwan - Taiwan Chemical Substance Inventory (TCSI) Present

Inventory - Philippines - Inventory of Chemicals and Chemical Substances (PICCS) Present

Inventory - Australia - Inventory of Chemical Substances (AICS) Present

Inventory - New Zealand - Inventory of Chemicals (NZIoC) Present

EU - Database of Flavouring Substances (1565/2000/EC) - FLAVIS Numbers 10.053 Chemical Group Number 19 Joint FAO/WHO Expert Committee on Food Additives (JECFA) - Flavouring Agents Specifications Index Numbers Full FEMA (Flavor and Extract Manufacturers Association) - FEMA GRAS Numbers 3803

15.2 Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

16.1 Indication of changes

02. Label elements · 03. Substances

16.2 Abbreviations and acronyms

a.i. = Active ingredient; ACGIH = American Conference of Governmental Industrial Hygienists (US); ADR = European

Page: 7 / 9



Trade name : METHYL OCTALACTONE

Revision date: 04.01.2017 **Version (Revision):** 2.0.0 (1.1.0)

Print date : 12-4-2017

Agreement concerning the International Carriage of Dangerous Goods by Road; AFFF = Aqueous Film Forming Foam; AICS = Australian Inventory of Chemical Substances; AISE = International Association for Soaps, Detergents and Maintenance Products (joint project of AISE and CEFIC); AOAC = AOAC International (formerly Association of Official Analytical Chemists); aq. = Aqueous; Asia-PAC = Asia Pacific; ASTM = American Society of Testing and Materials (US); atm = Atmosphere(s); B.V. = Beperkt Vennootschap (LTD = Limited); BCF = Bioconcentration Factor; bp = Boiling point at stated pressure; bw = Body weight; ca = (Circa) about; CAS No = Chemical Abstracts Service Number (see ACS - American Chemical Society); CEFIC = European Chemical Industry Council (established 1972); CEPA = Canadian Environmental Protection Act (CAN); CEPA = Canadian Environmental Protection Act (Canada); CIPAC = Collaborative International Pesticides Analytical Council; CLP = REGULATION (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures.; CoE = Council of Europe (EU); Conc = Concentration; cP = CentiPoise; CSNN = Chemical Substance Nomination & Notification (Taiwan); cSt = Centistokes; d = Day(s); DIN = Deutsches Institut für Normung e.V.; DNEL = Derived No-Effect Level; DSL = Domestic Substances List; DT50 = Time for 50% loss; half-life; EbC50 = Median effective concentration (biomass, e.g. of algae); EC = European Community; European Commission; EC50 = Median effective concentration; ECL = Existing Chemicals List (Korea); EINECS = European Inventory of Existing Commercial Chemical Substances (EU, outdated, now replaced by EC Number); ELINCS = European List of Notified (New) Chemicals; ENCS = Existing and New Chemical Substances Inventory (Japan); ErC50 = Median effective concentration (growth rate, e.g. of algae); EU = European Union; EWC = European Waste Catalogue; FAO = Food and Agriculture Organization (United Nations); FEMA = Flavor & Extract Manufacturers Association (USA); FLAVIS = Flavour Information System (EU); GIFAP = Groupement International des Associations Nationales de Fabricants de Produits Agrochimiques (now CropLife International); GRAS = Generally Recognized As Safe (USA); h = Hour(s); hPa = HectoPascal (unit of pressure); IARC = International Agency for Research on Cancer; IATA = International Air Transport Association; IC50 = Concentration that produces 50% inhibition; IECSC = Inventory of Existing Chemical Substances (China); IMDG Code = International Maritime Dangerous Goods Code; IMO = International Maritime Organization; ISO = International Organization for Standardization; IUCLID = International Uniform Chemical Information Database; IUPAC = International Union of Pure and Applied Chemistry; IVIS = In-Vitro Irritancy Score; JECFA = Joint Expert Committee on Food Additives (United Nations); kg = Kilogram; Kow = Distribution coefficient between n-octanol and water; kPa = KiloPascal (unit of pressure); LC50 = Concentration required to kill 50% of test organisms; LD50 = Dose required to kill 50% of test organisms; LEL = Lower Explosive Limit/Lower Explosion Limit; LOAEL = Lowest observed adverse effect level; LVE = Low Volume Exemption; mg = Milligram; min = Minute(s); ml = Milliliter; mmHg = Pressure equivalent to 1 mm of mercury (133.3 Pa); mp = Melting point; MRL = Maximum Residue Limit; MSDS = Material Safety Data Sheet; n.o.s. = Not Otherwise Specified; NDSL = Non-Domestic Substances List; NIOSH = National Institute for Occupational Safety and Health (US); NOAEL = No Observed Adverse Effect Level; NOEC = No observed effect concentration; NOEL = No Observable Effect Level; NOx = Oxides of Nitrogen; NZIoC = New Zealand Inventory of Chemicals; OECD = Organization for Economic Cooperation and Development; OEL = Occupational Exposure Limits; Pa = Pascal (unit of pressure); PBT = Persistent, Bioaccumulative or Toxic; pH = -log10 hydrogen ion concentration; PICCS = Philippine Inventory of Chemicals and Chemical Substances; pKa = -log10 acid dissociation constant; PNEC = Predicted No Effect Concentration; POPs = Persistent Organic Pollutants; ppb = Parts per billion; PPE = Personal Protection Equipment; ppm = Parts per million; ppt = Parts per trillion; PVC = Polyvinyl Chloride; QSAR = Quantitative Structure-Activity Relationship; REACH = Registration, Evaluation and Authorization of CHemicals (EU, see NCP); SI = International System of Units; STEL = Short-Term Exposure Limit; tech. = Technical grade; TSCA = Toxic Substances Control Act (US); TSCA = Toxic Substances Control Act (USA); TWA = Time-Weighted Average; UN = United Nations; vPvB = Very Persistent and Very Bioacccumulative; VwVwS = Verwaltungsvorschrift wassergefährdender Stoffe; WHO = World Health Organization = OMS; y = Year(s);

16.3 Key literature references and sources for data

None

16.4 Relevant R-, H, and EUH-phrases of all the individual ingredients

None

16.5 Training advice

None

16.6 Additional information

None

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of

Page: 8 / 9



Trade name : METHYL OCTALACTONE

Revision date: 04.01.2017 **Version (Revision):** 2.0.0 (1.1.0)

Print date : 12-4-2017

mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

Page: 9 / 9