

Product

PERU BALSAM OLIFFAC 0912 MOD FOR GLOBAL

Print Date

Page 1 (10)

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

09/28/2017

Product name IFF Code SDS Number Product Use Description	: : : :	PERU BALSAM OLIFFAC 0912 MOD FOR GLOBAL 7247697 300000504580 Fragrance Compound
Company	:	IFF Inc. 600 Highway 36 Hazlet NJ 07730
Telephone Telefax Emergency telephone number	:	(732) 264-4500 (732) 335-2551 +1 800 424 9300

SECTION 2 HAZARDS IDENTIFICATION

GHS-Classification

Serious eye damage, Category 1, Skin sensitisation, Category 1, Specific target organ toxicity - repeated exposure, Category 1, Inhalation, Lungs

GHS-Labelling

Symbol(s)	
Signal word	: Danger
Hazard statements	: H317: May cause an allergic skin reaction.
Version	: 2
Revision Date	: 09/28/2017

IFF Inc. 600 Highway 36 Hazlet NJ 07730

Telephone: +17322644500

Telefax: +17323352551



ProductPERU BALSAM OLIFFAC 0912 MOD
FOR GLOBALPrint Date09/28/2017Page 2 (10)

	H318: Causes serious eye damage. H372: Causes damage to organs (/\$/*_ORG_REP_INHA/\$/) through prolonged or repeated exposure if inhaled.
Precautionary statements	 P260: Do not breathe dust/ fume/ gas/ mist/ vapours/ spray. P280: Wear protective gloves/ eye protection/ face protection. P302 + P352: IF ON SKIN: Wash with plenty of soap and water. P305 + P351 + P338 + P310: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor. P314: Get medical advice/ attention if you feel unwell.

Carcinogenicity:

No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical nature

: Fragrance for consumer product

Fragrance Compound: A multi component mixture of fragrance ingredients. The specific chemical identities of the ingredients not listed herein are considered by IFF to be Trade Secrets and are withheld in accordance with the provisions of 1910.1200 of Title29 of the U.S. Code of Federal Regulations.

SECTION 4. FIRST AID MEASURES

Version Revision Date : 2 : 09/28/2017

IFF Inc. 600 Highway 36 Hazlet NJ 07730

Telephone: +17322644500



Product

PERU BALSAM OLIFFAC 0912 MOD FOR GLOBAL

Print Date	09/28/2017	Page 3 (10)

First aid procedures	
Inhalation	: Remove from exposure site to fresh air and keep at rest. If victim is unconscious, remove foreign bodies from the mouth. If victim has stopped breathing, give artificial respiration. Obtain medical advice.
Skin contact	: Remove contaminated clothes. Wash thoroughly with water (and soap). Contact physician if symptoms persist.
Eye contact	: Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist.
Ingestion	: Rinse mouth with water and obtain medical advice.

SECTION 5. FIREFIGHTING MEASURES

Flammable properties		
Flash point	:	219.20 °F (104.00 °C)
Fire fighting		
Suitable extinguishing media	:	Use water spray, dry chemical, carbon dioxide or appropriate foam.

Protective equipment and precautions for firefighters

Special protective equipment for	:	Wear NIOSH approved self-contained breathing apparatus and full
firefighters		protective clothing when fighting fires involving chemicals. Use
		water spray to cool containers exposed to fire.

Version	
Revision Date	

: 2 : 09/28/2017

IFF Inc. 600 Highway 36 Hazlet NJ 07730



Product

PERU BALSAM OLIFFAC 0912 MOD FOR GLOBAL

Print Date

09/28/2017

Page 4 (10)

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions	:	Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.
Environmental precautions	:	Keep away from drains, surface- and groundwater and soil.
Methods for containment / Methods for cleaning up	:	Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapours. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

SECTION 7. HANDLING AND STORAGE

Handling		Avoid excessive inhalation of concentrated vapors. Follow good manufacturing practices for housekeeping and personal hygiene. Wash any exposed skin immediately after any chemical contact, before breaks and meals, and at the end of each work period. Contaminated clothing and shoes should be thoroughly cleaned before re-use.
		If appropriate, procedures used during the handling of this material should also be used when cleaning equipment or removing residual chemicals from tanks or other containers, especially when steam or hot water is used, as this may increase vapor concentrations in the workplace air. Where chemicals are openly handled, access should be restricted to properly trained employees. Keep all heated processes at the lowest necessary temperature in order to minimize emissions of volatile chemicals into the air.
Advice on protection against fire and explosion	:	Keep away from ignition sources and naked flame.

Version Revision Date : 2 : 09/28/2017

IFF Inc. 600 Highway 36 Hazlet NJ 07730

Telephone: +17322644500



Product

PERU BALSAM OLIFFAC 0912 MOD FOR GLOBAL

Print Date 09/28/2017 Page 5 (10)

containers

Requirements for storage areas and : Store in a cool, dry, ventilated area away from heat sources. Keep containers upright and tightly closed when not in use.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	Listed by	Value type	Exposure limit(s)
1,2-Propanediol	USA. Workplace Environmental Exposure Levels (WEEL)	8-hr TWA	10 mg/m3

Engineering measures

Engineering measures

: Where feasible, isolate mixing rooms and other areas where this material is used or openly handled. Maintain these areas under negative air pressure relative to the rest of the plant. Where feasible, use closed systems to transfer and process this material

Personal	protective	equipment
----------	------------	-----------

Eye protection	: Use tight-fitting goggles, face shield or safety glasses with side shields if eye contact might occur.
Hand protection	: Avoid skin contact. Use chemically resistant gloves.
Respiratory protection	 Use local exhaust ventilation around open tanks and other open sources of potential exposures in order to avoid excessive inhalation, including places where this material is openly weighed or measured. In addition, use general dilution ventilation of the work area to eliminate or reduce possible worker exposures. No respiratory protection is required during normal operations in a workplace where engineering controls such as adequate ventilation, etc. are sufficient.

Version **Revision Date** : 2 : 09/28/2017

IFF Inc. 600 Highway 36 Hazlet NJ 07730

Telephone: +17322644500



Product

SAFETY DATA SHEET INTERNATIONAL FLAVORS & FRAGRANCES

PERU BALSAM OLIFFAC 0912 MOD FOR GLOBAL

Print Date	09/28/2017	Page	6 (10)
Print Date	09/28/2017	Page	6 (10)

	If engineering controls and safe work practices are not sufficient, an approved, properly fitted respirator with organic vapor cartridges or canisters and particulate filters should be used:
	 a) while engineering controls and appropriate safe work practices and/or procedures are being implemented; or b) during short term maintenance procedures when engineering controls are not in normal operation or are not sufficient; or c) if normal operational workplace vapor concentration in the air is increased due to heat; d) during emergencies; or e) if engineering controls and operational practices are not sufficient to reduce airborne concentrations below an established occupational exposure limit.
Hygiene measures	 To the extent deemed appropriate, implement pre-placement and regularly scheduled ascertainment of symptoms and spirometry testing of lung function for workers who are regularly exposed to this material. To the extent deemed appropriate, use an experienced air sampling expert to identify and measure volatile chemicals that could be present in the workplace air to determine potential exposures and to ensure the continuing effectiveness of engineering controls and operational practices to minimize exposure.
Protective measures	 In December 2003, the National Institute for Occupational Safety and Health ("NIOSH") published an Alert on preventing lung disease in workers who use or make flavorings [NIOSH Publication Number 2004-110]. In August 2004, the United States Flavor and Extract Manufacturers Association (FEMA) issued a report entitled "Respiratory Safety in the Flavor Manufacturing Workplace". Both of these reports provide recommendations for reducing employee exposure and for medical surveillance in the workplace. The recommendations in these reports are generally applicable to the

Version Revision Date

IFF Inc. 600 Highway 36 Hazlet NJ 07730 : 2 : 09/28/2017



Product	PERU BALSAM OLIFFAC 0912 MOD FOR GLOBAL	
Print Date	09/28/2017	Page 7 (10)

use of any chemical in the workplace and you are strongly urged to review both of these reports. The report published by FEMA also contains a list of "high priority" chemicals. If any of these chemicals are present in this product at a concentration $\geq 1.0\%$ due to an intentional addition by IFF, the chemical(s) will be identified in this safety data sheet.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance

Physical state Appearance Colour	liquidCLEAR LIQUIDorange to brown
Odour	: conforms to standard
Safety data	
Flash point	: 219.20 °F (104.00 °C)
Vapour pressure	: .03 hPa (0.03 hPa) Note: Calculated
Relative density (20 °C)	: 1.0820 - 1.0920

SECTION 10. STABILITY AND REACTIVITY

Conditions to avoid	:	Remarks: Direct sources of heat.
Chemical stability	:	Remarks: Presents no significant reactivity hazard, by itself or in

Version Revision Date : 2 : 09/28/2017

IFF Inc. 600 Highway 36 Hazlet NJ 07730

Telephone: +17322644500



Product	PERU BALSAM OLIFFAC 0912 MOD FOR GLOBAL		
Print Date	09/28/2017	Page	8 (10)

	contact with water. Avoid contact with strong acids, alkali or oxidizing agents.
Hazardous decomposition products	: Note: Carbon monoxide and unidentified organic compounds may be formed during combustion.

SECTION 11. TOXICOLOGICAL INFORMATION

Toxicological information

Further information : There is no data available for this product. The health hazards are assessed based on the ingredients in this preparation and their concentrations.

SECTION 12. ECOLOGICAL INFORMATION

Ecological information

Additional ecological information : Avoid contamination of soil, ground and surface water.

SECTION 13. DISPOSAL CONSIDERATIONS

Contaminated packaging	:	Place material into sealed containers and dispose of in accordance
		with local, state and federal regulations.

SECTION 14. TRANSPORT INFORMATION

DOT Not dangerous goods

Version Revision Date : 2 : 09/28/2017

IFF Inc. 600 Highway 36 Hazlet NJ 07730 IFF Inc. 600 Highway 36 Hazlet NJ 07730

Telephone: +17322644500



Product

PERU BALSAM OLIFFAC 0912 MOD FOR GLOBAL

 Print Date
 09/28/2017
 Page
 9 (10)

ΙΑΤΑ	UN number Description of the goods Class Packing group ICAO-Labels	:	3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (BENZYL BENZOATE) 9 III 9
IMDG	UN number Description of the goods Class Packing group IMDG-Labels	:	3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (BENZYL BENZOATE) 9 III 9
	EmSNumber 1 EmSNumber 2 Marine pollutant	:	F-A S-F yes (BENZYL BENZOATE)

SECTION 15. REGULATORY INFORMATION

SARA 311/312 Hazards	: Acute Health Hazard Chronic Health Hazard
Reportable Quantity	:
HMIS Classification	: Health hazard: 3 Chronic Health Hazard: * Flammability: 1 Physical and chemical hazards:

Version Revision Date : 2 : 09/28/2017

IFF Inc. 600 Highway 36 Hazlet NJ 07730 IFF Inc. 600 Highway 36 Hazlet NJ 07730

0



Product

PERU BALSAM OLIFFAC 0912 MOD FOR GLOBAL

Print Date

09/28/2017

Page 10 (10)

SECTION 16. OTHER INFORMATION

Further information

The information in this MSDS was obtained from current and reliable sources. However the data is provided without any warrant, expressed or implied, regarding its correctness or accuracy. Since the use, handling, storage and disposal of this product are beyond IFF control, it is the responsibility of the user both to determine safe conditions for the use of this product and to assume liability of loss, damage, or expense arising out of the product's improper use. No warranty expressed or implied regarding the product described herein shall be created by or inferred from any statement or omission in this MSDS. Various Federal, State or Provincial agencies may have specific regulations concerning the transportation, handling, storage, use, or disposal of this product which may not be reflected in this MSDS. The user should review these regulations to ensure full compliance.

Version Revision Date

IFF Inc.

600 Highway 36 Hazlet NJ 07730 : 2 : 09/28/2017

> IFF Inc. 600 Highway 36 Hazlet NJ 07730

Telephone: +17322644500

Telefax: +17323352551