Safety Data Sheet 29 CFR 1910.1200

Section 1: Company and Product Identification

Product Name: PHENYL ETHYL PHENYL ACETATE

Company: THE JOHN D. WALSH CO., INC.

25 EXECUTIVE PKWY. RINGWOOD, NJ 07456

Emergency Response: 24 HOUR EMERGENCY NUMBER

CHEMTREC (800) 424-9300

Section 2: Hazards Identification

HS07

GHS09

BLAN

Hazard Pictograms:





Signal Word: Warning

Hazard Category: Acute tox, dermal Cat 5

Skin corrosion/irritation Cat 2

Serious eye damage/eye irritation Cat 2 Hazard to aquatic environment, chronic Cat 2

Hazard Statements: H313: May be harmful in contact with skin

H315: Causes skin irritation H319: Causes serious eye irritation

H411: Toxic to aquatic life with long lasting effects

Precautionary P264: Wash thoroughly after handling Statements: P273: Avoid release to the environment

P280: Wear protective gloves/protective clothing/eye protection/face protection

P302+352: IF ON SKIN: Wash with soap and water

P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses if present and easy to do - continue rinsing

P312: Call a POISON CENTER or doctor/physician if you feel unwell P332+313: If skin irritation occurs: Get medical advice/attention P337+313: If eye irritation persists get medical advice/attention P362: Take off contaminated clothing and wash before reuse

P391: Collect spillage

P501: Dispose of contents/container in accordance with local/national/international rules.

Section 3: Composition / Information on Ingredients

Substance (name)	CAS#	Weight %
PHENYL ETHYL PHENYL ACETATE	102-20-5	100

Section 4: First Aid Measures

Notable Exposure SEVERE EYE IRRITATION, SYMPTOMS MAY INCLUDE

symptoms: STINGING,TEARING,REDNESS,SWELLING,AND BLURRED VISION. MAY CAUSE SKIN IRRITATION, REDNESS, AND PAIN

If ingested: If the victim is conscious, rinse mouth with water. Seek immediate medical attention. Do not induce vomiting. If vomiting occurs, the head should be kept low so that the vomit doesn't enter the lungs

If inhaled: If having difficulty breathing, remove to fresh air and let rest. Obtain medical attention if asthma-like symptoms or other symptoms develop. Oxygen may be necessary.

Eye contact: Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses if present and easy to do. Get medical attention if irritation develops or persists.

Skin contact: Take off immediately all contaminated clothing. Rinse with soap and water thoroughly. Get medical advice if irritation develops or persists.

Additional Info: Observe for any symptoms for several hours after exposure. Follow up with medical attention if symptoms develop.

Section 5: Fire Fighting Measures

Extinguishing Water spray, fog, Carbon dioxide (CO2), dry chemical, alcohol resistant foam. Firefighters should wear **Method / Equipment:** self-contained breathing apparatus (SCBA) and full protective equipment.

Hazardous Fire may produce irritating, corrosive and/or toxic gases. **Decomposition Info:**

Section 6: Accidental Release Measures

Personal precautions, Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Eliminate all protective equipment ignition sources (no smoking, flares, sparks, or flames in immediate area). Wear appropriate and procedures: protective equipment and clothing during clean-up. Avoid breathing vapors. Ventilate area if easy to do so. Contact local authorities if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Containment Large Spills: Contain actively spilling material if safe and easy to do so. Dike the spilled material, Equipment and where this is possible. Utilize absorbent clay or sand to contain and stop spreading material.

Procedures:

Small Spills: Utilize absorbent clay or sand and transfer to waste receptacles. Clean surface thoroughly to remove residual contamination.

Cleanup Procedures: Collect all contaminated clay, media, or other cleanup materials into a waste receptacle. If cleaning surface is necessary, utilize mineral spirits or other solvents, provided adequate ventilation is available.

Section 7: Handling and Storage

Safe Handling Do not handle until all safety precautions have been read and understood. Do not handle near an open **Precautions:** flame or sources of ignition. Ensure adequate ventilation. Take precautionary measures against static discharges. Avoid breathing vapors. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Wear appropriate personal protective equipment.

Recommendations for Store in cool area in product container away from sources of ignition or flame. Never store in extreme **Storage:** temperatures and avoid storing in direct sunlight.

Section 8: Exposure Control / Personal Protection

THE JOHN D. WALSH CO., INC.

General / Engineering Local exhaust ventilation should be utilized to control vapors / substances below exposure limits. Eye Controls: wash facilities must be available when handling this product.

Work Clothing: Protective work clothing which covers skin and prevents exposures.

Eye/face protection: Wear safety goggles or face shield.

Skin Protection: Wear solvent resistant gloves.

Respiratory Chemical respirator with organic vapor cartridge and full face plate

Protection:

Additional Observe good chemical hygiene practices. Do not smoke or eat while using this product. Wash hands Information: or exposed skin after using the product.

Section 9: Physical and Chemical Properties

Sp Grav: 1.08

Melting Point: Not avail Freezing Not avail State: Liquid

Point:

Color: Refer to spec Vapor 8.3 **Boiling point:** 617F sheet

Density: Odor: Characteristic

Water Insoluble

Solubility: Part. Coeff (n Not avail Molecular Weight: 240.3 g/mol Flash Point: >200F

octanol/water

Upper Flam Limits: Not avail Lower Flam Not avail Vapor <0mmHg@20C

Limits: **Pressure:**

Section 10: Stability and Reactivity

General: This product is stable and non-reactive under normal conditions of use. Solvent vapors will evaporate from exposed material. Product is not subject to hazardous polymerization. Avoid open flame and ignition sources.

Incompatible Strong oxidizing agents.

materials:

Decomposition No decomposition products known. Toxic substances may be released in the event of a fire. products:

Section 11: Toxicological Information

Toxicological Information (contained substances)

Substance	LD50 Oral	LD50 Dermal
PHENYL EHYL PHENYL ACETATE	15000 mg/kg (Rat)	5000 mg/kg (Rabbit)

Carcinogenicity or Not classified

mutagenicity:

Sensitization: This product is not expected to cause skin sensitiaztion.

Section 12: Ecological Information

THE JOHN D. WALSH CO., INC.

Aquatic toxicity: Toxic to aquatic life with long lasting effects. Accumulation in aquatic organisims is expected

Degradation / Mobility info: No specific data available.

Bioaccumulative potential: No specific data available.

Section 13: Disposal Information

Product disposal: Dispose of product in accordance with local, regional, and national regulations. Consult with waste

contractor. Contains low levels of flammable solvents.

Container disposal: Treat empty containers with extra care, as residual solvents may pose ignition hazard. Consult waste

contractor.

Section 14: Transport Information

DOT GROUND NON NOT REGULATED

BULK:

IMO/IMDG: UN 3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (PHENYL

ETHYL PHENYL ACETATE) 9, III, MARINE POLLUTANT

IATA: UN 3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (PHENYL

ETHYL PHENYL ACETATE) 9, III

Section 15: Regulatory Information

TSCA: NOT LISTED

CERCLA RQ: NOT LSITED

SARA 311/312: NOT LISTED

SARA 313 NOT LISTED

California Prop 65 NOT LISTED

Substances:

Canadian DSL: YES LISTED

WHMIS: H-2,F-1,R-0

Section 16: Other Information

Version Date: 5/18/2020

Disclaimer: The information in this MSDS was obtained from current and reliable sources. However the data is provided without any warranty, expressed or implied, regarding its correctness or accuracy. It is the user's responsibility both to determine safe conditions for use of this product and to assume liability for loss, injury, damage, or, expense resulting from improper use of this product

US-SDS 4 of 4 5/18/2020