

Product PRECYCLEMONE B

Print Date 28.10.2019 Page 1 (12)

1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : PRECYCLEMONE B

Registration number : 01-2120735080-68-0001, 01-2120735080-68-0002, 01-

2120735080-68-0003

 IFF Code
 : 00166414

 Cust. Material
 : 00166414

 SDS Number
 : R00000226610

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture : Ingredient used in Flavour and/or Fragrance preparations

1.3 Details of the supplier of the safety data sheet

Company : IFF Inc.

600 Highway 36 07730 Hazlet

USA

Telephone : +17322644500 Telefax : +17323352551 E-mail address : sds@iff.com

Responsible/issuing person **1.4 Emergency telephone number**

Refer to section 16 for country specific emergency contact number.

2. Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Acute aquatic toxicity, Category 1 H400: Very toxic to aquatic life.

Chronic aquatic toxicity, Category 1 H410: Very toxic to aquatic life with long lasting

effects.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Version : 4.12

Revision Date : 01.10.2019

Telephone: +17322644500 Telefax: +17323352551



Product PRECYCLEMONE B

Print Date 28.10.2019 Page 2 (12)

Hazard pictograms :

*

Signal word : Warning

Hazard statements : H410 Very toxic to aquatic life with long lasting

effects.

Precautionary statements : **Prevention:**

P273 Avoid release to the environment.

Response:

P391 Collect spillage.

Disposal:

P501 Dispose of contents/ container to an approved

waste disposal plant.

2.3 Other hazards

None reasonably foreseeable.

3. Composition/information on ingredients

3.1 Substances

Chemical name of the substance : 1-methyl-4-(4-methyl-3-pentenyl)cyclohex-3-ene-1-carbaldehyde

Chemical characterization : alicyclic aldehydes
Molecular formula : C14 H22 O
Molecular weight : 206,30 g/mol
CAS-No. : 52475-86-2

EINECS-No. : 257-942-2, 257-941-7

REACH No. : 01-2120735080-68-0001, 01-2120735080-68-0002, 01-2120735080-

68-0003

Hazardous components

Chemical name CAS-No. GHS Classification Concentration

 Version
 : 4.12

 Revision Date
 : 01.10.2019

Telephone: +17322644500 Telefax: +17323352551



Product PRECYCLEMONE B

Print Date 28.10.2019 Page 3 (12)

	EC-No.		[%]
1-methyl-4-(4-methyl-3- pentenyl)cyclohex-3-ene-1- carbaldehyde	52475-86-2 915-712-5	Aquatic Acute1; H400 Aquatic Chronic1; H410	90 - 100
2,6-di-tert-butyl-p-cresol	128-37-0 204-881-4	Aquatic Chronic1; H410 Aquatic Acute1; H400	0,1 - 0,25

For the full text of the H-Statements mentioned in this Section, see Section 16.

3.2 Mixtures

Not applicable, product is a substance.

4. First aid measures

4.1 Description of first aid measures

General advice : Take Hazard and Precautionary phrases (section 2) into account.

If inhaled : Remove from exposure site to fresh air and keep at rest. If victim is

unconscious, remove foreign bodies from the mouth. If victim has stopped breathing, give artificial respiration. Obtain medical advice.

In case of skin contact : Remove contaminated clothes. Wash thoroughly with water (and

soap). Contact physician if symptoms persist.

In case of eye contact : Flush immediately with water for at least 15 minutes. Contact

physician if symptoms persist.

If swallowed : Rinse mouth with water and obtain medical advice.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms : No information available.

Risks : No information available.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : No information available.

Version : 4.12

Revision Date : 01.10.2019

Telephone: +17322644500 Telefax: +17323352551



Product PRECYCLEMONE B

Print Date 28.10.2019 Page 4 (12)

5. Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Carbondioxide, dry chemical, foam.

Unsuitable extinguishing media : Do not use a direct waterjet on burning material.

5.2 Special hazards arising from the substance or mixture

Specific hazards during

firefighting

: Water may be ineffective.

5.3 Advice for firefighters

Further information : Standard procedure for chemical fires.

6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Avoid inhalation and contact with skin and eyes. A self-contained

breathing apparatus is recommended in case of a major spill.

6.2 Environmental precautions

Environmental precautions : Keep away from drains, surface- and groundwater and soil.

6.3 Methods and materials for containment and cleaning up

Methods for cleaning up : Clean up spillage promptly. Remove ignition sources. Provide

adequate ventilation. Avoid excessive inhalation of vapours. Gross spillages should be contained by use of sand or inert powder and

disposed of according to the local regulations.

6.4 Reference to other sections

Prevent spreading over a wide area (e.g. by containment or oil barriers).

7. Handling and storage

7.1 Precautions for safe handling

Advice on safe handling : Avoid excessive inhalation of concentrated vapors. Follow good

manufacturing practices for housekeeping and personal hygiene.

Version : 4.12

Revision Date : 01.10.2019

Telephone: +17322644500 Telefax: +17323352551



Product PRECYCLEMONE B

Print Date 28.10.2019 Page 5 (12)

Wash any exposed skin immediately after any chemical contact, before breaks and meals, and at the end of each work period. Contaminated clothing and shoes should be thoroughly cleaned before re-use.

If appropriate, procedures used during the handling of this material should also be used when cleaning equipment or removing residual chemicals from tanks or other containers, especially when steam or hot water is used, as this may increase vapor concentrations in the workplace air. Where chemicals are openly handled, access should be restricted to properly trained employees.

Keep all heated processes at the lowest necessary temperature in order to minimize emissions of volatile chemicals into the air.

Advice on protection against fire and explosion

: Keep away from ignition sources and naked flame.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas

and containers

: Store in a cool, dry, ventilated area away from heat sources. Keep

containers upright and tightly closed when not in use.

7.3 Specific end use(s)

Specific use(s) : No information available.

8. Exposure controls/personal protection

8.1 Control parameters

Contains no substances with occupational exposure limit values.

8.2 Exposure controls

Engineering measures

Where appropriate, use closed systems to transfer and process this material.

If appropriate, isolate mixing rooms and other areas where this material is used or openly handled. Maintain these areas under negative air pressure relative to the rest of the plant.

Personal protective equipment

Respiratory protection : Use local exhaust ventilation around open tanks and other open

Version : 4.12

Revision Date : 01.10.2019

Telephone: +17322644500 Telefax: +17323352551



Product PRECYCLEMONE B

Print Date 28.10.2019 Page 6 (12)

sources of potential exposures in order to avoid excessive inhalation, including places where this material is openly weighed or measured. In addition, use general dilution ventilation of the work area to eliminate or reduce possible worker exposures.

No respiratory protection is required during normal operations in a workplace where engineering controls such as adequate ventilation, etc. are sufficient.

If engineering controls and safe work practices are not sufficient, an approved, properly fitted respirator with organic vapor cartridges or canisters and particulate filters should be used:

a) while engineering controls and appropriate safe work practices and/or procedures are being implemented; or

b)during short term maintenance procedures when engineering controls are not in normal operation or are not sufficient; or c)if normal operational workplace vapor concentration in the air is increased due to heat;

d)during emergencies; or

e)if engineering controls and operational practices are not sufficient to reduce airborne concentrations below an established occupational exposure limit.

Hand protection : Avoid skin contact. Use chemically resistant gloves.

Eye protection : Use tight-fitting goggles, face shield or safety glasses with side

shields if eye contact might occur.

Hygiene measures : To the extent deemed appropriate, implement pre-placement and

regularly scheduled ascertainment of symptoms and spirometry testing of lung function for workers who are regularly exposed to

this material.

To the extent deemed appropriate, use an experienced air sampling expert to identify and measure volatile chemicals that could be present in the workplace air to determine potential exposures and to ensure the continuing effectiveness of engineering controls and

operational practices to minimize exposure.

Environmental exposure controls

Version : 4.12

Revision Date : 01.10.2019

Telephone: +17322644500 Telefax: +17323352551



Product PRECYCLEMONE B

Print Date 28.10.2019 Page 7 (12)

General advice : Keep away from drains, surface- and groundwater and soil.

9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance : liquid

Colour : colorless to pale yellow
Odour : conforms to standard

Odour Threshold : not determined

Flash point : 94 °C

Lower explosion limit : not determined Upper explosion limit : not determined Flammability (solid, gas) : not determined Oxidizing properties : not determined Auto-ignition temperature : not determined рH : not determined Melting point : not determined Boiling point : not determined Vapour pressure < 0.01 hPaDensity : not determined Water solubility : not determined Partition coefficient: n-: log Pow: 4,360

octanol/water

Solubility in other solvents : not determined Viscosity, dynamic : not determined Viscosity, kinematic : not determined Relative vapour density : not determined Evaporation rate : not determined

9.2 Other information

Refractive index : not determined Relative density : 0.917 - 0.92

10. Stability and reactivity

10.1 Reactivity

No hazards to be specially mentioned.

10.2 Chemical stability

Version : 4.12 Revision Date : 01.10.2019

Telephone: +17322644500 Telefax: +17323352551



Product PRECYCLEMONE B

Print Date 28.10.2019 Page 8 (12)

Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions : Note: Presents no significant reactivity hazard, by itself or in contact

with water. Avoid contact with strong acids, alkali or oxidizing

agents.

10.4 Conditions to avoid

Conditions to avoid : Direct sources of heat.

10.5 Incompatible materials

Materials to avoid : Avoid contact with strong acids, alkali or oxidizing agents.

10.6 Hazardous decomposition products

Hazardous decomposition : Carbon monoxide and unidentified organic compounds may be

products formed during combustion.

11. Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Acute oral toxicity : LD50: 3.000 mg/kg

Species: Rat

Skin corrosion/irritation

Skin irritation : No information available.

Skin irritation : Species: human

Result: No skin irritation Method: closed patch test

: Species: Rabbit Result: Skin irritation

Serious eye damage/eye irritation

No information available.

Version : 4.12

Revision Date : 01.10.2019

Telephone: +17322644500 Telefax: +17323352551



Product PRECYCLEMONE B

Print Date 28.10.2019 Page 9 (12)

Eye irritation : Species: Rabbit

Result: Mild eye irritation

Respiratory or skin sensitisation

No information available.

Sensitisation : maximisation study

Species: human

Result: Did not cause sensitisation on laboratory animals.

Test substance: 3.00%

Germ cell mutagenicity

No information available.

Carcinogenicity

No information available.

Reproductive toxicity

No information available.

Target Organ Systemic Toxicant - Single exposure

No information available.

Target Organ Systemic Toxicant - Repeated exposure

No information available.

Aspiration hazard

No information available.

12. Ecological information

12.1 Toxicity

12.2 Persistence and degradability

No information available.

12.3 Bioaccumulative potential

No information available.

12.4 Mobility in soil

12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Version : 4.12

Revision Date : 01.10.2019

Telephone: +17322644500 Telefax: +17323352551



Product PRECYCLEMONE B

Print Date 28.10.2019 Page 10 (12)

12.6 Other adverse effects

No information available.

13. Disposal considerations

13.1 Waste treatment methods

Product : Dispose of according to local regulations. Avoid disposing into

drainage systems and into the environment.

Contaminated packaging : Empty containers should be taken to an approved waste handling

site for recycling or disposal.

14. Transport information

ADR

UN number : 3082

Description of the goods : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

(1-Methyl-4-(4-methyl-3-pentenyl)cyclohex-3-ene-1-carbaldehyde)

Labels : 9
Packing group : III
Environmentally hazardous : yes

IATA

UN number : 3082

Description of the goods : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

(1-Methyl-4-(4-methyl-3-pentenyl)cyclohex-3-ene-1-carbaldehyde)

Labels : 9
Packing group : III
Environmentally hazardous : yes

IMDG

UN number : 3082

Description of the goods : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

(1-Methyl-4-(4-methyl-3-pentenyl)cyclohex-3-ene-1-carbaldehyde)

Labels : 9 Packing group : III

Marine pollutant : yes (1-Methyl-4-(4-methyl-3-pentenyl)cyclohex-3-ene-1-carbaldehyde)

Special precautions for

user

No special precautions required.

 Version
 : 4.12

 Revision Date
 : 01.10.2019

Telephone: +17322644500 Telefax: +17323352551



Product PRECYCLEMONE B

Print Date 28.10.2019 Page 11 (12)

15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Additional Info : Not a hazardous substance or mixture according to EC-directives

67/548/EEC or 1999/45/EC.

Water contaminating class :

WGK 2water endangering

(Germany)

Classification according to Annex 3

15.2 Chemical safety assessment

A Chemical Safety Assessment is not required for this substance.

16. Other information

Full text of H-Statements referred to under sections 2 and 3.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

In December 2003, the National Institute for Occupational Safety and Health ("NIOSH") published an Alert on preventing lung disease in workers who use or make flavorings [NIOSH Publication Number 2004-110]. In August 2004, the United States Flavor and Extract Manufacturers Association (FEMA) issued a report entitled "Respiratory Safety in the Flavor Manufacturing Workplace".

Both of these reports provide recommendations for reducing employee exposure and for medical surveillance in the workplace. The recommendations in these reports are generally applicable to the use of any chemical in the workplace and you are strongly urged to review both of these reports.

The report published by FEMA also contains a list of "high priority" chemicals. If any of these chemicals are present in this product at a concentration >= 1.0% due to an intentional addition by IFF, the chemical(s) will be identified in this safety data sheet.

According to Regulation (EC) No. 1907/2006 the information in this safety data sheet is based on the properties of the material known to IFF at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment International Flavors & Fragrances holds no responsibility. This document is not intended for quality assurance purposes.

Version : 4.12

Revision Date : 01.10.2019

Telephone: +17322644500 Telefax: +17323352551



Product PRECYCLEMONE B

Print Date 28.10.2019 Page 12 (12)

Emergency telephone number

Emergency telephone num			
Austria	+43 1 406 43 43		
Belgium	+32 70 245 245		
Bulgaria	+359 2 9154 409 (N. I. Pirogov). poison_centre@mail.orbitel.bg		
Croatia	(+385 1) 2348342		
Czech Republic	+420 224 919 293 / +420 224 915 402		
Denmark	+45 82 12 12 12		
Estonia	16662 (National), International (+372) 626 93 90		
Finland	+358 9 471977		
France	+ 33 (0)1 45 42 59 59		
Germany	+31 13 4642 211		
Greece	+31 13 4642 211		
Hungary	(+36-80) 201-199		
Iceland	+354 543 2222		
Ireland	+353 1 8092566 / +353 1 8379964		
Italy	+39 06 68593726		
Latvia	+371 67042473		
Lithuania	+370 5 236 20 52 or +370 687 53378		
Luxembourg	+352 8002 5500		
Malta	+356 21224071		
Netherlands	+31 30 2748888 (Only for the purpose of informing medical personnel in		
	cases of acute intoxications).		
Norway	+47 22 59 13 00		
Poland	+31 13 4642 211		
Portugal	808 250 143		
Poland	+31 13 4642 211		
Portugal	808 250 143		
Romania	+31 13 4642 211		
Slovakia	+31 13 4642 211		
Slovenia	+31 13 4642 211		
Spain	+34 91 562 04 20 (only for the purpose of informing medical personnel in		
	cases of acute intoxications).		
Sweden	+46 112		
United Kingdom	+44 111 (England, Wales & Scotland)		

 Version
 : 4.12

 Revision Date
 : 01.10.2019

Telephone: +17322644500 Telefax: +17323352551