

Product	SUEDERAL LT 2010 /2015	
Print Date	30.05.2019	Page 1 (11)

1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name	: SUEDERAL LT 2010 /2015
IFF Code	: 30785432
Cust. Material	: 30785432
SDS Number	: 300000489996
• D.I	

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture	: Fragrance for consumer product
------------------------------	----------------------------------

1.3 Details of the supplier of the safety data sheet

Company	: IFF (NEDERLAND) BV
	ZEVENHEUVELENWEG 60
	5048 AN TILBURG
	Netherlands
Telephone	: +31134642211
Telefax	: +31134636032
E-mail address	: sds@iff.com
Responsible/issuing person	

1.4 Emergency telephone number

Refer to section 16 for country specific emergency contact number.

2. Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Chronic aquatic toxicity, Category 3

H412: Harmful to aquatic life with long lasting effects.

2.2 Label elements

Labelling (REGULATION	(EC) No 1272/2008)	
Hazard statements	: H412	Harmful to aquatic life with long lasting effects.
Precautionary statements	: Prevention: P273 Disposal:	Avoid release to the environment.
	P501	Dispose of contents/ container to an approved waste disposal plant.



Product SUEDERAL LT 2010 /2015

Print Date

30.05.2019

Page 2 (11)

2.3 Other hazards

None reasonably foreseeable.

3. Composition/information on ingredients

3.1 Substances

Not applicable, product is a mixture. **3.2 Mixtures**

Hazardous components

Chemical name	CAS-No. EC-No. Registration number	Classification (REGULATION (EC) No 1272/2008)	Concentration [%]
Resin acids and Rosin acids, hydrogenated, Me esters	8050-15-5 232-476-2	Aquatic Chronic3; H412	70 - 90
methyl palmitate	112-39-0 203-966-3	Skin Irrit.2; H315	1 - 5

For the full text of the R-phrases mentioned in this Section, see Section 16.

4. First aid measures

4.1 Description of first aid measures

Description of first and measures	
General advice	: Take Hazard and Precautionary phrases (section 2) into account.
If inhaled	: Remove from exposure site to fresh air and keep at rest. If victim is unconscious, remove foreign bodies from the mouth. If victim has stopped breathing, give artificial respiration. Obtain medical advice.
In case of skin contact	: Remove contaminated clothes. Wash thoroughly with water (and soap). Contact physician if symptoms persist.
In case of eye contact	: Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist.
If swallowed	: Rinse mouth with water and obtain medical advice.
rsion	: 1.12



Product	SUEDERAL LT 2010 /2015	
Print Date	30.05.2019	Page 3 (11)

4.2 Most important symptoms and effects, both acute and delayed

Symptoms	: No information available.
Risks	: No information available.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment	: No information available.
-----------	-----------------------------

5. Firefighting measures

5.1 Extinguishing media		
Suitable extinguishing media	: Carbondioxide, dry chemical, foam.	
Unsuitable extinguishing media	: Do not use a direct waterjet on burning material.	
5.2 Special hazards arising from the substance or mixture		
Specific hazards during firefighting	: Water may be ineffective.	
5.3 Advice for firefighters		
Further information	: Standard procedure for chemical fires.	

6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	: Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.	
6.2 Environmental precautions		
Environmental precautions	: Keep away from drains, surface- and groundwater and soil.	
6.3 Methods and materials for containment and cleaning up		
Methods for cleaning up	: Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapours. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.	

6.4 Reference to other sections



Product	SUEDERAL LT 2010 /2015	
Print Date	30.05.2019	Page 4 (11)

Prevent spreading over a wide area (e.g. by containment or oil barriers).

7. Handling and storage	
7.1 Precautions for safe handling	
Advice on safe handling	: Avoid excessive inhalation of concentrated vapors. Follow good manufacturing practices for housekeeping and personal hygiene. Wash any exposed skin immediately after any chemical contact, before breaks and meals, and at the end of each work period. Contaminated clothing and shoes should be thoroughly cleaned before re-use.
	If appropriate, procedures used during the handling of this material should also be used when cleaning equipment or removing residual chemicals from tanks or other containers, especially when steam or hot water is used, as this may increase vapor concentrations in the workplace air. Where chemicals are openly handled, access should be restricted to properly trained employees. Keep all heated processes at the lowest necessary temperature in order to minimize emissions of volatile chemicals into the air.
Advice on protection against fire and explosion	: Keep away from ignition sources and naked flame.
7.2 Conditions for safe storage, includ	ling any incompatibilities
Requirements for storage areas and containers	: Store in a cool, dry, ventilated area away from heat sources. Keep containers upright and tightly closed when not in use.
7.3 Specific end use(s)	
Specific use(s)	: No information available.

8. Exposure controls/personal protection

8.1 Control parameters

Contains no substances with occupational exposure limit values. **8.2 Exposure controls**

Engineering measures

Where appropriate, use closed systems to transfer and process this material. If appropriate, isolate mixing rooms and other areas where this material is used or openly handled. Maintain these areas under negative air pressure relative to the rest of the plant.

: 1.12 : 14.03.2019



Product	SUEDERAL LT 2010 /2015	
Print Date	30.05.2019	Page 5 (11)
Personal protective equ	ipment	
Respiratory protection	: Use local exhaust ventilation around open sources of potential exposures in order to a including places where this material is ope In addition, use general dilution ventilation eliminate or reduce possible worker expose No respiratory protection is required during workplace where engineering controls such etc. are sufficient.	avoid excessive inhalation, nly weighed or measured. n of the work area to ures. g normal operations in a
	If engineering controls and safe work pract approved, properly fitted respirator with or canisters and particulate filters should be u	ganic vapor cartridges or
	 a)while engineering controls and appropria and/or procedures are being implemented; b)during short term maintenance procedure controls are not in normal operation or are c)if normal operational workplace vapor controls and operational workplace vapor controls and operational performance e)if engineering controls and operational performance to reduce airborne concentrations below an exposure limit. 	or es when engineering not sufficient; or oncentration in the air is ractices are not sufficient
Hand protection	: Avoid skin contact. Use chemically resista	nt gloves.
Eye protection	: Use tight-fitting goggles, face shield or saf shields if eye contact might occur.	ety glasses with side
Hygiene measures	 To the extent deemed appropriate, implemented as a service of lung function for workers who are this material. To the extent deemed appropriate, use an expert to identify and measure volatile che present in the workplace air to determine pensure the continuing effectiveness of engineering and the service of t	experienced air sampling micals that could be potential exposures and to

Environmental exposure controls

operational practices to minimize exposure.



Product	SUEDERAL LT 2010 /2015		
Print Date	30.05.2019	Page	6 (11)

General advice

: Keep away from drains, surface- and groundwater and soil.

9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance	: liquid
Colour	: yellow to dark yellow
Odour	: conforms to standard
Odour Threshold	: not determined
Flash point	: >100,00 °C
Lower explosion limit	: not determined
Upper explosion limit	: not determined
Flammability (solid, gas)	: not determined
Oxidizing properties	: not determined
Auto-ignition temperature	: not determined
рН	: not determined
Melting point	: not determined
Boiling point	: not determined
Vapour pressure	: $< 0,01$ hPa Calculated
Density	: not determined
Water solubility	: not determined
Partition coefficient: n-	: not determined
octanol/water	
Solubility in other solvents	: not determined
Viscosity, dynamic	: not determined
Viscosity, kinematic	: not determined
Relative vapour density	: not determined
Evaporation rate	: not determined
9.2 Other information	
Refractive index	: not determined
Relative density	: 0,9915 - 1,0015

10. Stability and reactivity

10.1 Reactivity

No hazards to be specially mentioned.

10.2 Chemical stability

Stable under normal conditions.



Product SU	EDERAL LT 2010 /2015	
Print Date 30	.05.2019	Page 7 (11)
10.3 Possibility of hazardous read	tions	
Hazardous reactions	: Note: Presents no significant reactivity hazard, b with water. Avoid contact with strong acids, alka agents.	•
10.4 Conditions to avoid		
Conditions to avoid	: Direct sources of heat.	
10.5 Incompatible materials		
Materials to avoid	: Avoid contact with strong acids, alkali or oxidizi	ng agents.
10.6 Hazardous decomposition p	roducts	
Hazardous decomposition products	: Carbon monoxide and unidentified organic comp formed during combustion.	oounds may be
11. Toxicological inform	nation	
11.1 Information on toxicological		
Acute toxicity		
Skin corrosion/irritation		
Serious eye damage/eye irrit	ation	
No lead substance		
Respiratory or skin sensitisa	tion	
Germ cell mutagenicity		
Information on ingredients wi	th chronic toxicity hazard(s) is available upon request.	
Carcinogenicity Information on ingredients wi	th chronic toxicity hazard(s) is available upon request.	
Reproductive toxicity		
Information on ingredients wi	th chronic toxicity hazard(s) is available upon request.	
Target Organ Systemic Tox	cant - Single exposure	
0 0 0	th chronic toxicity hazard(s) is available upon request.	

: 1.12



Product	SUEDERAL LT 2010 /2015	
Print Date	30.05.2019	Page 8 (11)

Target Organ Systemic Toxicant - Repeated exposure

Information on ingredients with chronic toxicity hazard(s) is available upon request.

Aspiration hazard

No test data available. Ingredients with an aspiration hazard are identified in section 3.

12. Ecological information

12.1 Toxicity

D' 1

12.2 Persistence and degradability

1 1 11.

Biodegradability		
Resin acids and Rosin acids,	:	Result: Readily biodegradable.
hydrogenated, Me esters		82 %
		Method: OECD Test Guideline 302C
		Remarks:
		RIFM

12.3 Bioaccumulative potential

12.4 Mobility in soil

Mobility

: No data available

12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Other adverse effects

Additional ecological information	: There is no data available for this product.
13. Disposal consideration	IS
13.1 Waste treatment methods	
Product	: Dispose of according to local regulations. Avoid disposing into drainage systems and into the environment.



Product	SUEDERAL LT 2010 /2015	
Print Date	30.05.2019	Page 9 (11)
Contaminated packaging	: Empty containers should be taken to an approved wast site for recycling or disposal.	te handling
14. Transport inform	ation	
ADR Not dangerous goods Environmentally hazardous IATA Not dangerous goods IMDG Not dangerous goods	: no	
Special precautions for user	: No special precautions required.	
	· · · · · · · · · · · · · · · · · · ·	

15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Water contaminating class (Germany) WGK 3highly water endangering

15.2 Chemical safety assessment

A Chemical Safety Assessment is not required for this substance.

16. Other information

Full text of H-Statements referred to under sections 2 and 3.

:

H315	Causes skin irritation.
H412	Harmful to aquatic life with long lasting effects.

Further information

In December 2003, the National Institute for Occupational Safety and Health ("NIOSH") published an Alert on preventing lung disease in workers who use or make flavorings [NIOSH Publication Number 2004-110]. In August 2004, the United States Flavor and Extract Manufacturers Association (FEMA) issued a report entitled "Respiratory Safety in the Flavor Manufacturing Workplace".

Both of these reports provide recommendations for reducing employee exposure and for medical surveillance

Version Revision Date : 1.12 : 14.03.2019



Product	SUEDERAL LT 2010 /2015		
Print Date	30.05.2019	Page	10 (11)

in the workplace. The recommendations in these reports are generally applicable to the use of any chemical in the workplace and you are strongly urged to review both of these reports.

The report published by FEMA also contains a list of "high priority" chemicals. If any of these chemicals are present in this product at a concentration $\geq 1.0\%$ due to an intentional addition by IFF, the chemical(s) will be identified in this safety data sheet.

According to Regulation (EC) No. 1907/2006 the information in this safety data sheet is based on the properties of the material known to IFF at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment International Flavors & Fragrances holds no responsibility. This document is not intended for quality assurance purposes.

Emergency telephone number

Emergency telephone num		
Austria	+43 1 406 43 43	
Belgium	+32 70 245 245	
Bulgaria	+359 2 9154 409 (N. I. Pirogov). poison_centre@mail.orbitel.bg	
Croatia	(+385 1) 2348342	
Czech Republic	+420 224 919 293 / +420 224 915 402	
Denmark	+45 82 12 12 12	
Estonia	16662 (National), International (+372) 626 93 90	
Finland	+358 9 471977	
France	+ 33 (0)1 45 42 59 59	
Germany	+31 13 4642 211	
Greece	+31 13 4642 211	
Hungary	(+36-80) 201-199	
Iceland	+354 543 2222	
Ireland	+353 1 8092566 / +353 1 8379964	
Italy	+39 06 68593726	
Latvia	+371 67042473	
Lithuania	+370 5 236 20 52 or +370 687 53378	
Luxembourg	+352 8002 5500	
Malta	+356 21224071	
Netherlands	+31 30 2748888 (Only for the purpose of informing medical personnel in	
	cases of acute intoxications).	
Norway	+47 22 59 13 00	
Poland	+31 13 4642 211	
Portugal	808 250 143	
Poland	+31 13 4642 211	



Product	SUEDERAL LT 2010 /2015	
Print Date	30.05.2019	Page 11 (11)
Portugal	808 250 143	
Romania	+31 13 4642 211	
Slovakia	+31 13 4642 211	
Slovenia	+31 13 4642 211	

Spain	+34 91 562 04 20 (only for the purpose of informing medical personnel in	
	cases of acute intoxications).	
Sweden	+46 112	
United Kingdom	+44 111 (England, Wales & Scotland)	