

Product

TERPINOLENE 90 PQ

Print Date

04/08/2020

Page 1 (10)

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name

: TERPINOLENE 90 PQ

IFF Code Cust. Material

00200647 F020139

Cust. Material SDS Number

R00000381778

Product Use Description

Flavour or Fragrance Ingredient

Company

IFF Inc.

600 Highway 36 Hazlet NJ 07730

Telephone

(732) 264-4500

Telefax

(732) 335-2551

Emergency telephone number

+1 800 424 9300

SECTION 2 HAZARDS IDENTIFICATION

GHS-Classification

Flammable liquids, Category 3 Skin irritation, Category 2 Eye irritation, Category 2A Skin sensitisation, Category 1 Skin sensitisation, Sub-category 1B Aspiration hazard, Category 1

GHS-Labelling

Symbol(s)



Signal word

Danger

Hazard statements

: H226: Flammable liquid and vapour.

H304: May be fatal if swallowed and enters airways.

H315: Causes skin irritation.

H317: May cause an allergic skin reaction.

Version

: 7

Revision Date

: 04/06/2020

IFF Inc. 600 Highway 36 Hazlet NJ 07730

IFF Inc. 600 Highway 36 Hazlet NI, 07730

Telephone: +17322644500



Product

TERPINOLENE 90 PQ

Print Date

04/08/2020

Page 2 (10)

H319: Causes serious eye irritation.

Precautionary statements

: P210: Keep away from heat/sparks/open flames/hot surfaces. No

smoking.

P240: Ground/bond container and receiving equipment.
P280: Wear protective gloves/ eye protection/ face protection.
P301 + P310: IF SWALLOWED: Immediately call a POISON

CENTER/doctor.

P302 + P352: IF ON SKIN: Wash with plenty of soap and water. P305 + P351 + P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

P331: Do NOT induce vomiting.

P403 + P235: Store in a well-ventilated place. Keep cool.

Carcinogenicity:

No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

CAS-No.

586-62-9

Hazardous components

Component	CAS-No.
Cyclohexene, 1-methyl-4-(1-methylethylidene)-	586-62-9
Phenol, 2,6-bis(1,1-dimethylethyl)-4-methyl-	128-37-0

SECTION 4. FIRST AID MEASURES

First aid procedures

Inhalation

: Remove from exposure site to fresh air and keep at rest. If victim is unconscious, remove foreign bodies from the mouth. If victim has stopped breathing, give artificial respiration. Obtain medical advice.

Version

: 7

Revision Date

: 04/06/2020

IFF Inc. 600 Highway 36 Hazlet NJ 07730

IFF Inc. 600 Highway 36 Hazlet NJ 07730

Telephone: +17322644500



Product

TERPINOLENE 90 PQ

Print Date

04/08/2020

Page 3 (10)

Skin contact

: Remove contaminated clothes. Wash thoroughly with water (and

soap). Contact physician if symptoms persist.

Eye contact

: Flush immediately with water for at least 15 minutes. Contact

physician if symptoms persist.

Ingestion

: Rinse mouth with water and obtain medical advice.

SECTION 5. FIREFIGHTING MEASURES

Flammable properties

Flash point

140 °F (60 °C)

Fire fighting

Suitable extinguishing media

Use water spray, dry chemical, carbon dioxide or appropriate foam.

Protective equipment and precautions for firefighters

Special protective equipment for

firefighters

Wear NIOSH approved self-contained breathing apparatus and full

protective clothing when fighting fires involving chemicals. Use

water spray to cool containers exposed to fire.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions

: Avoid inhalation and contact with skin and eyes. A self-contained

breathing apparatus is recommended in case of a major spill.

Environmental precautions

: Keep away from drains, surface- and groundwater and soil.

Methods for containment / Methods for cleaning up

: Clean up spillage promptly. Remove ignition sources. Provide

adequate ventilation. Avoid excessive inhalation of vapours. Gross spillages should be contained by use of sand or inert powder and

Version

. 7

Revision Date

: 04/06/2020

IFF Inc. 600 Highway 36 Hazlet NJ 07730

IFF Inc. 600 Highway 36 Hazlet NJ, 07730

Telephone: +17322644500



Product

TERPINOLENE 90 PQ

Print Date

04/08/2020

Page 4 (10)

disposed of according to the local regulations.

SECTION 7. HANDLING AND STORAGE

Handling

Avoid excessive inhalation of concentrated vapors. Follow good manufacturing practices for housekeeping and personal hygiene. Wash any exposed skin immediately after any chemical contact, before breaks and meals, and at the end of each work period. Contaminated clothing and shoes should be thoroughly cleaned before re-use.

If appropriate, procedures used during the handling of this material should also be used when cleaning equipment or removing residual chemicals from tanks or other containers, especially when steam or hot water is used, as this may increase vapor concentrations in the workplace air. Where chemicals are openly handled, access should be restricted to properly trained employees.

Keep all heated processes at the lowest necessary temperature in order to minimize emissions of volatile chemicals into the air.

Advice on protection against fire and explosion

Keep away from ignition sources and naked flame.

Requirements for storage areas and containers

Store in a cool, dry, ventilated area away from heat sources. Keep containers upright and tightly closed when not in use.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Engineering measures

Engineering measures

: Where feasible, isolate mixing rooms and other areas where this material is used or openly handled. Maintain these areas under negative air pressure relative to the rest of the plant.

Where feasible, use closed systems to transfer and process this

material

Personal protective equipment

Version

Revision Date

: 7

: 04/06/2020

IFF Inc. 600 Highway 36 Hazlet NJ 07730

IFF Inc. 600 Highway 36 Hazlet NJ 07730

Telephone: +17322644500

FFF

SAFETY DATA SHEET INTERNATIONAL FLAVORS & FRAGRANCES

Product

TERPINOLENE 90 PQ

Print Date

04/08/2020

Page 5 (10)

Eye protection

: Use tight-fitting goggles, face shield or safety glasses with side shields if eye contact might occur.

Hand protection

: Avoid skin contact. Use chemically resistant gloves.

Respiratory protection

: Use local exhaust ventilation around open tanks and other open sources of potential exposures in order to avoid excessive inhalation, including places where this material is openly weighed or measured. In addition, use general dilution ventilation of the work area to eliminate or reduce possible worker exposures.

No respiratory protection is required during normal operations in a workplace where engineering controls such as adequate ventilation,

etc. are sufficient.

If engineering controls and safe work practices are not sufficient, an approved, properly fitted respirator with organic vapor cartridges or canisters and particulate filters should be used:

a) while engineering controls and appropriate safe work practices and/or procedures are being implemented; or

b)during short term maintenance procedures when engineering controls are not in normal operation or are not sufficient; or c)if normal operational workplace vapor concentration in the air is increased due to heat:

d)during emergencies; or

e)if engineering controls and operational practices are not sufficient to reduce airborne concentrations below an established occupational

exposure limit.

Hygiene measures

To the extent deemed appropriate, implement pre-placement and regularly scheduled ascertainment of symptoms and spirometry testing of lung function for workers who are regularly exposed to this material.

To the extent deemed appropriate, use an experienced air sampling expert to identify and measure volatile chemicals that could be present in the workplace air to determine potential exposures and to ensure the continuing effectiveness of engineering controls and operational practices to minimize exposure.

Protective measures

: In December 2003, the National Institute for Occupational Safety and Health ("NIOSH") published an Alert on preventing lung

Version

Revision Date

04/06/2020

IFF Inc. 600 Highway 36

600 Highway 36

Telephone: +17322644500

FF

SAFETY DATA SHEET INTERNATIONAL FLAVORS & FRAGRANCES

Product

TERPINOLENE 90 PQ

Print Date

04/08/2020

Page 6 (10)

disease in workers who use or make flavorings [NIOSH Publication Number 2004-110].

In August 2004, the United States Flavor and Extract Manufacturers Association (FEMA) issued a report entitled "Respiratory Safety in the Flavor Manufacturing Workplace".

Both of these reports provide recommendations for reducing employee exposure and for medical surveillance in the workplace. The recommendations in these reports are generally applicable to the use of any chemical in the workplace and you are strongly urged to review both of these reports.

The report published by FEMA also contains a list of "high priority" chemicals. If any of these chemicals are present in this product at a concentration >= 1.0% due to an intentional addition by IFF, the chemical(s) will be identified in this safety data sheet.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance

Physical state

: liquid

Appearance

CLEAR LIQUID

Colour

: colorless to pale yellow

Odour

: conforms to standard

Safety data

Flash point

: 140 °F (60 °C)

Vapour pressure

: .67 hPa (0.67 hPa)

Note: Calculated

Relative density (20 °C)

: 0.8580 - 0.8640

SECTION 10. STABILITY AND REACTIVITY

Conditions to avoid

: Remarks: Direct sources of heat.

Chemical stability

Remarks: Presents no significant reactivity hazard, by itself or in

Version

: 7

Revision Date

: 04/06/2020

IFF Inc. 600 Highway 36 Hazlet NJ 07730

IFF Inc. 600 Highway 36 Hazlet NJ 07730

Telephone: +17322644500



Product

TERPINOLENE 90 PQ

Print Date

04/08/2020

Page 7 (10)

contact with water. Avoid contact with strong acids, alkali or

oxidizing agents.

Hazardous decomposition products

: Note: Carbon monoxide and unidentified organic compounds may

be formed during combustion.

SECTION 11. TOXICOLOGICAL INFORMATION

Acute oral toxicity

Acute toxicity estimate

Dose: 3,779 mg/kg

Method: Calculation method

Acute oral toxicity (Component)

Component: 586-62-9

LD50 Rat

Dose: 3,775 mg/kg Remarks: RIFM

Acute dermal toxicity

(Component)

Component: 586-62-9

LD50 Rabbit

Dose: > 5,000 mg/kg

Skin irritation

Result: Skin irritation

Skin irritation (Component)

Component: 586-62-9

human

Result: No skin irritation Method: closed patch test Exposure time: 48 h

Rabbit

Result: No skin irritation Exposure time: 24 h

Classification: No skin irritation Result: No skin irritation

Method: OECD Test Guideline 439

Remarks: REACH data

Eye irritation

Classification: Eye irritation

Result: Eye irritation

Eye irritation(Component)

Component: 586-62-9

Version

: /

Revision Date

: 04/06/2020

IFF Inc. 600 Highway 36 Hazlet NJ 07730 IFF Inc. 600 Highway 36 Hazlet NI 07730

Telephone: +17322644500



Product

TERPINOLENE 90 PQ

Print Date

04/08/2020

Page 8 (10)

Classification: Eye irritation Result: Eve irritation

Method: OECD Test Guideline 437

Remarks: REACH data

Sensitisation (Component)

: Component: 586-62-9

Local lymph node assay (LLNA)

Classification: The product is a skin sensitiser, sub-category 1B. Result: The product is a skin sensitiser, sub-category 1B.

Method: OECD Test Guideline 429

Remarks: REACH data

Repeated dose

toxicity(Component)

Component: 586-62-9

OralRat

NOEL: 435.8 mg/kg

Method: OECD Test Guideline 422

Remarks: REACH data

SECTION 12. ECOLOGICAL INFORMATION

Component:

586-62-9

Terpinolene

Toxicity to fish:

LC50

Species: Danio rerio (zebra fish)

Dose: 6,104 mg/l Exposure time: 96 h Analytical monitoring: yes

REACH data

Toxicity to daphnia and other aquatic invertebrates:

EC50

Species: Daphnia longispina (water flea)

Dose: 5.184 mg/l Exposure time: 48 h Analytical monitoring: yes

Method: OECD Test Guideline 202

REACH data

SECTION 13. DISPOSAL CONSIDERATIONS

Version

: 7

Revision Date

: 04/06/2020

IFF Inc. 600 Highway 36 Hazlet NJ 07730 IFF Inc. 600 Highway 36 Hazlet NJ 07730



Product

TERPINOLENE 90 PQ

Print Date

04/08/2020

Page 9 (10)

Contaminated packaging

Place material into sealed containers and dispose of in accordance

with local, state and federal regulations.

SECTION 14. TRANSPORT INFORMATION

Proper shipping name DOT

: TERPINOLENE

Labels

: 3

UN number

: 2541

Class

: 3

Packing group

: 111

Emergency Response

Guidebook Number

: 128

UN number

: 2541

Description of the goods

TERPINOLENE

Class

3

Packing group

: 111

ICAO-Labels

: 3

IMDG

IATA

UN number

: 2541

Description of the goods

: TERPINOLENE

Class

Packing group

: 111

IMDG-Labels

: 3

EmSNumber 1

: F-E

EmSNumber 2

Marine pollutant

: S-E : yes

(TERPINOLENE)

SECTION 15. REGULATORY INFORMATION

SARA 311/312 Hazards

: Acute Health Hazard

Fire Hazard

Reportable Quantity

HMIS Classification

: Health hazard: 1

Flammability: 2

Physical and chemical hazards: 0

Version

Revision Date

: 04/06/2020

600 Highway 36 Hazlet NJ 07730

Hazlet NJ 07730

Telephone: +17322644500



Product

TERPINOLENE 90 PQ

Print Date

04/08/2020

Page 10 (10)

SECTION 16. OTHER INFORMATION

Further information

The information in this MSDS was obtained from current and reliable sources. However the data is provided without any warrant, expressed or implied, regarding its correctness or accuracy. Since the use, handling, storage and disposal of this product are beyond IFF control, it is the responsibility of the user both to determine safe conditions for the use of this product and to assume liability of loss, damage, or expense arising out of the product's improper use. No warranty expressed or implied regarding the product described herein shall be created by or inferred from any statement or omission in this MSDS. Various Federal, State or Provincial agencies may have specific regulations concerning the transportation, handling, storage, use, or disposal of this product which may not be reflected in this MSDS. The user should review these regulations to ensure full compliance.

Version Revision Date

: 7

: 04/06/2020

IFF Inc. 600 Highway 36 Hazlet NJ 07730

IFF Inc. 600 Highway 36 Hazlet NJ 07730