# Safety Data Sheet 29 CFR 1910.1200

# Section 1: Company and Product Identification

Product Name: CIVET ARTIFICAL

Company: THE JOHN D. WALSH CO., INC. 25 EXECUTIVE PKWY. RINGWOOD, NJ 07456

# Emergency Response: 24 HOUR EMERGENCY NUMBER CHEMTREC (800) 424-9300

Section 2:	Hazards Identification	GH507 GH509 BLANK BLANK
	Hazard Pictograms:	
	Signal Word:	Warning
	Contains:	Benzyl Benzoate
	Hazard Category:	Acute tox, oral Cat 4
		Hazard to aquatic environment, chronic Cat 2
	Hazard Statements:	H302: Harmful if swallowed
		H411: Toxic to aquatic life with long lasting effects
	Precautionary	P264: Wash thoroughly after handling
Statements:		P270: Do not eat, drink or smoke when using this product
		P273: Avoid release to the environment
		P301+312: IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel
		unwell
		P330: Rinse mouth
		P391: Collect spillage
		P501 Dispose of om a safe manner in accordance with local/national regulations

# Section 3: Composition / Information on Ingredients

SUBSTANCE	CAS#	Weight %
BENZYL BENZOATE	120-51-4	60-100
HEXANOIC ACID	142-62-1	1-5

## Section 4: First Aid Measures

If ingested: NEVER: Give anything by mouth to an unconscious person. Rinse mouth with water. Seek immediate medical attention.

If inhaled: If having difficulty breathing, remove to fresh air. Obtain medical attention if asthma-like symptoms or other symptoms develop.

- **Eye contact:** Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses if present and easy to do. Get medical attention if irritation develops or persists.
- Skin contact: Take off immediately all contaminated clothing. Rinse with water thoroughly. Get medical advice if irritation develops or persists.

#### THE JOHN D. WALSH CO., INC.

Additional Info: Observe for any symptoms for several hours after exposure. Follow up with medical attention if symptoms develop.

#### Section 5: Fire Fighting Measures

**Extinguishing** Use fire-extinguishing media appropriate for surrounding materials. Firefighters should wear self-**Method / Equipment:** contained breathing apparatus (SCBA) and full protective equipment.

Hazardous Constituents associated with burning / combustion are to be considered toxic. Decomposition Info:

## Section 6: Accidental Release Measures

**Personal precautions,** Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Eliminate all ignition **protective equipment** sources (no smoking, flares, sparks, or flames in immediate area). Wear appropriate

and procedures: protective equipment and clothing during clean-up. Avoid breathing vapors. Ventilate

area if easy to do so. Contact local authorities if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

**Containment** Large Spills: Contain actively spilling material if safe and easy to do so. Dike the spilled material, where **Equipment and** this is possible. Utilize absorbent clay or sand to contain and stop spreading material.

#### Procedures:

Small Spills: Utilize absorbent clay or sand and transfer to waste receptacles. Thoroughly clean surface to remove residual contamination.

Cleanup Procedures: Collect all contaminated clay, media, or other cleanup materials into a waste receptacle. If cleaning surface is necessary, utilize mineral spirits or other solvents, provided adequate ventilation is available.

#### Section 7: Handling and Storage

Safe Handling Do not handle until all safety precautions have been read and understood. Do not handle near an open Precautions: flame or sources of ignition. Ensure adequate ventilation. Take precautionary measures against static discharges. Avoid breathing vapors. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Wear appropriate personal protective equipment.

**Recommendations for** Store in cool area in product container away from sources of ignition or flame. NEVER: Store in extreme **Storage:** temperatures and avoid storing in direct sunlight.

Incompatibilities: Store away from strong acids or oxidizing agents. Refer to Section 10.

#### Section 8: Exposure Control / Personal Protection

General / Engineering Local exhaust ventilation should be utilized to control vapors / substances below exposure limits. Eye Controls: wash facilities must be available when handling this product.

Work Clothing: Protective work clothing which covers skin and prevents exposures.

Eye/face protection: Wear safety goggles or face shield.

Skin Protection: Wear solvent resistant gloves.

**Respiratory** Utilize organic vapor respirator if airborne levels are not maintained below exposure limits, or if **Protection:** ventilation is inadequate.

Additional Observe good chemical hygiene practices. Do not smoke or eat while using this product. Wash hands or Information: exposed skin after using the product.

#### Section 9: Physical and Chemical Properties

State:	Liquid	Melting Point: Not avail	Freezing Not avail <b>Point:</b>
Color:	Clear to pale yellow	Boiling Not avail Point/Range:	<b>pH</b> Not avail
Relative Density:	<u>1.1@20C</u>	<b>Odor:</b> Not avail	Water Not avail Solubility:
Evaporation rate:	Not avail	Flash Point: >100C	Part. Coeff (n Not avail octanol/water
Upper Flam Limits:	Not avail	Lower Flam Not avail Limits:	Vapor Not avail Pressure:
VOC Content (lbs/gal):	Not avail	Viscosity: Not avail	Autoignition Not avail Temp:

## Section 10: Stability and Reactivity

**General:** This product is stable and non-reactive under normal conditions of use. Solvent vapors will evaporate from exposed material. Product is not subject to hazardous polymerization. Avoid open flame and ignition sources.

Incompatible Strong oxidizing agents and acids. materials:

**Decomposition** No decomposition products known. Toxic substances may be released in the event of a fire. **products:** 

### Section 11: Toxicological Information

#### Toxicological Information (contained substances)

Substance (name)	LD50 Oral	LD50 Dermal
BENZYL BENZOATE	NA	NA
HEXANOIC ACID	NA	NA

Carcinogenicity or Not classified mutagenicity:

Sensitization: Not classified

Other Notes: Not applicable.

# Section 12: Ecological Information

Degradation / Mobility info: No specific data available. Contained solvents are expected to degrade rapidly in the environment.

Bioaccumulative potential: No specific data available. Contained solvents are expected to degrade rapidly in the environment.

## Section 13: Disposal Information

**Product disposal:** Dispose of product in accordance with local, regional, and national regulations. Consult with waste contractor. Contains low levels of flammable solvents.

**Container disposal:** Treat empty containers with extra care, as residual solvents may pose ignition hazard. Consult waste contractor.

## Section 14: Transport Information

# DOT GROUND NON NOT REGULATED BULK: IMO/IMDG: UN3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.(CONTAINS BENZYL BENZOATE) 9, III, MARINE POLLUTANT IATA: UN3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.(CONTAINS BENZYL BENZOATE) 9, III

Section 15: Regulatory Information

TSCA: NOT LISTED

## CERCLA RQ: NOT LISTED

SARA 313 NOT LISTED

## California Prop 65 NOT LISTED Substances:

Canadian DSL: YES LISTED

WHMIS: H-0,F-1,R-0

# Section 16: Other Information

Version Date:

6/3/2020

Disclaimer: The information in this MSDS was obtained from current and reliable sources. However the data is provided without any warranty, expressed or implied, regarding its correctness or accuracy. It is the user's responsibility both to determine safe conditions for use of this product and to assume liability for loss, injury, damage, or, expense resulting from improper use of this product