

Product

ETHYL PHENYL GLYCIDATE

Print Date

Page 1 (8)

### SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

06/10/2020

Product name IFF Code Cust. Material SDS Number Product Use Description	······································	ETHYL PHENYL GLYCIDATE 00059245 00059245 R00000220119 Flavour or Fragrance Ingredient
Company	:	IFF Benicarló, S.L. Avda. Felipe Klein 2 12580 BENICARLÓ
Telephone Telefax Emergency telephone number	: : :	+34964470212 +34964473411 +34 964 470 212

## SECTION 2 HAZARDS IDENTIFICATION

#### **GHS-Classification**

Skin sensitisation, Sub-category 1B

#### **GHS-Labelling**

Symbol(s)

Signal word	:	Warning
Hazard statements	:	H317: May cause an allergic skin reaction.
Precautionary statements	:	P280: Wear protective gloves. P302 + P352: IF ON SKIN: Wash with plenty of soap and water.

: 🔨

#### **Carcinogenicity:**

Version Revision Date : 3 : 06/10/2020

IFF Benicarló, S.L. Avda. Felipe Klein 2 12580 BENICARLÓ

Telephone: +34964470212

IFF Benicarló, S.L. Avda. Felipe Klein 2 12580 BENICARLÓ



Product	ETHYL PHENYL GLYCIDATE	
Print Date	06/10/2020	Page 2 (8)

No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

#### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### Hazardous components

Component	CAS-No.
2-Oxiranecarboxylic acid, 3-phenyl-, ethyl ester	121-39-1

### SECTION 4. FIRST AID MEASURES

#### First aid procedures

Inhalation	:	Remove from exposure site to fresh air and keep at rest. If victim is unconscious, remove foreign bodies from the mouth. If victim has stopped breathing, give artificial respiration. Obtain medical advice.
Skin contact	:	Remove contaminated clothes. Wash thoroughly with water (and soap). Contact physician if symptoms persist.
Eye contact	:	Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist.
Ingestion	:	Rinse mouth with water and obtain medical advice.

#### SECTION 5. FIREFIGHTING MEASURES

Flammable properties Flash point	: 230.00 °F (110.00 °C)	
i iasii politi	. 230.00 F (110.00 C)	
Fire fighting		
Version	: 3	
Revision Date	: 06/10/2020	
IFF Benicarló, S.L. Avda. Felipe Klein 2 12580 BENICARLÓ		IFF Benicarló, S.L. Avda. Felipe Klein 2 12580 BENICARLÓ

Telephone: +34964470212



Product	ETHYL	PHENYL GLYCIDATE			
Print Date	06/10/2	06/10/2020		3 (8)	
Suitable extinguishing media	:	Use water spray, dry chemical, carbon dioxide or appro-	opriate fo	oam.	
Protective equipment and precautions for firefighters					
Special protective equipment f firefighters	or :	Wear NIOSH approved self-contained breathing appar protective clothing when fighting fires involving chem water spray to cool containers exposed to fire.			

### SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions	:	Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.
Environmental precautions	:	Keep away from drains, surface- and groundwater and soil.
Methods for containment / Methods for cleaning up	:	Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapours. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

### SECTION 7. HANDLING AND STORAGE

Handling :	Avoid excessive inhalation of concentrated vapors. Follow good manufacturing practices for housekeeping and personal hygiene. Wash any exposed skin immediately after any chemical contact, before breaks and meals, and at the end of each work period. Contaminated clothing and shoes should be thoroughly cleaned before re-use. If appropriate, procedures used during the handling of this material
	should also be used when cleaning equipment or removing residual chemicals from tanks or other containers, especially when steam or hot water is used, as this may increase vapor concentrations in the workplace air. Where chemicals are openly handled, access should be restricted to properly trained employees. Keep all heated processes at the lowest necessary temperature in
Version	: 3
Revision Date	: 06/10/2020
IFF Benicarló, S.L.	IFF Benicarló, S.L.
Avda. Felipe Klein 2	Avda. Felipe Klein 2
12580 BENICARLÓ	12580 BENICARLÓ



Product	ETHY	ETHYL PHENYL GLYCIDATE		
Print Date	06/10/2020		Page	4 (8)
Advice on protection against f and explosion	ire :	order to minimize emissions of volatile chemicals into Keep away from ignition sources and naked flame.	o the air.	
Requirements for storage areas containers	s and :	Store in a cool, dry, ventilated area away from heat so containers upright and tightly closed when not in use.		ep

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

## Components with workplace control parameters

Engineering measures	
Engineering measures	: Where feasible, isolate mixing rooms and other areas where this material is used or openly handled. Maintain these areas under negative air pressure relative to the rest of the plant. Where feasible, use closed systems to transfer and process this material
Personal protective equipment	
Eye protection	: Use tight-fitting goggles, face shield or safety glasses with side shields if eye contact might occur.
Hand protection	: Avoid skin contact. Use chemically resistant gloves.
Respiratory protection	<ul> <li>Use local exhaust ventilation around open tanks and other open sources of potential exposures in order to avoid excessive inhalation, including places where this material is openly weighed or measured. In addition, use general dilution ventilation of the work area to eliminate or reduce possible worker exposures. No respiratory protection is required during normal operations in a workplace where engineering controls such as adequate ventilation, etc. are sufficient.</li> </ul>
	If engineering controls and safe work practices are not sufficient, an approved, properly fitted respirator with organic vapor cartridges or canisters and particulate filters should be used: a)while engineering controls and appropriate safe work practices
Version	: 3
Revision Date	: 06/10/2020

IFF Benicarló, S.L. Avda. Felipe Klein 2 12580 BENICARLÓ IFF Benicarló, S.L.

Avda. Felipe Klein 2 12580 BENICARLÓ



Product	ETHYL PHENYL GLYCIDATE		
Print Date	06/10/2020	Page	5 (8)
	and/or procedures are being implemented; or b)during short term maintenance procedures when eng controls are not in normal operation or are not sufficient c)if normal operational workplace vapor concentration increased due to heat ; d)during emergencies; or e)if engineering controls and operational practices are to reduce airborne concentrations below an established exposure limit.	nt; or i in the a not suffi	ir is icient
Hygiene measures	<ul> <li>To the extent deemed appropriate, implement pre-plac regularly scheduled ascertainment of symptoms and sp testing of lung function for workers who are regularly this material.</li> <li>To the extent deemed appropriate, use an experienced expert to identify and measure volatile chemicals that of present in the workplace air to determine potential exp ensure the continuing effectiveness of engineering con operational practices to minimize exposure.</li> </ul>	exposed air samp could be	y to bling und to
Protective measures	<ul> <li>In December 2003, the National Institute for Occupation and Health ("NIOSH") published an Alert on preventing disease in workers who use or make flavorings [NIOS] Number 2004-110].</li> <li>In August 2004, the United States Flavor and Extract M Association (FEMA) issued a report entitled "Respirat the Flavor Manufacturing Workplace".</li> <li>Both of these reports provide recommendations for rece employee exposure and for medical surveillance in the The recommendations in these reports are generally ap use of any chemical in the workplace and you are stron review both of these reports.</li> <li>The report published by FEMA also contains a list of ' chemicals. If any of these chemicals are present in this concentration &gt;= 1.0% due to an intentional addition b chemical(s) will be identified in this safety data sheet.</li> </ul>	ng lung H Public Manufac ory Safe ducing workpl pplicable ngly urg "high pri	cation eturers ety in ace. e to the ed to fority" t at a

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Version Revision Date : 3 : 06/10/2020

IFF Benicarló, S.L. Avda. Felipe Klein 2 12580 BENICARLÓ

Telephone: +34964470212

IFF Benicarló, S.L. Avda. Felipe Klein 2 12580 BENICARLÓ



Product	ETHYL PHENYL GLYCIDATE		
Print Date	06/10/2020		6 (8)
Appearance			
Physical state Appearance Colour Odour	<ul> <li>liquid</li> <li>CLEAR LIQUID</li> <li>pale yellow to yellow</li> <li>conforms to standard</li> </ul>		
Safety data			
Flash point	: 230.00 °F (110.00 °C)		
Vapour pressure	: .01 hPa (0.01 hPa)		
Relative density (20 °C)	: 1.1220 - 1.1270		
Partition coefficient: n-octanol/	water : log Pow: 2.333		

## SECTION 10. STABILITY AND REACTIVITY

Conditions to avoid	:	Remarks: Direct sources of heat.
Chemical stability	:	Remarks: Presents no significant reactivity hazard, by itself or in contact with water. Avoid contact with strong acids, alkali or oxidizing agents.
Hazardous decomposition products	:	Note: Carbon monoxide and unidentified organic compounds may be formed during combustion.

## SECTION 11. TOXICOLOGICAL INFORMATION

Acute oral toxicity	: Acute toxicity estimate Dose: 2,300 mg/kg Method: Calculation method
Acute oral toxicity (Component)	: Component: 121-39-1 LD50 Rat Dose: 2,300 mg/kg Remarks: RIFM
Version Revision Date	: 3 : 06/10/2020

IFF Benicarló, S.L. Avda. Felipe Klein 2 12580 BENICARLÓ

Telephone: +34964470212

IFF Benicarló, S.L.

Avda. Felipe Klein 2 12580 BENICARLÓ



Product	ETHYL PHENYL GLYCIDATE		
Print Date	06/10/2020		7 (8)
Acute dermal toxicity (Component)	: Component: 121-39-1 LD50 Rabbit Dose: > 5,000 mg/kg		
Skin irritation (Component)	: Component: 121-39-1 human Result: No skin irritation Method: closed patch test Exposure time: 48 h Rabbit Result: No skin irritation Exposure time: 24 h		
Sensitisation (Component)	: Component: 121-39-1 Test substance: 0.0% maximisation study human Result: Did not cause sensitisation on laboratory anima Test substance: 4.0% in petrolatum	ıls.	
Repeated dose toxicity(Component)	: Component: 121-39-1		

## SECTION 12. ECOLOGICAL INFORMATION

#### SECTION 13. DISPOSAL CONSIDERATIONS

Contaminated packaging : Place material into sealed containers and dispose of in accordance with local, state and federal regulations.

#### SECTION 14. TRANSPORT INFORMATION

DOT	Not dangerous goods
-----	---------------------

ΙΑΤΑ	Not dangerous goods
------	---------------------

#### IMDG Not dangerous goods

Version	: 3
Revision Date	: 06/10/2020

IFF Benicarló, S.L. Avda. Felipe Klein 2 12580 BENICARLÓ IFF Benicarló, S.L. Avda. Felipe Klein 2 12580 BENICARLÓ



Product

ETHYL PHENYL GLYCIDATE

Print Date

Page 8 (8)

### SECTION 15. REGULATORY INFORMATION

SARA 311/312 Hazards	:	Acute Health Hazard
Reportable Quantity	:	
HMIS Classification	:	Health hazard: 1 Flammability: 1 Physical and chemical hazards: 0

06/10/2020

## SECTION 16. OTHER INFORMATION

#### **Further information**

The information in this MSDS was obtained from current and reliable sources. However the data is provided without any warrant, expressed or implied, regarding its correctness or accuracy. Since the use, handling, storage and disposal of this product are beyond IFF control, it is the responsibility of the user both to determine safe conditions for the use of this product and to assume liability of loss, damage, or expense arising out of the product's improper use. No warranty expressed or implied regarding the product described herein shall be created by or inferred from any statement or omission in this MSDS. Various Federal, State or Provincial agencies may have specific regulations concerning the transportation, handling, storage, use, or disposal of this product which may not be reflected in this MSDS. The user should review these regulations to ensure full compliance.

Version Revision Date : 3 : 06/10/2020

IFF Benicarló, S.L. Avda. Felipe Klein 2 12580 BENICARLÓ

Telephone: +34964470212

IFF Benicarló, S.L. Avda. Felipe Klein 2 12580 BENICARLÓ