

Safety Data Sheet
29 CFR 1910.1200

Section 1: Company and Product Identification

Product Name: GUAIACWOOD ACETATE

Company: The John D. Walsh Company, Inc.
25 Executive Parkway
Ringwood, NJ 07456
PH: 973-962-1400

Emergency Response: 24 Hour Emergency CHEMTREC Number: 1-800-424-9300

Section 2: Hazards Identification

GH007 BLANK BLANK BLANK

Hazard Pictograms:



Signal Word: Warning

Hazard Category: Skin corrosion/irritation Cat 2
Serious eye damage/eye irritation Cat 2

Hazard Statements: H315: Causes skin irritation
H319: Causes serious eye irritation

Precautionary Statements: P264: Wash thoroughly after handling
P280: Wear protective gloves/protective clothing/eye protection/face protection
P302+352: IF ON SKIN: Wash with soap and water
P338: Remove contact lenses if present and easy to do. continue rinsing
P332+313: If skin irritation occurs: Get medical advice/attention
P337+313: If eye irritation persists get medical advice/attention
P362: Take off contaminated clothing and wash before reuse

Section 3: Composition / Information on Ingredients

Substance (name)	CAS#	Weight %
GUAIACWOOD ACETATE	61789-17-1	100

Section 4: First Aid Measures

General Info: Product may give off vapors in appreciable quantities affecting the inhalation route. Ensure proper ventilation.

Notable Exposure symptoms: Severe eye irritation.Symptoms may include stinging,tearing,redness,swelling, and blurred vision.Skin irritation.May cause redness and pain.

If ingested: NEVER: Give anything by mouth to an unconscious person. Rinse mouth with water. Seek immediate medical attention.

If inhaled: Remove to fresh air. Obtain medical attention if asthma-like symptoms or other symptoms develop.

Eye contact: Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses if present and easy to do. Get medical attention if irritation develops or persists.

Skin contact: Take off immediately all contaminated clothing. Rinse with water thoroughly. Get medical advice if irritation develops or persists.

Additional Info: Observe for any symptoms for several hours after exposure. Follow up with medical attention if symptoms develop.

Section 5: Fire Fighting Measures

General Info: Direct water spray may spread fire. Isolate any uncompromised product from area if possible. Do not breathe fumes.

Extinguishing Method / Equipment: Water spray, Carbon dioxide (CO₂), dry chemical, foam. Firefighters should wear self-contained breathing apparatus (SCBA) and full protective equipment.

Section 6: Accidental Release Measures

Personal precautions, protective equipment and procedures: Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Wear appropriate protective equipment and clothing during clean-up. Avoid breathing vapors. Ventilate area if easy to do so. Contact local authorities if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Containment Equipment and Procedures: Large Spills: Contain actively spilling material if safe and easy to do so. Dike the spilled material, where this is possible. Utilize absorbent clay or sand to contain and stop spreading material.

Small Spills: Utilize absorbent clay or sand and transfer to waste receptacles. Thoroughly clean surface to remove residual contamination.

Cleanup Procedures: Collect all contaminated clay, media, or other cleanup materials into a waste receptacle. If cleaning surface is necessary, utilize mineral spirits or other solvents, provided adequate ventilation is available.

Section 7: Handling and Storage

Safe Handling Precautions: Do not handle until all safety precautions have been read and understood. Do not handle near an open flame or sources of ignition. Ensure adequate ventilation. Take precautionary measures against static discharges. Avoid breathing vapors. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Wear appropriate personal protective equipment.

Recommendations for Storage: Store in cool area in product container away from sources of ignition or flame.

Incompatibilities: Store away from strong acids or oxidizing agents. Refer to Section 10.

Section 8: Exposure Control / Personal Protection

General / Engineering Controls: Local exhaust ventilation should be utilized to control vapors / substances below exposure limits. Eye wash facilities must be available when handling this product.

Work Clothing: Protective work clothing which covers skin and prevents exposures.

Eye/face protection: Wear safety goggles or face shield.

Skin Protection: Wear solvent resistant gloves.

Respiratory Utilize organic vapor respirator if airborne levels are not maintained below exposure limits, or if
Protection: ventilation is inadequate.

Additional Observe good chemical hygiene practices. Do not smoke or eat while using this product. Wash hands or
Information: exposed skin after using the product.

Section 9: Physical and Chemical Properties

State: Liquid	Melting Point: Not avail	
Color: Refer to spec sheet	Boiling Point/Range: Not avail	pH Not avail
Sp Grav: 0.98	Odor: Characterisitc	Water Solubility: Insoluble
Evaporation Rate: Not avail	Flash Point: >93.3 C	
Upper Flam Limits: Not avail	Lower Flam Limits: Not avail	Vapor Pressure: 0 mm HG at 25c
	Viscosity: Not avail	Autoignition Temp: Not avail

Section 10: Stability and Reactivity

General: This product is stable and non-reactive under normal conditions of use. Solvent vapors will evaporate from exposed material. Avoid open flame and ignition sources.

Incompatible materials: Strong acids, Strong oxidizing agents

Decomposition products: No decomposition products known.

Section 11: Toxicological Information

Toxicological Information (product): Solvent vapors may cause drowsiness or dizziness. Prolonged inhalation may be harmful to human health. Irritating in case of skin or eye contact. May be harmful if swallowed or in contact with skin.

Likely Routes of Exposure: Causes skin irritation.Causes serious eye irritation

Toxicological Information (contained substances)

Substance (name)	LD50 Oral	LD50 Dermal	Irritancy:
GUAIACWOOD ACETATE	>5000mg/kg (Rat)	>5000 mg/kg (Rabbit)	NA

Carcinogenicity or mutagenicity: No data available

Sensitization: No data available

Section 12: Ecological Information

General information: The product is not classified as environmentally hazardous.This does not exclude the possibility that large or frequent spills can have a damaging effect on the environment

Degradation / Mobility info: expected to degrade over time

Bioaccumulative potential: Not expected to bioaccumulate

Section 13: Disposal Information

Product disposal: Empty containers may contain product residue. Dispose of product in accordance with local, regional, and national regulations. Consult with waste contractor.

Container disposal: Treat empty containers with extra care. Consult waste contractor. Dispose of in accordance with all applicable regulations

Section 14: Transport Information

DOT GROUND NON NOT REGULATED

BULK:

IMO/IMDG: NOT REGULATED

IATA: NOT REGULATED

Section 15: Regulatory Information

CERCLA RQ: NOT LISTED

SARA 311/312: NOT LISTED

SARA 313 NOT LISTED

California Prop 65 NOT LISTED

Substances:

Canadian DSL: YES LISTED

WHMIS: H 2,F 1,R 0

Section 16: Other Information

Version Date: 5/4/2020

Disclaimer: The information in this MSDS was obtained from current and reliable sources. However the data is provided without any warranty, expressed or implied, regarding its correctness or accuracy. It is the user's responsibility both to determine safe conditions for use of this product and to assume liability for loss, injury, damage, or, expense resulting from improper use of this product