

Product

LEMON LIME GNR 0612

Print Date

06/10/2020

Page 1 (9)

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name IFF Code Cust. Material SDS Number Product Use Description	·· ·· ·· ··	LEMON LIME GNR 0612 30R31938 30R31938 300000323282 Fragrance Compound
Company	:	IFF Inc. 600 Highway 36 Hazlet NJ 07730
Telephone Telefax Emergency telephone number	: : :	(732) 264-4500 (732) 335-2551 +1 800 424 9300

SECTION 2 HAZARDS IDENTIFICATION

GHS-Classification

Flammable liquids, Category 3 Skin irritation, Category 2 Skin sensitisation, Category 1 Aspiration hazard, Category 1

GHS-Labelling

Symbol(s)	
Signal word	: Danger
Hazard statements	 H226: Flammable liquid and vapour. H304: May be fatal if swallowed and enters airways. H315: Causes skin irritation. H317: May cause an allergic skin reaction.
Precautionary statements	: P210: Keep away from heat/sparks/open flames/hot surfaces. No
Version Revision Date	: 4 : 06/10/2020
IFF Inc.	IFF Inc.

600 Highway 36 Hazlet NJ 07730

600 Highway 36 Hazlet NJ 07730



Product	LEMON LIME GNR 0612		
Print Date	06/10/2020	Page	2 (9)
	smoking. P240: Ground/bond container and receiving equipme P280: Wear protective gloves. P301 + P310: IF SWALLOWED: Immediately call a CENTER/doctor. P302 + P352: IF ON SKIN: Wash with plenty of soa P331: Do NOT induce vomiting.	a POISON	

P403 + P235: Store in a well-ventilated place. Keep cool.

Carcinogenicity:

No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical nature

: Fragrance for consumer product

Fragrance Compound: A multi component mixture of fragrance ingredients. The specific chemical identities of the ingredients not listed herein are considered by IFF to be Trade Secrets and are withheld in accordance with the provisions of 1910.1200 of Title29 of the U.S. Code of Federal Regulations.

SECTION 4. FIRST AID MEASURES

First aid procedures

Inhalation	:	Remove from exposure site to fresh air and keep at rest. If victim is unconscious, remove foreign bodies from the mouth. If victim has stopped breathing, give artificial respiration. Obtain medical advice.
Skin contact	:	Remove contaminated clothes. Wash thoroughly with water (and soap). Contact physician if symptoms persist.
Eye contact	:	Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist.
Ingestion	:	Rinse mouth with water and obtain medical advice.
Version Revision Date		: 4 : 06/10/2020

IFF Inc. 600 Highway 36 Hazlet NJ 07730



Product LEMON LIME GNR 0612

06/10/2020

Print Date

Page 3 (9)

SECTION 5. FIREFIGHTING MEASURES

Flammable properties Flash point	:	111 °F (44 °C)	
Fire fighting Suitable extinguishing media	:	Use water spray, dry chemical, carbon dioxide or appropriate foam.	
Protective equipment and precautions for firefighters			
Special protective equipment for firefighters	:	Wear NIOSH approved self-contained breathing apparatus and full protective clothing when fighting fires involving chemicals. Use water spray to cool containers exposed to fire.	

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions	:	Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.
Environmental precautions	:	Keep away from drains, surface- and groundwater and soil.
Methods for containment / Methods for cleaning up	:	Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapours. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

SECTION 7. HANDLING AND STORAGE

Handling	: Avoid excessive inhalation of concentrated vapors. Follow good manufacturing practices for housekeeping and personal hygiene.
Version	: 4
Revision Date	: 06/10/2020
IFF Inc.	IFF Inc.
600 Highway 36	600 Highway 36
Hazlet NJ 07730	Hazlet NJ 07730
Telephone: +17322644500	Telefax: +17323352551



Product	LEMON LIME GNR 0612				
Print Date	06/10/2020		Page	4	(9)
		Wash any exposed skin immediately after any chemica before breaks and meals, and at the end of each work p Contaminated clothing and shoes should be thoroughly before re-use.	eriod.		
		If appropriate, procedures used during the handling of should also be used when cleaning equipment or remove chemicals from tanks or other containers, especially we hot water is used, as this may increase vapor concentrat workplace air. Where chemicals are openly handled, ac restricted to properly trained employees. Keep all heated processes at the lowest necessary temp order to minimize emissions of volatile chemicals into	ving resic hen stean tions in t ccess sho perature in	lual n or he uld	
Advice on protection against fir and explosion	re :	Keep away from ignition sources and naked flame.			
Requirements for storage areas containers	and :	Store in a cool, dry, ventilated area away from heat sou containers upright and tightly closed when not in use.	irces. Ke	ep	

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	Listed by	Value type	Exposure limit(s)
Cyclohexene, 1- methyl-4-(1- methylethenyl)-, Cyclohexene, 1- methyl-4-(1- methylethenyl)-, (4R)-, Cyclohexene, 1-methyl-4-(1- methylethenyl)-, (4S)-	USA. Workplace Environmental Exposure Levels (WEEL)	8-hr TWA	30 ppm
3-Cyclohexene-1- methanol, .alpha.,.alpha.,4- trimethyl-	USA. ACGIH Threshold Limit Values (TLV)	8-hour, time-weighted average	20 ppm

Engineering measures

Version Revision Date : 4 : 06/10/2020

IFF Inc. 600 Highway 36 Hazlet NJ 07730

Telephone: +17322644500



SAFETY DATA SHEET SAFETY DATA SHEET INTERNATIONAL FLAVORS & FRAGRANCES

Product	LEMON LIME GNR 0612		
Print Date	06/10/2020 Page 5 (9)		
Engineering measures	: Where feasible, isolate mixing rooms and other areas where this material is used or openly handled. Maintain these areas under negative air pressure relative to the rest of the plant. Where feasible, use closed systems to transfer and process this material		
Personal protective equipmen			
Eye protection	: Use tight-fitting goggles, face shield or safety glasses with side shields if eye contact might occur.		
Hand protection	: Avoid skin contact. Use chemically resistant gloves.		
Respiratory protection	 Use local exhaust ventilation around open tanks and other open sources of potential exposures in order to avoid excessive inhalation, including places where this material is openly weighed or measured. In addition, use general dilution ventilation of the work area to eliminate or reduce possible worker exposures. No respiratory protection is required during normal operations in a workplace where engineering controls such as adequate ventilation, etc. are sufficient. If engineering controls and safe work practices are not sufficient, an approved, properly fitted respirator with organic vapor cartridges or canisters and particulate filters should be used: a) while engineering controls and appropriate safe work practices and/or procedures are being implemented; or b) during short term maintenance procedures when engineering controls are not sufficient; or c) if normal operational workplace vapor concentration in the air is increased due to heat ; d) during emergencies; or e) if engineering controls and operational practices are not sufficient to reduce airborne concentrations below an established occupational exposure limit. 		
Hygiene measures	: To the extent deemed appropriate, implement pre-placement and regularly scheduled ascertainment of symptoms and spirometry testing of lung function for workers who are regularly exposed to		
Version Revision Date	: 4 : 06/10/2020		
IFF Inc. 600 Highway 36 Hazlet NJ 07730	IFF Inc. 600 Highway 36 Hazlet NJ 07730		

Telefax: +17323352551



	LEMON LIME GNR 0612		
Print Date 06/10/2020 Page 6	(9)		
 this material. To the extent deemed appropriate, use an experienced air sampling expert to identify and measure volatile chemicals that could be present in the workplace air to determine potential exposures and operational practices to minimize exposure. Protective measures : In December 2003, the National Institute for Occupational Safety and Health ("NIOSH") published an Alert on preventing lung disease in workers who use or make flavorings [NIOSH Publication Number 2004-110]. In August 2004, the United States Flavor and Extract Manufacture Association (FEMA) issued a report entitled "Respiratory Safety in the Flavor Manufacturing Workplace". Both of these reports provide recommendations for reducing employee exposure and for medical surveillance in the workplace. The recommendations in these reports are generally applicable to use of any chemical in the workplace and you are strongly urged to review both of these reports. The report published by FEMA also contains a list of "high prioritic chemicals. If any of these chemicals are present in this product at concentration >= 1.0% due to an intentional addition by IFF, the chemical(s) will be identified in this safety data sheet. 	n rs he yy"		

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance

Physical state Appearance Colour	liquidCLEAR LIQUIDcolorless to pale yellow
Odour	: conforms to standard
Safety data	
Flash point	: 111 °F (44 °C)
Vapour pressure	: 1.03 hPa (1.03 hPa) Note: Calculated
Version Revision Date	: 4 : 06/10/2020

IFF Inc. 600 Highway 36 Hazlet NJ 07730 IFF Inc. 600 Highway 36 Hazlet NJ 07730



Product	LEMON LIME GNR 0612			
Print Date	06/10/2020	Page	7 (9)	,

Relative density (20 °C)

: 0.8780 - 0.8880

SECTION 10. STABILITY AND REACTIVITY

Conditions to avoid	:	Remarks: Direct sources of heat.
Chemical stability	:	Remarks: Presents no significant reactivity hazard, by itself or in contact with water. Avoid contact with strong acids, alkali or oxidizing agents.
Hazardous decomposition products	:	Note: Carbon monoxide and unidentified organic compounds may be formed during combustion.

SECTION 11. TOXICOLOGICAL INFORMATION

Toxicological information

Further information : There is no data available for this product. The health hazards are assessed based on the ingredients in this preparation and their concentrations.

SECTION 12. ECOLOGICAL INFORMATION

Ecological information

Additional ecological information : Avoid contamination of soil, ground and surface water.

SECTION 13. DISPOSAL CONSIDERATIONS

Contaminated packaging	:	Place material into sealed container with local, state and federal regulat	1
Version Revision Date		: 4 : 06/10/2020	
IFF Inc. 600 Highway 36 Hazlet NJ 07730			IFF Inc. 600 Highway 36 Hazlet NJ 07730

Telephone: +17322644500

Telefax: +17323352551



Product LEMON LIME GNR 0612

Print Date

06/10/2020

Page 8 (9)

SECTION 14. TRANSPORT INFORMATION

DOT Proper shipping name Labels UN number Class Packing group Emergency Response Guidebook Number		 Combustible liquid, n.o.s. (DIPENTENE) NONE 1993 CBL III 128 					
DOT NON-BULK Not dangerous goods							
ΙΑΤΑ	UN number Description of the goods Class Packing group ICAO-Labels	: 1169 : EXTRACTS, AROMATIC, LIQUID : 3 : III : 3					
IMDG	UN number Description of the goods Class Packing group IMDG-Labels EmSNumber 1 EmSNumber 2 Marine pollutant	: 1169 : EXTRACTS, AROMATIC, LIQUID : 3 : III : 3 : F-E : S-D : yes (TERPINOLENE)					
SECTION 15. REGULATORY INFORMATION							
SARA 311/312 Hazards : Fire J Acute		Hazard te Health Hazard					
Reportable Qua	antity :						
HMIS Classification :		lth hazard: 3 onic Health Hazard: / nmability: 2					

Version Revision Date : 4 : 06/10/2020

Physical and chemical hazards: 0

IFF Inc. 600 Highway 36 Hazlet NJ 07730

Telephone: +17322644500



Product

LEMON LIME GNR 0612

Print Date

06/10/2020

Page 9 (9)

SECTION 16. OTHER INFORMATION

Further information

The information in this MSDS was obtained from current and reliable sources. However the data is provided without any warrant, expressed or implied, regarding its correctness or accuracy. Since the use, handling, storage and disposal of this product are beyond IFF control, it is the responsibility of the user both to determine safe conditions for the use of this product and to assume liability of loss, damage, or expense arising out of the product's improper use. No warranty expressed or implied regarding the product described herein shall be created by or inferred from any statement or omission in this MSDS. Various Federal, State or Provincial agencies may have specific regulations concerning the transportation, handling, storage, use, or disposal of this product which may not be reflected in this MSDS. The user should review these regulations to ensure full compliance.

Version Revision Date : 4 : 06/10/2020

IFF Inc. 600 Highway 36 Hazlet NJ 07730

Telephone: +17322644500

IFF Inc. 600 Highway 36 Hazlet NJ 07730

Telefax: +17323352551