

OLIBANUM RESOID 30PCT TEC BLO

Print Date

Product

06/10/2020

Page 1 (8)

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name IFF Code Cust. Material SDS Number Product Use Description	: : : :	OLIBANUM RESOID 30PCT TEC BLO 00151720 00151720 300000050565 Fragrance Compound
Company	:	IFF Benicarló, S.L. Avda. Felipe Klein 2 12580 BENICARLÓ
Telephone Telefax Emergency telephone number	: : :	+34964470212 +34964473411 +34 964 470 212

SECTION 2 HAZARDS IDENTIFICATION

GHS-Classification

Flammable liquids, Category 4

GHS-Labelling	
Signal word	: Warning
Hazard statements	: H227: Combustible liquid.
Precautionary statements	: P210: Keep away from heat/sparks/open flames/hot surfaces. No smoking.

Carcinogenicity:

No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

Version Revision Date	: 3 : 04/17/2020	
IFF Benicarló, S.L. Avda. Felipe Klein 2 12580 BENICARLÓ		IFF Benicarló, S.L. Avda. Felipe Klein 2 12580 BENICARLÓ

Telephone: +34964470212

12580 BENICARLÓ

Telefax: +34964473411



OLIBANUM RESOID 30PCT TEC BLO

Product Print Date

06/10/2020

Page 2 (8)

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical nature

: Fragrance for consumer product

Fragrance Compound: A multi component mixture of fragrance ingredients. The specific chemical identities of the ingredients not listed herein are considered by IFF to be Trade Secrets and are withheld in accordance with the provisions of 1910.1200 of Title29 of the U.S. Code of Federal Regulations.

SECTION 4. FIRST AID MEASURES

First aid procedures

Inhalation	:	Remove from exposure site to fresh air and keep at rest. If victim is unconscious, remove foreign bodies from the mouth. If victim has stopped breathing, give artificial respiration. Obtain medical advice.
Skin contact	:	Remove contaminated clothes. Wash thoroughly with water (and soap). Contact physician if symptoms persist.
Eye contact	:	Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist.
Ingestion	:	Rinse mouth with water and obtain medical advice.

SECTION 5. FIREFIGHTING MEASURES

Flammable properties	
Flash point	: 156.0 °F (68.9 °C)
Fire fighting Suitable extinguishing media	: Use water spray, dry chemical, carbon dioxide or appropriate foam.

Protective equipment and precautions for firefighters

Version Revision Date : 3 : 04/17/2020

IFF Benicarló, S.L. Avda. Felipe Klein 2 12580 BENICARLÓ

Telephone: +34964470212

IFF Benicarló, S.L. Avda. Felipe Klein 2 12580 BENICARLÓ



Product	OLIBANUM RESOID 30PCT TEC BLO		
Print Date	06/10/2020	Page	3 (8)
Special protective equipment f firefighters	For : Wear NIOSH approved self-contained breathing app protective clothing when fighting fires involving che water spray to cool containers exposed to fire.		

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions	:	Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.
Environmental precautions	:	Keep away from drains, surface- and groundwater and soil.
Methods for containment / Methods for cleaning up	:	Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapours. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

SECTION 7. HANDLING AND STORAGE

Handling :	Avoid excessive inhalation of concentrated vapors. Follow good manufacturing practices for housekeeping and personal hygiene. Wash any exposed skin immediately after any chemical contact, before breaks and meals, and at the end of each work period. Contaminated clothing and shoes should be thoroughly cleaned before re-use.	
	If appropriate, procedures used during the handling of this material should also be used when cleaning equipment or removing residual chemicals from tanks or other containers, especially when steam or hot water is used, as this may increase vapor concentrations in the workplace air. Where chemicals are openly handled, access should be restricted to properly trained employees. Keep all heated processes at the lowest necessary temperature in order to minimize emissions of volatile chemicals into the air.	
Advice on protection against fire : and explosion	Keep away from ignition sources and naked flame.	
Version	: 3	
Revision Date	: 04/17/2020	
IFF Benicarló, S.L. Avda. Felipe Klein 2 12580 BENICARLÓ	IFF Benicarló, S.L. Avda. Felipe Klein 2 12580 BENICARLÓ	
Telephone: +34964470212	Telefax: +34964473411	



containers

SAFETY DATA SHEET INTERNATIONAL FLAVORS & FRAGRANCES

containers upright and tightly closed when not in use.

Product	OLIBANUM RESOID 30PCT TEC BLO	
Print Date	06/10/2020	Page 4 (8)
Requirements for stor	age areas and : Store in a cool, dry, ventilated area aw	vay from heat sources. Keep

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Engineering measures	
Engineering measures	: Where feasible, isolate mixing rooms and other areas where this material is used or openly handled. Maintain these areas under negative air pressure relative to the rest of the plant. Where feasible, use closed systems to transfer and process this material
Personal protective equipment	
Eye protection	: Use tight-fitting goggles, face shield or safety glasses with side shields if eye contact might occur.
Hand protection	: Avoid skin contact. Use chemically resistant gloves.
Respiratory protection	 Use local exhaust ventilation around open tanks and other open sources of potential exposures in order to avoid excessive inhalation, including places where this material is openly weighed or measured. In addition, use general dilution ventilation of the work area to eliminate or reduce possible worker exposures. No respiratory protection is required during normal operations in a workplace where engineering controls such as adequate ventilation, etc. are sufficient. If engineering controls and safe work practices are not sufficient, an approved, properly fitted respirator with organic vapor cartridges or canisters and particulate filters should be used: a)while engineering controls and appropriate safe work practices and/or procedures are being implemented; or
	and/or procedures are being implemented; or b)during short term maintenance procedures when engineering controls are not in normal operation or are not sufficient; or c)if normal operational workplace vapor concentration in the air is increased due to heat ;
Version Revision Date	: 3 : 04/17/2020

IFF Benicarló, S.L. Avda. Felipe Klein 2 12580 BENICARLÓ

Telephone: +34964470212

IFF Benicarló, S.L.



Product	OLIBANUM RESOID 30PCT TEC BLO	
Print Date	06/10/2020 Page 5 (8)	
	d)during emergencies; or e)if engineering controls and operational practices are not sufficient to reduce airborne concentrations below an established occupational exposure limit.	
Hygiene measures	 To the extent deemed appropriate, implement pre-placement and regularly scheduled ascertainment of symptoms and spirometry testing of lung function for workers who are regularly exposed to this material. To the extent deemed appropriate, use an experienced air sampling expert to identify and measure volatile chemicals that could be present in the workplace air to determine potential exposures and to ensure the continuing effectiveness of engineering controls and operational practices to minimize exposure. 	
Protective measures	 In December 2003, the National Institute for Occupational Safety and Health ("NIOSH") published an Alert on preventing lung disease in workers who use or make flavorings [NIOSH Publication Number 2004-110]. In August 2004, the United States Flavor and Extract Manufacturers Association (FEMA) issued a report entitled "Respiratory Safety in the Flavor Manufacturing Workplace". Both of these reports provide recommendations for reducing employee exposure and for medical surveillance in the workplace. The recommendations in these reports are generally applicable to the use of any chemical in the workplace and you are strongly urged to review both of these reports. The report published by FEMA also contains a list of "high priority" chemicals. If any of these chemicals are present in this product at a concentration >= 1.0% due to an intentional addition by IFF, the chemical(s) will be identified in this safety data sheet. 	

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance

Physical state Appearance Colour	liquidCLEAR LIQUIDdark orange to brown
Version	: 3
Revision Date	: 04/17/2020

IFF Benicarló, S.L. Avda. Felipe Klein 2 12580 BENICARLÓ

Telephone: +34964470212

IFF Benicarló, S.L. Avda. Felipe Klein 2 12580 BENICARLÓ



Product	OLIBANUM RESOID 30PCT TEC BLO		
Print Date	06/10/2020	Page	6 (8)
Odour	: conforms to standard		
Safety data			
Flash point	: 156.0 °F (68.9 °C)		
Vapour pressure	: .05 hPa (0.05 hPa)		
Relative density (20 °C)	: 1.0950 - 1.1150		

SECTION 10. STABILITY AND REACTIVITY

Conditions to avoid	:	Remarks: Direct sources of heat.
Chemical stability	:	Remarks: Presents no significant reactivity hazard, by itself or in contact with water. Avoid contact with strong acids, alkali or oxidizing agents.
Hazardous decomposition products	:	Note: Carbon monoxide and unidentified organic compounds may be formed during combustion.

SECTION 11. TOXICOLOGICAL INFORMATION

Toxicological information

Further information

: There is no data available for this product. The health hazards are assessed based on the ingredients in this preparation and their concentrations.

SECTION 12. ECOLOGICAL INFORMATION

Ecological information

Additional ecological information : Avoid contamination of soil, ground and surface water.

Version Revision Date : 3 : 04/17/2020

IFF Benicarló, S.L. Avda. Felipe Klein 2 12580 BENICARLÓ

Telephone: +34964470212

IFF Benicarló, S.L.

Avda. Felipe Klein

12580 BENICARLÓ



OLIBANUM RESOID 30PCT TEC BLO

Product Print Date

06/10/2020

Page 7 (8)

SECTION 13. DISPOSAL CONSIDERATIONS

Contaminated packaging

: Place material into sealed containers and dispose of in accordance with local, state and federal regulations.

SECTION 14. TRANSPORT INFORMATION

DOT	Proper shipping name	:	Combustible liquid, n.o.s. (DIPENTENE)
	Labels	:	NONE
	UN number	:	1993
	Class	:	CBL
	Packing group	:	111
	Emergency Response Guidebook Number	:	128

- **DOT NON-BULK** Not dangerous goods
- IATA Not dangerous goods
- IMDG Not dangerous goods

SECTION 15. REGULATORY INFORMATION

SARA 311/312 Hazards	:	Fire Hazard		
Reportable Quantity	:			
HMIS Classification :		: Health hazard: 1 Chronic Health Hazard: / Flammability: 2 Physical and chemical hazards: 0		

Version Revision Date : 3 : 04/17/2020

IFF Benicarló, S.L. Avda. Felipe Klein 2 12580 BENICARLÓ

Telephone: +34964470212

IFF Benicarló, S.L. Avda. Felipe Klein 2 12580 BENICARLÓ

Telefax: +34964473411

Product	OLIBANUM RESOID 30PCT TEC BLO		
Print Date	06/10/2020	Page	8 (8)

SECTION 16. OTHER INFORMATION

Further information

The information in this MSDS was obtained from current and reliable sources. However the data is provided without any warrant, expressed or implied, regarding its correctness or accuracy. Since the use, handling, storage and disposal of this product are beyond IFF control, it is the responsibility of the user both to determine safe conditions for the use of this product and to assume liability of loss, damage, or expense arising out of the product's improper use. No warranty expressed or implied regarding the product described herein shall be created by or inferred from any statement or omission in this MSDS. Various Federal, State or Provincial agencies may have specific regulations concerning the transportation, handling, storage, use, or disposal of this product which may not be reflected in this MSDS. The user should review these regulations to ensure full compliance.

Version Revision Date : 3 : 04/17/2020

IFF Benicarló, S.L. Avda. Felipe Klein 2 12580 BENICARLÓ

Telephone: +34964470212

IFF Benicarló, S.L. Avda. Felipe Klein 2 12580 BENICARLÓ