

Material security data sheet

Printed : 01/04/2019

Review : 001NEW-32-GHS from 01/04/2019

PETITGRAIN BIGARADE OIL PETIG0001

1. PRODUCT AND COMPANY IDENTIFICATION

1.1. Product identifier

PETITGRAIN BIGARADE OIL PETIG0001

Pre-No REACH : 05-2117971783-29-0000
C.A.S Number : 8014-17-3

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use : Industrial, only for professional use.

1.3. Details of the supplier of the safety data sheet

Company : SAS MATIÈRES PREMIÈRES ESSENTIELLES
6, chemin St Joseph
BP 25265
06131 GRASSE CEDEX
Tel:04 93 09 19 27
Fax :04 93 77 89 88
Web :www.mpe-grasse.fr
Email :sales@mpe-grasse.fr

1.4. Emergency telephone number

In case of emergency call NHS Direct in England or Wales 0845 46 47 or NHS 24 in Scotland 08454 24 24 (UK only).

2. HAZARD IDENTIFICATION

2.1. Classification of the substance or mixture

GHS Classification :

RegulationGHS

Asp. Tox. 1 airways.	Aspiration hazard 1	H304 : May be fatal if swallowed and enters
Eye Dam. 1 eye damage.	Serious eye damage / eye irritation 1	H318 : Causes serious
Aquatic Acute 2 to aquatic life	Hazardous to the aquatic environment, acute hazard 2	H401 : Toxic
Aquatic Chronic 2 to aquatic life with long lasting effects.	Hazardous to the aquatic environment, long-term hazard	H411 : Toxic
Flam. Liq. 4	Flammable Liquids 4	H227 : Combustible liquid
Skin Irrit. 2	Skin corrosion / irritation 2	H315 : Causes skin irritation.
Skin Sens. 1A reaction.	Sensitisation, skin 1A	H317 : May cause an allergic skin

Material security data sheet

Printed : 01/04/2019

PETITGRAIN BIGARADE OIL PETIG0001

Review : 001NEW-32-GHS from 01/04/2019

2.2. Label elements

GHS Classification :


RegulationGHS

Warning mention : Danger

Asp. Tox. 1	Aspiration hazard 1
Eye Dam. 1	Serious eye damage / eye irritation 1
Aquatic Acute 2	Hazardous to the aquatic environment, acute hazard 2
Aquatic Chronic 2	Hazardous to the aquatic environment, long-term hazard 2
Flam. Liq. 4	Flammable Liquids 4
Skin Irrit. 2	Skin corrosion / irritation 2
Skin Sens. 1A	Sensitisation, skin 1A

H227 - Combustible liquid
 H304 - May be fatal if swallowed and enters airways.
 H315 - Causes skin irritation.
 H317 - May cause an allergic skin reaction.
 H318 - Causes serious eye damage.
 H401 - Toxic to aquatic life
 H411 - Toxic to aquatic life with long lasting effects.

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
 P264 - Wash ... thoroughly after handling.
 P272 - Contaminated work clothing should not be allowed out of the workplace.
 P273 - Avoid release to the environment.
 P280 - Wear protective gloves/protective clothing/eye protection/face protection.
 P301+P310 - IF SWALLOWED: Immediately call a POISON CENTER/doctor/...
 P302+P352 - IF ON SKIN: Wash with plenty of water/...
 P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P310 - Immediately call a POISON CENTER/doctor/...
 P331 - Do NOT induce vomiting.



2.3. Other hazards

Contains Linalyl acetate, Linalool, Alpha-Terpineol, Geranyl acetate, d-Limonene, Geraniol, Myrcene, Neryl acetate, Beta-Pinène, Nerol, Citral, 2,6,6-trimethyl-bicyclo-2-heptene

3. COMPOSITION / INFORMATION ON INGREDIENT

Component list :

3.1. Substances

Material	C.A.S	EINECS	Risk Symbol	Percent %
Linalyl acetate (No REACH : 01-2119454789-19-0000)	115-95-7	204-116-4	Eye Irrit. 2, Eye Irrit. 2A, Aquatic Acute 3, Flam. Liq. 4, Skin Irrit. 2, Skin Sens. 1A - H319, H402, H227, H315, H317	> 50 %
Linalool (No REACH : 01-2119474016-42-0000)	78-70-6	201-134-4	Acute Tox. 5 (O), Eye Irrit. 2, Eye Irrit. 2A, Aquatic Acute 3, Flam. Liq. 4, Skin Irrit. 2, Skin Sens. 1B - H303, H319, H402, H227, H315, H317	[25-40]

Material security data sheet

Printed : 01/04/2019 PETITGRAIN BIGARADE OIL PETIG0001 Review : 001NEW-32-GHS from 01/04/2019

Alpha-Terpineol	8000-41-7	232-268-1	Acute Tox. 5 (O), Eye Irrit. 2, Eye Irrit. 2A, Flam. Liq. 4, Skin Irrit. 2 - H303, H319, H227, H315	[5-10]
Beta-Pinène	127-91-3	204-872-5	Asp. Tox. 1, Aquatic Acute 1, Aquatic Chronic 1, Flam. Liq. 3, Skin Irrit. 2, Skin Sens. 1B - H304, H400, H410, H226, H315, H317	[1-5]
Geraniol (No REACH : 01-2119552430-49-0000)	106-24-1	203-377-1	Acute Tox. 5 (O), Eye Dam. 1, Aquatic Acute 3, Skin Irrit. 2, Skin Sens. 1A - H303, H318, H402, H315, H317	[1-5]
Geranyl acetate (No REACH : 01-2119973480-35-0000)	105-87-3	203-341-5	Aquatic Acute 2, Aquatic Chronic 3, Flam. Liq. 4, Skin Irrit. 2, Skin Sens. 1B - H401, H412, H227, H315, H317	[1-5]
Myrcene	123-35-3	204-622-5	Asp. Tox. 1, Eye Irrit. 2, Eye Irrit. 2A, Flam. Liq. 3, Skin Irrit. 2 - H304, H319, H226, H315	[1-5]
Nerol	106-25-2	203-378-7	Acute Tox. 5 (O), Eye Irrit. 2, Eye Irrit. 2A, Aquatic Acute 3, Skin Irrit. 2, Skin Sens. 1B - H303, H319, H402, H315, H317	[1-5]
Neryl acetate	141-12-8	205-459-2	Aquatic Acute 2, Aquatic Chronic 3, Skin Irrit. 2, Skin Sens. 1B - H401, H412, H315, H317	[1-5]
Trans ocimène	3779-61-1		Skin Irrit. 3 - H316	[1-5]
d-Limonene	5989-27-5	227-813-5	Asp. Tox. 1, Aquatic Acute 1, Aquatic Chronic 1, Flam. Liq. 3, Skin Irrit. 2, Skin Sens. 1B - H304, H400, H410, H226, H315, H317	[1-5]
2,6,6-trimethyl-bicyclo-2-heptene	80-56-8	201-291-9	Asp. Tox. 1, Acute Tox. 5 (O), Aquatic Acute 1, Aquatic Chronic 1, Flam. Liq. 3, Skin Irrit. 2, Skin Sens. 1B - H304, H303, H400, H410, H226, H315, H317	[0-1]
Citral (No REACH : 01-2119462829-23-0000)	5392-40-5	226-394-6	Acute Tox. 5 (D), Eye Irrit. 2, Eye Irrit. 2A, Aquatic Acute 2, Skin Irrit. 2, Skin Sens. 1B - H313, H319, H401, H315, H317	[0-1]
Terpinolene	586-62-9	209-578-0	Asp. Tox. 1, Acute Tox. 5 (O), Aquatic Acute 1, Aquatic Chronic 1, Flam. Liq. 3, Skin Irrit. 3, Skin Sens. 1B - H304, H303, H400, H410, H226, H316, H317	[0-1]
beta-Caryophyllene	87-44-5	201-746-1	Asp. Tox. 1, Skin Irrit. 3, Skin Sens. 1B - H304, H316, H317	[0-1]
cis bêta ocimène	3338-55-4	222-081-3	Asp. Tox. 1, Flam. Liq. 4, Skin Irrit. 3 - H304, H227, H316	[0-1]
delta-3-Carene	13466-78-9	236-719-3	Asp. Tox. 1, Acute Tox. 5 (O), Flam. Liq. 3, Skin Irrit. 2, Skin Sens. 1B - H304, H303, H226, H315, H317	[0-1]

3.2. Mixtures

NO CONCERNED

4. FIRST AID MEASURES

4.1. Description of first aid measures

General Notes :

Material security data sheet

Printed : 01/04/2019 PETITGRAIN BIGARADE OIL PETIG0001 Review : 001NEW-32-GHS from 01/04/2019

If in doubt, always call a doctor.
If Inhaled :
If the person is unconscious, place in the fresh air . Consult a doctor
Contact with skin :
Remove soiled clothing . Wash immediately and abundantly with water.
Contact with eyes :
Abundant rinsing with water then washing with an ocular lotion standard Dacryoserum. Consult an ophthalmologist.
If swallowed :
Do not induce vomiting, maintain the patient at rest. Resort to the medical care.

4.2. Most important symptoms and effects, both acute and delayed

NO CONCERNED

4.3. Indication of any immediate medical attention and special treatment needed

NO CONCERNED

5. FIRE FIGHTING

Flammability class : The product is not flammable.

5.1. Extinguishing media

Appropriate extinction method :

In case of fire, use water spray (or fog) and appropriate fire extinguishers (CO2, powder ...)

Inappropriate extinction method :

In case of fire, never use direct water stream.

5.2. Special hazards arising from the substance or mixture

Flammability : The product is not flammable..

In case of fire, may produce toxic fumes of carbon monoxide (CO) or carbon dioxide (CO2). Exposure to decomposition products may be hazardous to health. Do not breathe fumes.

5.3. Advice for firefighters

NO CONCERNED

6. ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Prevent a manager.

Refer to protective measures listed in sections 7 and 8.

For non-emergency personnel:

Avoid breathing vapors. Avoid all contact with skin and eyes. If necessary, evacuate staff by trained operators equipped with safety equipment

For emergency responders:

Appropriate personal protective equipment will be required (refer to Section 8).

Use appropriate personal protective equipment during clean-up.

6.2. Environmental precautions

Prevent contamination of soil and water, while entering into drains, ditches and rivers. Notify authorities if the product penetrates into the sewers or public waters.

6.3. Methods and material for containment and cleaning up

Material security data sheet

Printed : 01/04/2019 PETITGRAIN BIGARADE OIL PETIG0001 Review : 001NEW-32-GHS from 01/04/2019

Diking with sand or diatomaceous earth, pumping and rinsing with water after recovery of specific waste in plastic drums and labeled then deliver to an approved waste facility.
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

6.4. Reference to other sections

Refer to sections 8 and 13 for information on exposure control, personal protection and disposal.

7. HANDLING AND STORAGE

7.1. Precautions for safe handling

Wash hands after use.
Reproduce labeling if transfer to another container.
Ensure adequate ventilation.
Provide safety showers and eye washes.

Fire prevention :

Prevent access by unauthorized persons.
Handle in well ventilated areas.

Equipment and procedures :

For personal protection, see Section 8.
Observe precautions stated on the label and regulations of labor protection.
Close the packaging after use.
Avoid inhalation of vapors and contact with skin or eyes.

7.2. Conditions for safe storage, including any incompatibilities

Keep tightly closed containers away from heat sources and protected from extreme temperatures.
Keep containers closed when not in use.
Always keep in appropriate packages (identical to the original material).

7.3. Specific end use(s)

NO CONCERNED

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1. Control parameters

Exposition limit (France INRS - ED984 07/2012)

- V.M.E (8 hr)

No component

- V.L.E (15 mn)

No component

8.2. Exposure controls

Individual protection measures, such as personal protective equipment
Personal protective equipment :
Hands protection : Gloves required.Eyes protection : Glasses required.Respiratory protection : Mask required.
Body protection :
Wear regularly cleaned overalls. In case of contact, all soiled parts should be washed.
Engineering measures :
Avoid contact with eyes, skin or clothing. Do not ingest. Avoid contact with food, drinks.
Do not eat, do not drink and do not smoke during use.
Symbol compulsory wearing of personal protective equipment (PPE):

Material security data sheet

Printed : 01/04/2019

PETITGRAIN BIGARADE OIL PETIG0001

Review : 001NEW-32-GHS from 01/04/2019



9. PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Odor :	fresh, green and flowery
Color :	colorless to pale yellow
Appearance :	liquid
Relative density (d ₂₀ /20) :	[0.884 ; 0.892]
Flash point (° C) :	75°C
Refractive index at 20°C :	[1.454 ; 1.463]
Angular rotation (°) :	[-1 ; -5]

9.2. Other information

NO CONCERNED

10. STABILITY AND REACTIVITY

10.1. Reactivity

No dangerous reactions during storage and handling according to specifications.

10.2. Chemical stability

Stable product during storage and handling according to specifications.

10.3. Possibility of hazardous reactions

No dangerous reactions during storage and handling according to specifications.

10.4. Conditions to avoid

Avoid excessive heat (naked flames, sparks, ...).

10.5. Incompatible materials

NO CONCERNED

10.6. Hazardous decomposition products

Thermal decomposition / conditions to be avoided :

Avoid contact with any flame or spark, flame, Overheat. Avoid Direct rays of the sun.

No decomposition if used according to specifications.

Dangerous decomposition products :

No dangerous decomposition products known.

11. TOXICOLOGICAL INFORMATION

11.1. Information on toxicological

Toxicological Information :

Material security data sheet

Printed : 01/04/2019 PETITGRAIN BIGARADE OIL PETIG0001 Review : 001NEW-32-GHS from 01/04/2019

No data available.

Toxicological Informations Acute :

- Oral (mg/kg) : 0,00 (Defined)
- Inhalation (mg/kg) : Not determined
- Skin (mg/kg) : Not determined

12. ECOLOGICAL INFORMATION

12.1. Toxicity

Do not leave the product, even diluted or in great quantity, penetrate the ground water, water or the drains.

12.2. Persistence and degradability

NO CONCERNED

12.3. Bioaccumulative potential

NO CONCERNED

12.4. Mobility in soil

NO CONCERNED

12.5. Results of PBT and vPvB assessment

NO CONCERNED

12.6. Other adverse effects

NO CONCERNED

13. DISPOSAL RECOMMENDATIONS

13.1. Waste treatment methods

Waste : Do not flush with household garbage. Do not pour into drains or waterways. Dispose of according to current legislation, by a collector or a specialized company.

Contaminated packaging : Keep the label on the container. Give to a certified disposal.

14. TRANSPORT INFORMATION

ADR:



IMDG:



IATA:

Material security data sheet

Printed : 01/04/2019 PETITGRAIN BIGARADE OIL PETIG0001

Review : 001NEW-32-GHS from 01/04/2019



14.1. UN number

ADR : 3082 (Tunel code :(E))
IMDG:3082
IATA :3082

Custom tariff : 33012941

14.2. UN proper shipping name

ADR : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.(Linalyl acetate)
IMDG:ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.(Linalyl acetate)
IATA :ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.(Linalyl acetate)

14.3. Transport hazard class(es)

ADR : 9
IMDG:9
IATA :9

14.4. Packing group

ADR : III
IMDG:III
IATA :III

14.5. Environmental hazards

IMDG : NO CONCERNED

14.6. Special precautions for user

NO CONCERNED

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

NO CONCERNED

15. REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Class of water contamination (Germany) : WGK 2

15.2. Chemical safety assessment

Contient Linalyl acetate, Linalool, Alpha-Terpineol, Geranyl acetate, d-Limonene, Geraniol, Myrcene, Neryl acetate, Beta-Pinène, Nerol, Citral, 2,6,6-trimethyl-bicyclo-2-heptene : Peut provoquer des allergies.

16. OTHER INFORMATION

Full H sentences text in point 3 :

H226	Flammable liquid and vapour.
H227	Combustible liquid
H303	May be harmful if swallowed
H304	May be fatal if swallowed and enters airways.

Material security data sheet

Printed : 01/04/2019 PETITGRAIN BIGARADE OIL PETIG0001 Review : 001NEW-32-GHS from 01/04/2019

H313	May be harmful in contact with skin
H315	Causes skin irritation.
H316	Causes mild skin irritation
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H400	Very toxic to aquatic life.
H401	Toxic to aquatic life
H402	Harmful to aquatic life
H410	Very toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

Material security data sheet according to (CE) 1272/2008

These indications are founded on the current state of our knowledge, but do not constitute a guarantee as for the properties of the product and do not give place to a contractual legal report.

Modified points : 2.3 3.1 8.2 15.2 16