

Product

PHENYL ETHYL BENZOATE

Print Date

Page 1 (8)

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

06/10/2020

Product name IFF Code Cust. Material SDS Number Product Use Description	: : : :	PHENYL ETHYL BENZOATE 00164000 00164000 R00000226461 Fragrance Ingredient
Company	:	IFF Benicarló, S.L. Avda. Felipe Klein 2 12580 BENICARLÓ
Telephone Telefax Emergency telephone number	: : :	+34964470212 +34964473411 +34 964 470 212

SECTION 2 HAZARDS IDENTIFICATION

GHS-Classification

Not a hazardous substance or mixture.

GHS-Labelling

Carcinogenicity:

No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous components

Version Revision Date : 1 : 06/10/2020

IFF Benicarló, S.L. Avda. Felipe Klein 2 12580 BENICARLÓ

Telephone: +34964470212

IFF Benicarló, S.L. Avda. Felipe Klein 2 12580 BENICARLÓ

Telefax: +34964473411



PHENYL ETHYL BENZOATE

Print Date

Product

06/10/2020

Page 2 (8)

Component	CAS-No.
Benzoic acid, 2-phenylethyl ester	94-47-3

SECTION 4. FIRST AID MEASURES

First aid procedures

Inhalation	:	Remove from exposure site to fresh air and keep at rest. If victim is unconscious, remove foreign bodies from the mouth. If victim has stopped breathing, give artificial respiration. Obtain medical advice.
Skin contact	:	Remove contaminated clothes. Wash thoroughly with water (and soap). Contact physician if symptoms persist.
Eye contact	:	Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist.
Ingestion	:	Rinse mouth with water and obtain medical advice.

SECTION 5. FIREFIGHTING MEASURES

Flammable properties Flash point	:	212.00 °F (100.00 °C)
Fire fighting Suitable extinguishing media	:	Use water spray, dry chemical, carbon dioxide or appropriate foam.
Protective equipment and precaution	ns	for firefighters
Special protective equipment for firefighters	:	Wear NIOSH approved self-contained breathing apparatus and full protective clothing when fighting fires involving chemicals. Use water spray to cool containers exposed to fire.

Version Revision Date : 1 : 06/10/2020

IFF Benicarló, S.L. Avda. Felipe Klein 2 12580 BENICARLÓ

Telephone: +34964470212

IFF Benicarló, S.L. Avda. Felipe Klein 2 12580 BENICARLÓ



PHENYL ETHYL BENZOATE

Print Date

Product

06/10/2020

Page 3 (8)

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions	:	Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.
Environmental precautions	:	Keep away from drains, surface- and groundwater and soil.
Methods for containment / Methods for cleaning up	:	Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapours. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

SECTION 7. HANDLING AND STORAGE

Handling	:	Avoid excessive inhalation of concentrated vapors. Follow good manufacturing practices for housekeeping and personal hygiene. Wash any exposed skin immediately after any chemical contact, before breaks and meals, and at the end of each work period. Contaminated clothing and shoes should be thoroughly cleaned before re-use.	
		If appropriate, procedures used during the handling of this material should also be used when cleaning equipment or removing residual chemicals from tanks or other containers, especially when steam or hot water is used, as this may increase vapor concentrations in the workplace air. Where chemicals are openly handled, access should be restricted to properly trained employees. Keep all heated processes at the lowest necessary temperature in order to minimize emissions of volatile chemicals into the air.	
Advice on protection against fire and explosion	:	Keep away from ignition sources and naked flame.	
Requirements for storage areas and containers	:	Store in a cool, dry, ventilated area away from heat sources. Keep containers upright and tightly closed when not in use.	

Version	
Revision Date	

: 1 : 06/10/2020

IFF Benicarló, S.L. Avda. Felipe Klein 2 12580 BENICARLÓ

Telephone: +34964470212

IFF Benicarló, S.L. Avda. Felipe Klein 2 12580 BENICARLÓ



Product

PHENYL ETHYL BENZOATE

Print Date

06/10/2020

Page 4 (8)

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Engineering measures

Engineering measures

: Where feasible, isolate mixing rooms and other areas where this material is used or openly handled. Maintain these areas under negative air pressure relative to the rest of the plant. Where feasible, use closed systems to transfer and process this material

Personal protective equipment

Eye protection	: Use tight-fitting goggles, face shield or safety glasses with side shields if eye contact might occur.
Hand protection	: Avoid skin contact. Use chemically resistant gloves.
Respiratory protection	 Use local exhaust ventilation around open tanks and other open sources of potential exposures in order to avoid excessive inhalation, including places where this material is openly weighed or measured. In addition, use general dilution ventilation of the work area to eliminate or reduce possible worker exposures. No respiratory protection is required during normal operations in a workplace where engineering controls such as adequate ventilation, etc. are sufficient.
	If engineering controls and safe work practices are not sufficient, an approved, properly fitted respirator with organic vapor cartridges or canisters and particulate filters should be used:
	 a) while engineering controls and appropriate safe work practices and/or procedures are being implemented; or b) during short term maintenance procedures when engineering controls are not in normal operation or are not sufficient; or c) if normal operational workplace vapor concentration in the air is increased due to heat; d) during emergencies; or e) if engineering controls and operational practices are not sufficient to reduce airborne concentrations below an established occupational exposure limit.
Version	: 1

Revision Date

: 06/10/2020

IFF Benicarló, S.L. Avda. Felipe Klein 2 12580 BENICARLÓ

Telephone: +34964470212

IFF Benicarló, S.L.



Product	PHENYL ETHYL BENZOATE		
Print Date	06/10/2020	Page 5 (8)	
Hygiene measures	 To the extent deemed appropriate, implement pre-pla regularly scheduled ascertainment of symptoms and s testing of lung function for workers who are regularly this material. To the extent deemed appropriate, use an experienced expert to identify and measure volatile chemicals that present in the workplace air to determine potential ex ensure the continuing effectiveness of engineering co operational practices to minimize exposure. 	spirometry y exposed to d air sampling t could be posures and to	
Protective measures	 In December 2003, the National Institute for Occupat and Health ("NIOSH") published an Alert on prevent disease in workers who use or make flavorings [NIOS Number 2004-110]. In August 2004, the United States Flavor and Extract Association (FEMA) issued a report entitled "Respira the Flavor Manufacturing Workplace". Both of these reports provide recommendations for re employee exposure and for medical surveillance in th The recommendations in these reports are generally a use of any chemical in the workplace and you are stro review both of these reports. The report published by FEMA also contains a list of chemicals. If any of these chemicals are present in thi concentration >= 1.0% due to an intentional addition chemical(s) will be identified in this safety data sheet 	ing lung SH Publication Manufacturers atory Safety in educing he workplace. applicable to the ongly urged to "high priority" is product at a by IFF, the	

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance

Physical state Appearance Colour

Odour

: liquid : CLEAR LIQUID : colorless to pale yellow

: conforms to standard

Version **Revision Date**

: 1 : 06/10/2020

IFF Benicarló, S.L. Avda. Felipe Klein 2 12580 BENICARLÓ

Telephone: +34964470212

IFF Benicarló, S.L. Avda. Felipe Klein 2 12580 BENICARLÓ

Telefax: +34964473411



Product	PHENYL ETHYL BENZOATE		
Print Date	06/10/2020	Page	6 (8)
Safety data			
Flash point	: 212.00 °F (100.00 °C)		
Vapour pressure	: < .01 hPa (< 0.01 hPa) Note: Calculated		
Relative density (20 °C)	: 1.0910 - 1.0990		
Partition coefficient: n-octanol/	water : log Pow: 4.210		

SECTION 10. STABILITY AND REACTIVITY

Conditions to avoid	:	Remarks: Direct sources of heat.
Chemical stability	:	Remarks: Presents no significant reactivity hazard, by itself or in contact with water. Avoid contact with strong acids, alkali or oxidizing agents.
Hazardous decomposition products	:	Note: Carbon monoxide and unidentified organic compounds may be formed during combustion.

SECTION 11. TOXICOLOGICAL INFORMATION

Acute oral toxicity	:	Acute toxicity estimate
		Dose: 5,000 mg/kg
		Method: Calculation method

SECTION 12. ECOLOGICAL INFORMATION

SECTION 13. DISPOSAL CONSIDERATIONS

Contaminated packaging		lace material into sealed containers and dispose of in accordance ith local, state and federal regulations.	
Version Revision Date		: 1 : 06/10/2020	
IFF Benicarló, S.L.		IFF Benicarló, S.L.	

IFF Benicarló, S.L. Avda. Felipe Klein 2 12580 BENICARLÓ

-

Telephone: +34964470212

Telefax: +34964473411

Avda. Felipe Klein 2

12580 BENICARLÓ



PHENYL ETHYL BENZOATE

06/10/2020

Print Date

Product

Page 7 (8)

SECTION 14. TRANSPORT INFORMATION

DOT	Not dangerous goods		
ΙΑΤΑ	UN number Description of the goods		3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. ()
	Class Packing group ICAO-Labels	: : :	9 111 9
IMDG	UN number Description of the goods	:	3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. ()
	Class Packing group IMDG-Labels EmSNumber 1	::	9 111 9 F-A
	EmSNumber 2 Marine pollutant		S-F yes ()

SECTION 15. REGULATORY INFORMATION

SARA 311/312 Hazards	: No SARA Hazards
Reportable Quantity	:
HMIS Classification	: Health hazard: 1 Flammability: 1 Physical and chemical hazards:

Version Revision Date : 1 : 06/10/2020

IFF Benicarló, S.L. Avda. Felipe Klein 2 12580 BENICARLÓ

Telephone: +34964470212

IFF Benicarló, S.L. Avda. Felipe Klein 2 12580 BENICARLÓ

0

Telefax: +34964473411

Product	PHENYL ETHYL BENZOATE		
Print Date	06/10/2020	Page	8 (8)

SECTION 16. OTHER INFORMATION

Further information

The information in this MSDS was obtained from current and reliable sources. However the data is provided without any warrant, expressed or implied, regarding its correctness or accuracy. Since the use, handling, storage and disposal of this product are beyond IFF control, it is the responsibility of the user both to determine safe conditions for the use of this product and to assume liability of loss, damage, or expense arising out of the product's improper use. No warranty expressed or implied regarding the product described herein shall be created by or inferred from any statement or omission in this MSDS. Various Federal, State or Provincial agencies may have specific regulations concerning the transportation, handling, storage, use, or disposal of this product which may not be reflected in this MSDS. The user should review these regulations to ensure full compliance.

Version Revision Date : 1 : 06/10/2020

IFF Benicarló, S.L. Avda. Felipe Klein 2 12580 BENICARLÓ

Telephone: +34964470212

IFF Benicarló, S.L. Avda. Felipe Klein 2 12580 BENICARLÓ