

Product	UNIPINE 85
Print Date	06/01/2020

Page 1 (15)

### SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

: : :	UNIPINE 85 00216015 00216015 R00000495333
:	Fragrance Compound
:	IFF CHEMICAL HOLDINGS, INC. 2051 NORTH LANE AVENUE JACKSONVILLE FL 32254
:	(904) 783-2180
:	(904) 695-4616
:	+1 800 424 9300

#### SECTION 2 HAZARDS IDENTIFICATION

#### **GHS-Classification**

Flammable liquids, Category 4 Acute toxicity, Category 4, Oral Skin irritation, Category 2 Eye irritation, Category 2A Specific target organ toxicity - single exposure, Category 2, Inhalation

#### **GHS-Labelling**

Symbol(s)	
Signal word	Warning
Hazard statements	H227: Combustible liquid. H302: Harmful if swallowed. H315: Causes skin irritation. H319: Causes serious eye irritation.
Version	: 8
Revision Date	: 02/06/2020
IFF CHEMICAL HOLDINGS, INC. 2051 NORTH LANE AVENUE JACKSONVILLE FL 32254	IFF CHEMICAL HOLDINGS, INC. 2051 NORTH LANE AVENUE JACKSONVILLE FL 32254

Telephone: +19047832180



Product	UNIPINE 85		
Print Date	06/01/2020	Page	2 (15)
	H371: May cause damage to organs (/\$/*_2ORG_S inhaled.	ING_IN	H/\$/) if
Precautionary statements	<ul> <li>P210: Keep away from heat/sparks/open flames/hot smoking.</li> <li>P260: Do not breathe dust/ fume/ gas/ mist/ vapours P280: Wear protective gloves/ eye protection/ face p P301 + P312 + P330: IF SWALLOWED: Call a PO CENTER/doctor if you feel unwell. Rinse mouth.</li> <li>P302 + P352: IF ON SKIN: Wash with plenty of so P305 + P351 + P338: IF IN EYES: Rinse cautiously several minutes. Remove contact lenses, if present a Continue rinsing.</li> <li>P308 + P311: IF exposed or concerned: Call a POIS CENTER/doctor.</li> </ul>	s/ spray. protectio DISON ap and w y with wa and easy	n. vater. ater for

#### **Carcinogenicity:**

No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

#### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical nature

: Fragrance for consumer product

Hazardous cor	nponents
---------------	----------

 Component
 CAS-No.

 Oils, pine
 8002-09-3, 8000-41-7

### SECTION 4. FIRST AID MEASURES

#### First aid procedures

Inhalation

: Remove from exposure site to fresh air and keep at rest. If victim is

Version Revision Date : 8 : 02/06/2020

IFF CHEMICAL HOLDINGS, INC. 2051 NORTH LANE AVENUE JACKSONVILLE FL 32254

Telephone: +19047832180



Product	UNIPINE 85		
Print Date	06/01/2020	Page 3 (15)	
	unconscious, remove foreign bodies from the mou stopped breathing, give artificial respiration. Obtain		
Skin contact	: Remove contaminated clothes. Wash thoroughly v soap). Contact physician if symptoms persist.	with water (and	
Eye contact	: Flush immediately with water for at least 15 minur physician if symptoms persist.	tes. Contact	
Ingestion	: Rinse mouth with water and obtain medical advice	).	

### SECTION 5. FIREFIGHTING MEASURES

Flammable properties		
Flash point	:	162 °F (72 °C)
Fire fighting		
Suitable extinguishing media	:	Use water spray, dry chemical, carbon dioxide or appropriate foam.
Protective equipment and precaution	)ns :	for firefighters
Special protective equipment for firefighters	:	Wear NIOSH approved self-contained breathing apparatus and full protective clothing when fighting fires involving chemicals. Use water spray to cool containers exposed to fire.

### SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions	:	Avoid inhalation and contact with skin breathing apparatus is recommended in	
Environmental precautions	:	Keep away from drains, surface- and g	groundwater and soil.
Methods for containment /	:	Clean up spillage promptly. Remove ig	gnition sources. Provide
Version Revision Date		: 8 : 02/06/2020	
IFF CHEMICAL HOLDINGS, INC. 2051 NORTH LANE AVENUE JACKSONVILLE FL 32254		20	FF CHEMICAL HOLDINGS, INC. J51 NORTH LANE AVENUE ACKSONVILLE FL 32254

Telephone: +19047832180



Product	UNIPINE 85		
Print Date	06/01/2020	Page	4 (15)
Methods for cleaning up	adequate ventilation. Avoid excessive inhalation of vaspillages should be contained by use of sand or inert predisposed of according to the local regulations.		

### SECTION 7. HANDLING AND STORAGE

Handling	:	Avoid excessive inhalation of concentrated vapors. Follow good manufacturing practices for housekeeping and personal hygiene. Wash any exposed skin immediately after any chemical contact, before breaks and meals, and at the end of each work period. Contaminated clothing and shoes should be thoroughly cleaned before re-use.
		If appropriate, procedures used during the handling of this material should also be used when cleaning equipment or removing residual chemicals from tanks or other containers, especially when steam or hot water is used, as this may increase vapor concentrations in the workplace air. Where chemicals are openly handled, access should be restricted to properly trained employees. Keep all heated processes at the lowest necessary temperature in order to minimize emissions of volatile chemicals into the air.
Advice on protection against fire and explosion	:	Keep away from ignition sources and naked flame.
Requirements for storage areas and containers	:	Store in a cool, dry, ventilated area away from heat sources. Keep containers upright and tightly closed when not in use.

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Components with workplace control parameters

Components	Listed by	Value type	Exposure limit(s)
3-Cyclohexene-1- methanol, .alpha.,.alpha.,4- trimethyl-	USA. ACGIH Threshold Limit Values (TLV)	8-hour, time-weighted average	20 ppm

Version Revision Date : 8 : 02/06/2020

IFF CHEMICAL HOLDINGS, INC. 2051 NORTH LANE AVENUE JACKSONVILLE FL 32254

Telephone: +19047832180



Print Date

UNIPINE 85 06/01/2020

Page 5 (15)

		[]	
Cyclohexene, 1-	USA. Workplace Environmental	8-hr TWA	30 ppm
methyl-4-(1-	Exposure Levels (WEEL)		
methylethenyl)-,			
Cyclohexene, 1-			
methyl-4-(1-			
methylethenyl)-,			
(4R)-, Cyclohexene,			
1-methyl-4-(1-			
methylethenyl)-,			
(4S)-			
Bicyclo[2.2.1]hepta	USA. Occupational Exposure	8-hour time weighted average	2 mg/m3
n-2-one, 1,7,7-	Limits (OSHA) - Table Z-1 Limits		
trimethyl-	for Air Contaminants		
Bicyclo[2.2.1]hepta	USA. ACGIH Threshold Limit	8-hour, time-weighted average	2 ppm
n-2-one, 1,7,7-	Values (TLV)		
trimethyl-			
Bicyclo[2.2.1]hepta	USA. ACGIH Threshold Limit	Short-term exposure limit	3 ppm
n-2-one, 1,7,7-	Values (TLV)	-	
trimethyl-			
Bicyclo[2.2.1]hepta	USA. NIOSH Recommended	Time-weighted average	2 mg/m3
n-2-one, 1,7,7-	Exposure Limits	concentration for up to a 10-hour	-
trimethyl-		workday during a 40-hour	
•		workweek	
Bicyclo[2.2.1]hepta	USA. OSHA - TABLE Z-1 Limits	8-hour time weighted average	2 mg/m3
n-2-one, 1,7,7-	for Air Contaminants - 1910.1000		C
trimethyl-			
Bicyclo[2.2.1]hepta	California permissible exposure	Permissible exposure limit	2 mg/m3
n-2-one, 1,7,7-	limits for chemical contaminants	*	ũ
trimethyl-	(Title 8, Article 107)		

#### **Engineering measures**

Engineering measures

: Where feasible, isolate mixing rooms and other areas where this material is used or openly handled. Maintain these areas under negative air pressure relative to the rest of the plant. Where feasible, use closed systems to transfer and process this material

#### Personal protective equipment

 Version
 : 8

 Revision Date
 : 02/06/2020

 IFF CHEMICAL HOLDINGS, INC.
 : 02/06/2020

Telephone: +19047832180



Product	UNIPINE 85
Print Date	06/01/2020 Page 6 (15)
Eye protection	: Use tight-fitting goggles, face shield or safety glasses with side shields if eye contact might occur.
Respiratory protection	<ul> <li>Use local exhaust ventilation around open tanks and other open sources of potential exposures in order to avoid excessive inhalation, including places where this material is openly weighed or measured. In addition, use general dilution ventilation of the work area to eliminate or reduce possible worker exposures. No respiratory protection is required during normal operations in a workplace where engineering controls such as adequate ventilation, etc. are sufficient.</li> </ul>
	If engineering controls and safe work practices are not sufficient, an approved, properly fitted respirator with organic vapor cartridges or canisters and particulate filters should be used:
	<ul> <li>a) while engineering controls and appropriate safe work practices and/or procedures are being implemented; or</li> <li>b) during short term maintenance procedures when engineering controls are not in normal operation or are not sufficient; or</li> <li>c) if normal operational workplace vapor concentration in the air is increased due to heat;</li> <li>d) during emergencies; or</li> <li>e) if engineering controls and operational practices are not sufficient to reduce airborne concentrations below an established occupational exposure limit.</li> </ul>
Hygiene measures	<ul> <li>To the extent deemed appropriate, implement pre-placement and regularly scheduled ascertainment of symptoms and spirometry testing of lung function for workers who are regularly exposed to this material.</li> <li>To the extent deemed appropriate, use an experienced air sampling expert to identify and measure volatile chemicals that could be present in the workplace air to determine potential exposures and to ensure the continuing effectiveness of engineering controls and operational practices to minimize exposure.</li> </ul>
Protective measures	<ul> <li>In December 2003, the National Institute for Occupational Safety and Health ("NIOSH") published an Alert on preventing lung disease in workers who use or make flavorings [NIOSH Publication Number 2004-110].</li> <li>In August 2004, the United States Flavor and Extract Manufacturers Association (FEMA) issued a report entitled "Respiratory Safety in</li> </ul>
Version Revision Date	: 8 : 02/06/2020
IFF CHEMICAL HOLDINGS, INC. 2051 NORTH LANE AVENUE	IFF CHEMICAL HOLDINGS, INC. 2051 NORTH LANE AVENUE

IFF CHEMICAL HOLDINGS, INC. 2051 NORTH LANE AVENUE JACKSONVILLE FL 32254

Telephone: +19047832180

2051 NORTH LANE AVENUE JACKSONVILLE FL 32254



Product	UNIPINE 85			
Print Date	06/01/2020	Page	7	(15)
	the Flavor Manufacturing Workplace". Both of these reports provide recommendations for employee exposure and for medical surveillance in The recommendations in these reports are generally use of any chemical in the workplace and you are st review both of these reports. The report published by FEMA also contains a list of chemicals. If any of these chemicals are present in t concentration >= 1.0% due to an intentional additio chemical(s) will be identified in this safety data she	the work applicab trongly un of "high p this produ on by IFF,	plac ole to rged prion orion	to to rity" t a

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

#### Appearance

Physical state Appearance Colour	<ul><li>liquid</li><li>CLEAR LIQUID</li><li>colorless to pale ye</li></ul>	llow
Odour	: conforms to standa	rd
Safety data		
Flash point	: 162 °F (72 °C)	
Vapour pressure	: 5.33 hPa (5.33 hPa Note: Calculated	)
Relative density (20 °C)	: 0.9240 - 0.9310	

### SECTION 10. STABILITY AND REACTIVITY

Conditions to avoid	Remarks: Direct sources of heat.	
Chemical stability	: Remarks: Presents no significant reactivity hazard, by itself or in contact with water. Avoid contact with strong acids, alkali or oxidizing agents.	
Version Revision Date	: 8 : 02/06/2020	
REVISION Dale	. 02/00/2020	
IFF CHEMICAL HOLDINGS, INC. 2051 NORTH LANE AVENUE	IFF CHEMICAL HOLDINGS, INC. 2051 NORTH LANE AVENUE	
JACKSONVILLE FL 32254	JACKSONVILLE FL 32254	
Telephone: +19047832180	Telefax: +19046954616	



Product	UNIPINE 85		
Print Date	06/01/2020	Page	8 (15)

Hazardous decomposition products

: Note: Carbon monoxide and unidentified organic compounds may be formed during combustion.

### SECTION 11. TOXICOLOGICAL INFORMATION

Acute oral toxicity	: Acute toxicity estimate Dose: 1,778 mg/kg Method: Calculation method
Acute oral toxicity (Component)	: Component: 98-55-5 LD50 Rat Dose: 4,300 mg/kg Method: OECD Test Guideline 401 Remarks: RIFM
	Component: 7299-41-4 LD50 Rat Dose: 4,300 mg/kg Remarks: RIFM
	Component: 586-62-9 LD50 Rat Dose: 3,775 mg/kg Remarks: RIFM
	Component: 138-86-3 LD50 Rat Dose: 5,300 mg/kg
	Component: 562-74-3 LD50 Rat Dose: 1,300 mg/kg Remarks: RIFM
	Component: 76-22-2 LD50 Rat Dose: 1,500 mg/kg Remarks: RIFM
	Component: 470-82-6
Version	: 8

Version Revision Date : 8 : 02/06/2020

IFF CHEMICAL HOLDINGS, INC. 2051 NORTH LANE AVENUE JACKSONVILLE FL 32254

Telephone: +19047832180



# SAFETY DATA SHEET **SAFETY DATA SHEET** INTERNATIONAL FLAVORS & FRAGRANCES

Product	UNIPINE 85	
Print Date	06/01/2020	Page 9 (15)
	LD50 Rat Dose: 2,480 mg/kg Remarks: Supplier	
Acute dermal toxicity	: Acute toxicity estimate Dose: 3,408 mg/kg Method: Calculation method	
Acute dermal toxicity (Component)	: Component: 98-55-5 LD50 Rabbit Dose: > 3,000 mg/kg Method: OECD Test Guideline 402	
	Component: 7299-41-4 LD50 Rabbit Dose: > 3,000 mg/kg	
	Component: 586-62-9 LD50 Rabbit Dose: > 5,000 mg/kg	
	Component: 138-86-3 LD50 Rabbit Dose: > 5,000 mg/kg	
	Component: 562-74-3 LD50 Rabbit Dose: 2,500 mg/kg	
	Component: 76-22-2 LD50 Rabbit Dose: > 5,000 mg/kg	
	Component: 470-82-6 LD50 Rabbit Dose: > 5,000 mg/kg	
Acute inhalation toxicity	: Acute toxicity estimate Exposure time: 4 h Dose: > 200 mg/l Method: Calculation method	
Version Revision Date	: 8 : 02/06/2020	
IFF CHEMICAL HOLDINGS, INC. 2051 NORTH LANE AVENUE JACKSONVILLE FL 32254	IFF CHEMICAL H 2051 NORTH LAN JACKSONVILLE F	E AVENUE

Telephone: +19047832180



Product	UNIPINE 85		
Print Date	06/01/2020	Page	10 (15)
Skin irritation (Component)	<ul> <li>Component: 98-55-5 Rabbit Result: Skin irritation Method: OECD Test Guideline 404 Exposure time: 24 h</li> <li>Component: 7299-41-4 Rabbit Result: Skin irritation Exposure time: 24 h</li> <li>Component: 586-62-9 human Result: No skin irritation Method: closed patch test Exposure time: 48 h Rabbit Result: No skin irritation Exposure time: 24 h</li> <li>Classification: No skin irritation Result: So skin irritation Result: Skin irritation Method: OECD Test Guideline 439 Remarks: REACH data</li> <li>Component: 138-86-3 Rabbit Result: Skin irritation Exposure time: 24 h Test substance:(undiluted) human Result: No skin irritation Method: closed patch test Exposure time: 48 h</li> <li>Component: 562-74-3 Rabbit Result: Skin irritation Exposure time: 24 h</li> <li>Component: 76-22-2 human Result: No skin irritation</li> </ul>		
Version Revision Date	: 8 : 02/06/2020		

Telephone: +19047832180

IFF CHEMICAL HOLDINGS, INC.

2051 NORTH LANE AVENUE JACKSONVILLE FL 32254



# SAFETY DATA SHEET SAFETY DATA SHEET INTERNATIONAL FLAVORS & FRAGRANCES

Product	UNIPINE 85	
Print Date	06/01/2020 Page 11 (15)	
	Method: closed patch test Exposure time: 48 h	
	Component: 470-82-6 Rabbit Result: No skin irritation Exposure time: 24 h	
Eye irritation(Component)	: Component: 98-55-5 Rabbit Result: Eye irritation Method: OECD Test Guideline 405 Exposure time: 72 h	
	Component: 586-62-9 Classification: Eye irritation Result: Eye irritation Method: OECD Test Guideline 437 Remarks: REACH data	
Sensitisation	<ul> <li>Maximisation Test Guinea pig Classification: Does not cause skin sensitisation. Result: Not a skin sensitizer. Method: OECD Test Guideline 406 Remarks: REACH data</li> </ul>	
Sensitisation (Component)	<ul> <li>Component: 98-55-5 LLNA Rat Result: causes no sensitization Method: OECD Test Guideline 429</li> <li>Component: 7299-41-4 Maximisation Test Guinea pig</li> </ul>	
	Result: Did not cause sensitisation on laboratory animals. Component: 586-62-9 Local lymph node assay (LLNA) Classification: The product is a skin sensitiser, sub-category 1B. Result: The product is a skin sensitiser, sub-category 1B. Method: OECD Test Guideline 429 Remarks: REACH data	
Version Revision Date	: 8 : 02/06/2020	
IFF CHEMICAL HOLDINGS, INC. 2051 NORTH LANE AVENUE JACKSONVILLE FL 32254	IFF CHEMICAL HOLDINGS, INC. 2051 NORTH LANE AVENUE JACKSONVILLE FL 32254	



Product	UNIPINE 85				
Print Date	06/01/2020		Page	12	(15)
Repeated dose toxicity(Component)	:	Component: 138-86-3 LLNA Mouse Result: Causes sensitisation. Test substance: 22% in ethanol/DEP (75:25) maximisation study human Result: causes no sensitization Test substance: 20% in petrolatum Component: 562-74-3 human Result: causes no sensitization Component: 98-55-5 OralRat NOEL: > 314 mg/kg Method: OECD Test Guideline 408 Remarks: No adverse effect has been observed in c tests. Component: 7299-41-4 Component: 586-62-9 OralRat NOEL: 435.8 mg/kg Method: OECD Test Guideline 422 Remarks: REACH data Component: 138-86-3 Component: 562-74-3	hronic to	kicity	, , , , , , , , , , , , , , , , , , ,
Carcinogenicity (Component)	:	Component: 98-55-5			

### SECTION 12. ECOLOGICAL INFORMATION

#### **Component:**

98-55-5

alpha-Terpineol <u>Toxicity to fish:</u> semi-static test LC50 Species: Brachydanio rerio (zebrafish)

Version Revision Date : 8 : 02/06/2020

IFF CHEMICAL HOLDINGS, INC. 2051 NORTH LANE AVENUE JACKSONVILLE FL 32254

Telephone: +19047832180



# SAFETY DATA SHEET SAFETY DATA SHEET INTERNATIONAL FLAVORS & FRAGRANCES

Product	UNIPINE 85	
Print Date	06/01/2020	Page 13 (15)
		Dose: 70 mg/l Exposure time: 96 h Method: OECD Test Guideline 203 Information taken from reference works and the literature. Toxicity to daphnia and other aquatic invertebrates: static test EC50 Species: Daphnia magna (Water flea) Dose: 73 mg/l Exposure time: 48 h Method: OECD Test Guideline 202 Information taken from reference works and the literature. Toxicity to algae: static testEC50 Species: Pseudokirchneriella subcapitata (aglae) Dose: 68 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 Information taken from reference works and the literature. Toxicity to algae: static testNOEC Species: Pseudokirchneriella subcapitata (aglae) Dose: 3.9 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 Information taken from reference works and the literature. Toxicity to balgae: static testNOEC Species: Pseudokirchneriella subcapitata (aglae) Dose: 3.9 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 Information taken from reference works and the literature. Toxicity to bacteria: static test NOEC Species: activated sludge Dose: 25.7 mg/l Method: OECD Test Guideline 310
586-62-9	Terpinolene	Toxicity to fish: LC50 Species: Danio rerio (zebra fish) Dose: 6,104 mg/l Exposure time: 96 h
Version Revision Date	: 8 : 02/06/2020	
IFF CHEMICAL HOLDINGS, INC. 2051 NORTH LANE AVENUE JACKSONVILLE FL 32254		IFF CHEMICAL HOLDINGS, INC. 2051 NORTH LANE AVENUE JACKSONVILLE FL 32254

Telephone: +19047832180



Product	UNIPINE 85	
Print Date	06/01/2020	Page 14 (15)
138-86-3	Dipentene	Analytical monitoring: yes REACH data <u>Toxicity to daphnia and other aquatic invertebrates:</u> EC50 Species: Daphnia longispina (water flea) Dose: 5.184 mg/l Exposure time: 48 h Analytical monitoring: yes Method: OECD Test Guideline 202 REACH data <u>Toxicity to fish:</u>
	Diponene	LC50 Species: Dose: 0.702 mg/l Exposure time: 96 h
562-74-3	4-Terpineol	<u>Toxicity to daphnia and other aquatic invertebrates:</u> static test EC50 Species: Daphnia magna (Water flea) Dose: 97 mg/l Exposure time: 48 h RIFM

#### SECTION 13. DISPOSAL CONSIDERATIONS

Contaminated packaging : Place material into sealed containers and dispose of in accordance with local, state and federal regulations.

### SECTION 14. TRANSPORT INFORMATION

DOT	Proper shipping name Labels UN number Class Packing group Emergency Response Guidebook Number		Combustible liquid, n.o.s. (DIPENTENE) NONE 1993 CBL III 128	
Version Revision Date	: 8 : 02/06/2	202	20	

IFF CHEMICAL HOLDINGS, INC. 2051 NORTH LANE AVENUE JACKSONVILLE FL 32254



Product	UNIPI	NE 85							
Print Date	06/01/	/2020	Page	15 (15)					
DOT NON-BULK       Not dangerous goods         IATA       Not dangerous goods         IMDG       Not dangerous goods         SECTION 15. REGULATORY INFORMATION									
SARA 311/312 I	Hazards :	Fire Hazard Acute Health Hazard							
Reportable Qua	ntity :								
HMIS Classifica	ition :	Health hazard: 1 Flammability: 2 Physical and chemical hazards: 0							

### SECTION 16. OTHER INFORMATION

#### Further information

The information in this MSDS was obtained from current and reliable sources. However the data is provided without any warrant, expressed or implied, regarding its correctness or accuracy. Since the use, handling, storage and disposal of this product are beyond IFF control, it is the responsibility of the user both to determine safe conditions for the use of this product and to assume liability of loss, damage, or expense arising out of the product's improper use. No warranty expressed or implied regarding the product described herein shall be created by or inferred from any statement or omission in this MSDS. Various Federal, State or Provincial agencies may have specific regulations concerning the transportation, handling, storage, use, or disposal of this product which may not be reflected in this MSDS. The user should review these regulations to ensure full compliance.

Version Revision Date : 8 : 02/06/2020

IFF CHEMICAL HOLDINGS, INC. 2051 NORTH LANE AVENUE JACKSONVILLE FL 32254

Telephone: +19047832180

IFF CHEMICAL HOLDINGS, INC. 2051 NORTH LANE AVENUE JACKSONVILLE FL 32254