

Product

ANETHOLE USP W/O BHT

Print Date

04/23/2022

Page 1 (10)

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name

ANETHOLE USP W/O BHT

Cust. Material

00014590 R00000212454

SDS Number

Product Use Description

Fragrance Ingredient

Company

IFF Inc.

600 Highway 36 Hazlet NJ 07730

Telephone

(732) 264-4500

Telefax

(732) 335-2551

Emergency telephone

+1 800 424 9300

SECTION 2 HAZARDS IDENTIFICATION

GHS-Classification

Skin sensitization, Sub-category 1B

GHS-Labeling

Symbol(s)

Signal Word

Warning

Hazard Statements

: H317: May cause an allergic skin reaction.

Precautionary Statements

P280: Wear protective gloves.

P302 + P352: IF ON SKIN: Wash with plenty of soap and water.

Carcinogenicity:

Version

6

Revision Date

: 04/22/2022

IFF Inc. 600 Highway 36 Hazlet NJ 07730 IFF Inc. 600 Highway 36 Hazlet NJ 07730

Telephone: +17322644500



Product

ANETHOLE USP W/O BHT

Print Date

04/23/2022

Page 2 (10)

No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous ingredients

Hazardous ingredients Component	CAS-No.
Benzene, 1-methoxy-4-(1E)-1-propen-1-yl-	4180-23-8

SECTION 4. FIRST AID MEASURES

First aid procedures

Inhalation

Remove from exposure site to fresh air and keep at rest. If victim is unconscious, remove foreign bodies from the mouth. If victim has stopped breathing, give artificial respiration. Obtain medical advice.

Skin contact

: Remove contaminated clothes. Wash thoroughly with water (and

soap). Contact physician if symptoms persist.

Eye contact

: Flush immediately with water for at least 15 minutes. Contact

physician if symptoms persist.

Ingestion

Rinse mouth with water and obtain medical advice.

Notes to physician

Risks

May cause an allergic skin reaction.

SECTION 5. FIRE-FIGHTING MEASURES

Version

Revision Date

: 04/22/2022

600 Highway 36 Hazlet NJ 07730

IFF Inc. 600 Highway 36 Hazlet NJ 07730

Telephone: +17322644500



Product

ANETHOLE USP W/O BHT

Print Date

04/23/2022

Page 3 (10)

Flammable properties

Flash point

 $> 212.0 \, ^{\circ}\text{F} \, (> 100.0 \, ^{\circ}\text{C})$

Fire fighting

Suitable extinguishing media

Use water spray, dry chemical, carbon dioxide or appropriate foam.

Protective equipment and precautions for firefighters

Special protective equipment for

fire-fighters

Wear NIOSH approved self-contained breathing apparatus and full protective clothing when fighting fires involving chemicals. Use

water spray to cool containers exposed to fire.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions : Avoid inhalation and contact with skin and eyes. A self-contained

breathing apparatus is recommended in case of a major spill.

Environmental precautions : Keep away from drains, surface- and groundwater and soil.

Methods for containment / : Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapours. Gross

spillages should be contained by use of sand or inert powder and

disposed of according to the local regulations.

SECTION 7. HANDLING AND STORAGE

Handling : Avoid excessive inhalation of concentrated vapors. Follow good

manufacturing practices for housekeeping and personal hygiene. Wash any exposed skin immediately after any chemical contact, before breaks and meals, and at the end of each work period. Contaminated clothing and shoes should be thoroughly cleaned

before re-use.

Version

Revision Date

. 6

: 04/22/2022

IFF Inc. 600 Highway 36 Hazlet NJ 07730 IFF Inc. 600 Highway 36 Hazlet NJ 07730

Telephone: +17322644500



Product

ANETHOLE USP W/O BHT

Print Date

04/23/2022

Page 4 (10)

If appropriate, procedures used during the handling of this material should also be used when cleaning equipment or removing residual chemicals from tanks or other containers, especially when steam or hot water is used, as this may increase vapor concentrations in the workplace air. Where chemicals are openly handled, access should be restricted to properly trained employees.

Keep all heated processes at the lowest necessary temperature in order to minimize emissions of volatile chemicals into the air.

Advice on protection against fire and explosion

Keep away from ignition sources and naked flame.

Requirements for storage areas and containers

Store in a cool, dry, ventilated area away from heat sources. Keep containers upright and tightly closed when not in use.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Engineering measures

Engineering measures

: Where feasible, isolate mixing rooms and other areas where this material is used or openly handled. Maintain these areas under negative air pressure relative to the rest of the plant.

Where feasible, use closed systems to transfer and process this material

Personal protective equipment

Eye protection

: Use tight-fitting goggles, face shield or safety glasses with side

shields if eye contact might occur.

Hand protection

: Avoid skin contact. Use chemically resistant gloves.

Skin and body protection

: Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.

Respiratory protection

Telephone: +17322644500

Use local exhaust ventilation around open tanks and other open sources of potential exposures in order to avoid excessive inhalation, including places where this material is openly weighed or measured.

Version Revision Date : 6

: 04/22/2022

IFF Inc. 600 Highway 36 Hazlet NJ 07730 IFF Inc. 600 Highway 36 Hazlet NJ 07730



Product

ANETHOLE USP W/O BHT

Print Date

04/23/2022

Page 5 (10)

In addition, use general dilution ventilation of the work area to eliminate or reduce possible worker exposures.

No respiratory protection is required during normal operations in a workplace where engineering controls such as adequate ventilation, etc. are sufficient.

If engineering controls and safe work practices are not sufficient, an approved, properly fitted respirator with organic vapor cartridges or canisters and particulate filters should be used:

a) while engineering controls and appropriate safe work practices and/or procedures are being implemented; or

b)during short term maintenance procedures when engineering controls are not in normal operation or are not sufficient; or c)if normal operational workplace vapor concentration in the air is increased due to heat;

d)during emergencies; or

e)if engineering controls and operational practices are not sufficient to reduce airborne concentrations below an established occupational exposure limit.

Hygiene measures

To the extent deemed appropriate, implement pre-placement and regularly scheduled ascertainment of symptoms and spirometry testing of lung function for workers who are regularly exposed to this material.

To the extent deemed appropriate, use an experienced air sampling expert to identify and measure volatile chemicals that could be present in the workplace air to determine potential exposures and to ensure the continuing effectiveness of engineering controls and operational practices to minimize exposure.

Protective measures

In December 2003, the National Institute for Occupational Safety and Health ("NIOSH") published an Alert on preventing lung disease in workers who use or make flavorings [NIOSH Publication Number 2004-110].

In August 2004, the United States Flavor and Extract Manufacturers Association (FEMA) issued a report entitled "Respiratory Safety in the Flavor Manufacturing Workplace".

Both of these reports provide recommendations for reducing employee exposure and for medical surveillance in the workplace.

Version Revision Date . 6

04/22/2022

IFF Inc. 600 Highway 36 Hazlet NJ 07730 IFF Inc. 600 Highway 36 Hazlet NJ 07730

Telephone: +17322644500



Product

ANETHOLE USP W/O BHT

Print Date

04/23/2022

Page 6 (10)

The recommendations in these reports are generally applicable to the use of any chemical in the workplace and you are strongly urged to review both of these reports.

The report published by FEMA also contains a list of "high priority" chemicals. If any of these chemicals are present in this product at a concentration >= 1.0% due to an intentional addition by IFF, the chemical(s) will be identified in this safety data sheet.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance

Physical state

: liquid

Appearance

: CLEAR LIQUID

Color

: colorless to pale yellow

Odor

: conforms to standard

Safety data

Flash point

> 212.0 °F (> 100.0 °C)

Vapor pressure

: .07 hPa (0.07 hPa)

Note: Calculated

Relative density (20 °C)

0.9840 - 0.9890

Partition coefficient: n-octanol/water : log Pow: 3.390

SECTION 10. STABILITY AND REACTIVITY

Conditions to avoid

: Remarks: Direct sources of heat.

Chemical stability

: Remarks: Presents no significant reactivity hazard, by itself or in contact with water. Avoid contact with strong acids, alkali or

oxidizing agents.

Hazardous decomposition products

: Note: Carbon monoxide and unidentified organic compounds may

Version

Revision Date

: 04/22/2022

600 Highway 36 Hazlet NJ 07730

IFF Inc. 600 Highway 36 Hazlet NJ 07730

Telephone: +17322644500



Product

ANETHOLE USP W/O BHT

Print Date

04/23/2022

Page 7 (10)

be formed during combustion.

SECTION 11. TOXICOLOGICAL INFORMATION

Acute oral toxicity

: Acute toxicity estimate

Dose: 3,000 mg/kg

Method: Calculation method

Acute oral toxicity (Component)

Component: 4180-23-8

LD50 Rat

Dose: 3,000 mg/kg Remarks: RIFM

Acute dermal toxicity

(Component)

Component: 4180-23-8

LD50 Rabbit

Dose: > 5,000 mg/kg

Method: Directive 67/548/EEC, Annex V, B.3.

Remarks: REACH data

Acute inhalation toxicity

Acute toxicity estimate

Exposure time: 4 h Dose: 5.25 mg/l

Method: Calculation method

Acute inhalation toxicity

(Component)

Component: 4180-23-8

LC50 Rat

Exposure time: 4 h Dose: >= 5.1 mg/l Remarks: REACH data

Skin irritation (Component)

Component: 4180-23-8

Rabbit

Classification: No skin irritation Result: No skin irritation

Method: OECD Test Guideline 404

Exposure time: 4 h Remarks: REACH data

Eye irritation(Component)

Component: 4180-23-8

Version

Revision Date

: 6

: 04/22/2022

IFF Inc. 600 Highway 36 Hazlet NJ 07730 IFF Inc. 600 Highway 36 Hazlet NJ 07730

Telephone: +17322644500



Product

ANETHOLE USP W/O BHT

Print Date

04/23/2022

Page 8 (10)

Rabbit

Classification: No eye irritation Result: No eye irritation

Method: OECD Test Guideline 405

Exposure time: 1 d Remarks: REACH data

Sensitization

Classification: The product is a skin sensitizer, sub-category 1B.

Result: The product is a skin sensitizer, sub-category 1B.

Sensitization (Component)

Component: 4180-23-8

LLNA Guinea pig Result: Skin Sensitizer

Method: OECD Test Guideline 406

Remarks: REACH data

Repeated dose

: Component: 4180-23-8

toxicity(Component)

OralRat

Method: OECD Test Guideline 452

Remarks: REACH data

Carcinogenicity (Component)

Component: 4180-23-8

Oral Rat

Method: OECD Test Guideline 453

SECTION 12. ECOLOGICAL INFORMATION

Component:

4180-23-8

Anethole trans

Toxicity to fish:

flow-through test LC50

Species: Danio rerio (zebra fish)

Dose: 7 mg/l Exposure time: 28 d

Method: REACH data

Toxicity to daphnia and other aquatic invertebrates:

EC50

Species: Daphnia magna (Water flea)

Dose: 2.81 mg/l Exposure time: 21 d

Version

: 6

Revision Date

: 04/22/2022

IFF Inc. 600 Highway 36 Hazlet NJ 07730 IFF Inc. 600 Highway 36 Hazlet NJ 07730

Telephone: +17322644500



Product

ANETHOLE USP W/O BHT

Print Date

04/23/2022

Page 9 (10)

REACH data

<u>Toxicity to algae:</u>

EC50

Species: ALGAE Dose: 9.57 mg/l REACH data

SECTION 13. DISPOSAL CONSIDERATIONS

Contaminated packaging

Place material into sealed containers and dispose of in accordance

with local, state and federal regulations.

SECTION 14. TRANSPORT INFORMATION

DOT

Not dangerous goods

IATA

Not dangerous goods

IMDG

Not dangerous goods

SECTION 15. REGULATORY INFORMATION

SARA 311/312 Hazards

: Respiratory or skin sensitization

Reportable Quantity

:

HMIS Classification

: Health Hazard: 2

Chronic Health Hazard: /

Flammability: 1

Physical and chemical hazards: 0

Version Revision Date : 6

: 04/22/2022

IFF Inc. 600 Highway 36 Hazlet NJ 07730 IFF Inc. 600 Highway 36 Hazlet NJ 07730

Telephone: +17322644500



Product

ANETHOLE USP W/O BHT

Print Date

04/23/2022

Page 10 (10)

SECTION 16. OTHER INFORMATION

Further information

The information in this MSDS was obtained from current and reliable sources. However the data is provided without any warrant, expressed or implied, regarding its correctness or accuracy. Since the use, handling, storage and disposal of this product are beyond IFF control, it is the responsibility of the user both to determine safe conditions for the use of this product and to assume liability of loss, damage, or expense arising out of the product's improper use. No warranty expressed or implied regarding the product described herein shall be created by or inferred from any statement or omission in this MSDS. Various Federal, State or Provincial agencies may have specific regulations concerning the transportation, handling, storage, use, or disposal of this product which may not be reflected in this MSDS. The user should review these regulations to ensure full compliance.

Version Revision Date 6

04/22/2022

IFF Inc. 600 Highway 36 Hazlet NJ 07730 IFF Inc. 600 Highway 36 Hazlet NJ 07730

Telephone: +17322644500