



# SAFETY DATA SHEET

## INTERNATIONAL FLAVORS & FRAGRANCES

Product AQUAFLOA TOCO

Print Date 05/17/2022

Page 1 (11)

### SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : AQUAFLOA TOCO  
Cust. Material : 00134635  
SDS Number : 300000372086  
Product Use Description : Fragrance Ingredient

Company : IFF Inc.  
600 Highway 36  
Hazlet NJ 07730

Telephone : (732) 264-4500  
Telefax : (732) 335-2551  
Emergency telephone : +1 800 424 9300

### SECTION 2 HAZARDS IDENTIFICATION

#### GHS-Classification

Acute toxicity, Category 4, Oral  
Acute toxicity, Category 4, Inhalation  
Skin irritation, Category 2  
Eye irritation, Category 2A  
Skin sensitization, Category 1

#### GHS-Labeling

Symbol(s)



Signal Word

: Warning

Hazard Statements

: H302 + H332: Harmful if swallowed or if inhaled.  
H315: Causes skin irritation.  
H317: May cause an allergic skin reaction.  
H319: Causes serious eye irritation.

Version

: 4

Revision Date

: 05/16/2022

IFF Inc.  
600 Highway 36  
Hazlet NJ 07730

IFF Inc.  
600 Highway 36  
Hazlet NJ 07730

Telephone: +17322644500

Telefax: +17323352551



# SAFETY DATA SHEET

## INTERNATIONAL FLAVORS & FRAGRANCES

Product AQUAFLOA TOCO

Print Date 05/17/2022

Page 2 (11)

Precautionary Statements : P280: Wear protective gloves/ eye protection/ face protection.  
P301 + P312 + P330: IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell. Rinse mouth.  
P302 + P352: IF ON SKIN: Wash with plenty of soap and water.  
P305 + P351 + P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

### Carcinogenicity:

No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### Hazardous ingredients

| Component                                                                                                     | CAS-No.                    |
|---------------------------------------------------------------------------------------------------------------|----------------------------|
| 4,7-Methano-1H-indene-5-acetaldehyde, octahydro-, 4,7-Methano-1H-indene-5-carboxaldehyde, octahydro-6-methyl- | 1339119-15-1, 1338815-87-4 |
| 2H-1-Benzopyran-6-ol, 3,4-dihydro-2,5,7,8-tetramethyl-2-(4,8,12-trimethyltridecyl)-                           | 10191-41-0                 |
| Benzenepropanoic acid, 3,5-bis(1,1-dimethylethyl)-4-hydroxy-, methyl ester                                    | 6386-38-5                  |

### SECTION 4. FIRST AID MEASURES

#### First aid procedures

Inhalation : Remove from exposure site to fresh air and keep at rest. If victim is unconscious, remove foreign bodies from the mouth. If victim has stopped breathing, give artificial respiration. Obtain medical advice.

Version : 4  
Revision Date : 05/16/2022

IFF Inc.  
600 Highway 36  
Hazlet NJ 07730

IFF Inc.  
600 Highway 36  
Hazlet NJ 07730

Telephone: +17322644500

Telefax: +17323352551



# SAFETY DATA SHEET

## INTERNATIONAL FLAVORS & FRAGRANCES

Product AQUAFLOA TOCO

Print Date 05/17/2022

Page 3 (11)

Skin contact : Remove contaminated clothes. Wash thoroughly with water (and soap). Contact physician if symptoms persist.

Eye contact : Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist.

Ingestion : Rinse mouth with water and obtain medical advice.

### Notes to physician

Risks : Harmful if swallowed or if inhaled.  
Causes skin irritation.  
May cause an allergic skin reaction.  
Causes serious eye irritation.

## SECTION 5. FIRE-FIGHTING MEASURES

### Flammable properties

Flash point : 244.40 °F (118.00 °C)

### Fire fighting

Suitable extinguishing media : Use water spray, dry chemical, carbon dioxide or appropriate foam.

### Protective equipment and precautions for firefighters

Special protective equipment for fire-fighters : Wear NIOSH approved self-contained breathing apparatus and full protective clothing when fighting fires involving chemicals. Use water spray to cool containers exposed to fire.

## SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions : Avoid inhalation and contact with skin and eyes. A self-contained

Version : 4

Revision Date : 05/16/2022

IFF Inc.  
600 Highway 36  
Hazlet NJ 07730

IFF Inc.  
600 Highway 36  
Hazlet NJ 07730

Telephone: +17322644500

Telefax: +17323352551



# SAFETY DATA SHEET

## INTERNATIONAL FLAVORS & FRAGRANCES

Product AQUAFLOA TOCO

Print Date 05/17/2022

Page 4 (11)

breathing apparatus is recommended in case of a major spill.

Environmental precautions : Keep away from drains, surface- and groundwater and soil.

Methods for containment /  
Methods for cleaning up : Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapours. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

### SECTION 7. HANDLING AND STORAGE

Handling : Avoid excessive inhalation of concentrated vapors. Follow good manufacturing practices for housekeeping and personal hygiene. Wash any exposed skin immediately after any chemical contact, before breaks and meals, and at the end of each work period. Contaminated clothing and shoes should be thoroughly cleaned before re-use.

If appropriate, procedures used during the handling of this material should also be used when cleaning equipment or removing residual chemicals from tanks or other containers, especially when steam or hot water is used, as this may increase vapor concentrations in the workplace air. Where chemicals are openly handled, access should be restricted to properly trained employees. Keep all heated processes at the lowest necessary temperature in order to minimize emissions of volatile chemicals into the air.

Advice on protection against fire and explosion : Keep away from ignition sources and naked flame.

Requirements for storage areas and containers : Store in a cool, dry, ventilated area away from heat sources. Keep containers upright and tightly closed when not in use.

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Ingredients with workplace control parameters

#### Engineering measures

Engineering measures : Where feasible, isolate mixing rooms and other areas where this

Version : 4

Revision Date : 05/16/2022

IFF Inc.  
600 Highway 36  
Hazlet NJ 07730

IFF Inc.  
600 Highway 36  
Hazlet NJ 07730

Telephone: +17322644500

Telefax: +17323352551



# SAFETY DATA SHEET

## INTERNATIONAL FLAVORS & FRAGRANCES

Product AQUAFLOA TOCO

Print Date 05/17/2022

Page 5 (11)

material is used or openly handled. Maintain these areas under negative air pressure relative to the rest of the plant. Where feasible, use closed systems to transfer and process this material

### Personal protective equipment

- Eye protection : Use tight-fitting goggles, face shield or safety glasses with side shields if eye contact might occur.
- Hand protection : Avoid skin contact. Use chemically resistant gloves.
- Skin and body protection : Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.
- Respiratory protection : Use local exhaust ventilation around open tanks and other open sources of potential exposures in order to avoid excessive inhalation, including places where this material is openly weighed or measured. In addition, use general dilution ventilation of the work area to eliminate or reduce possible worker exposures. No respiratory protection is required during normal operations in a workplace where engineering controls such as adequate ventilation, etc. are sufficient.

If engineering controls and safe work practices are not sufficient, an approved, properly fitted respirator with organic vapor cartridges or canisters and particulate filters should be used:

- a)while engineering controls and appropriate safe work practices and/or procedures are being implemented; or
- b)during short term maintenance procedures when engineering controls are not in normal operation or are not sufficient; or
- c)if normal operational workplace vapor concentration in the air is increased due to heat ;
- d)during emergencies; or
- e)if engineering controls and operational practices are not sufficient to reduce airborne concentrations below an established occupational exposure limit.

Version : 4  
Revision Date : 05/16/2022

IFF Inc.  
600 Highway 36  
Hazlet NJ 07730

IFF Inc.  
600 Highway 36  
Hazlet NJ 07730

Telephone: +17322644500

Telefax: +17323352551



# SAFETY DATA SHEET

## INTERNATIONAL FLAVORS & FRAGRANCES

Product AQUAFLOA TOCO

Print Date 05/17/2022

Page 6 (11)

- Hygiene measures : To the extent deemed appropriate, implement pre-placement and regularly scheduled ascertainment of symptoms and spirometry testing of lung function for workers who are regularly exposed to this material.  
To the extent deemed appropriate, use an experienced air sampling expert to identify and measure volatile chemicals that could be present in the workplace air to determine potential exposures and to ensure the continuing effectiveness of engineering controls and operational practices to minimize exposure.
- Protective measures : In December 2003, the National Institute for Occupational Safety and Health ("NIOSH") published an Alert on preventing lung disease in workers who use or make flavorings [NIOSH Publication Number 2004-110].  
In August 2004, the United States Flavor and Extract Manufacturers Association (FEMA) issued a report entitled "Respiratory Safety in the Flavor Manufacturing Workplace".  
Both of these reports provide recommendations for reducing employee exposure and for medical surveillance in the workplace. The recommendations in these reports are generally applicable to the use of any chemical in the workplace and you are strongly urged to review both of these reports.  
The report published by FEMA also contains a list of "high priority" chemicals. If any of these chemicals are present in this product at a concentration  $\geq 1.0\%$  due to an intentional addition by IFF, the chemical(s) will be identified in this safety data sheet.

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

#### Appearance

- Physical state : liquid  
Appearance : CLEAR LIQUID  
Color : colorless to pale yellow
- Odor : conforms to standard

#### Safety data

- Version : 4  
Revision Date : 05/16/2022

IFF Inc.  
600 Highway 36  
Hazlet NJ 07730

IFF Inc.  
600 Highway 36  
Hazlet NJ 07730

Telephone: +17322644500

Telefax: +17323352551



# SAFETY DATA SHEET

## INTERNATIONAL FLAVORS & FRAGRANCES

Product AQUAFLOA TOCO

Print Date 05/17/2022

Page 7 (11)

---

Flash point : 244.40 °F (118.00 °C)

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Freezing point : < -4.00 °F (< -20.00 °C)  
Method: OECD Test Guideline 102

Boiling point : 496.40 °F (258.00 °C)  
at 1,023.00 hPa (1,023 hPa)  
Method: OECD Test Guideline 103

Vapor pressure : .06 hPa (0.06 hPa)  
Note: Calculated

Relative density (20 °C) : 1.0160 - 1.0230

Water solubility : 0.0596 g/l  
at 68 °F (20 °C)  
Method: OECD Test Guideline 105

Partition coefficient: n-octanol/water : log Pow: 3.000 - 4.000  
Method: OECD 117

Surface tension : 64 mN/m  
at 70 °F (21 °C)  
Method: OECD 115

### **SECTION 10. STABILITY AND REACTIVITY**

Conditions to avoid : Remarks: Direct sources of heat.

Chemical stability : Remarks: Presents no significant reactivity hazard, by itself or in contact with water. Avoid contact with strong acids, alkali or oxidizing agents.

Hazardous decomposition products : Note: Carbon monoxide and unidentified organic compounds may be formed during combustion.

---

Version : 4  
Revision Date : 05/16/2022

IFF Inc.  
600 Highway 36  
Hazlet NJ 07730

IFF Inc.  
600 Highway 36  
Hazlet NJ 07730

Telephone: +17322644500

Telefax: +17323352551



# SAFETY DATA SHEET

## INTERNATIONAL FLAVORS & FRAGRANCES

Product AQUAFLOA TOCO

Print Date 05/17/2022

Page 8 (11)

### SECTION 11. TOXICOLOGICAL INFORMATION

Acute oral toxicity : Acute toxicity estimate  
Dose: 500.5 mg/kg  
Method: Calculation method

Acute oral toxicity (Component) : Component: 1339119-15-1  
LD50 Rat  
Dose: 500 mg/kg

Acute dermal toxicity : Acute toxicity estimate  
Dose: 2,503 mg/kg  
Method: Calculation method

Acute dermal toxicity (Component) : Component: 1339119-15-1  
LD50 Rat  
Dose: > 2,000 mg/kg  
Method: OECD Test Guideline 402

Acute inhalation toxicity : Acute toxicity estimate  
Exposure time: 4 h  
Dose: 3.49 mg/l  
Method: Calculation method

Acute inhalation toxicity (Component) : Component: 1339119-15-1  
LC50 Rat  
Exposure time: 4 h  
Dose: 3.49 mg/l  
Method: OECD Test Guideline 403  
Test substance: see user defined free text  
Remarks: REACH data

Skin irritation (Component) : Component: 1339119-15-1  
Result: irritating  
Method: OECD 439  
Result: not corrosive  
Method: OECD 431

Eye irritation(Component) : Component: 1339119-15-1  
Rabbit  
Classification: Irritating to eyes.  
Result: Irritation to eyes, reversing within 7 days

Version : 4  
Revision Date : 05/16/2022

IFF Inc.  
600 Highway 36  
Hazlet NJ 07730

IFF Inc.  
600 Highway 36  
Hazlet NJ 07730

Telephone: +17322644500

Telefax: +17323352551



# SAFETY DATA SHEET

## INTERNATIONAL FLAVORS & FRAGRANCES

Product AQUAFLOA TOCO

Print Date 05/17/2022

Page 9 (11)

Method: OECD Test Guideline 405

Sensitization (Component) : Component: 1339119-15-1  
repeated insult patch test human  
Result: Does not cause skin sensitization.  
Test substance: 1.0%  
LLNA Mouse  
Result: Causes sensitization.  
Method: OECD 429  
Test substance: 25%  
repeated insult patch test human  
Result: causes no sensitization  
Test substance: 2.0%

Repeated dose : Component: 1339119-15-1  
toxicity(Component) IngestionRat  
NOEL: 93.2 mg/kg  
Method: OECD Test Guideline 407  
IngestionRat  
NOEL: 98.1 mg/kg  
Method: OECD Test Guideline 407

### SECTION 12. ECOLOGICAL INFORMATION

Component:  
1339119-15-1

AQUAFLOA

Toxicity to fish:  
LC50  
Species: Fish  
Dose: 4.81 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates:  
Immobilization EC50  
Species: Daphnia magna (Water flea)  
Dose: 0.69 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202

Version : 4  
Revision Date : 05/16/2022

IFF Inc.  
600 Highway 36  
Hazlet NJ 07730

IFF Inc.  
600 Highway 36  
Hazlet NJ 07730

Telephone: +17322644500

Telefax: +17323352551



# SAFETY DATA SHEET

## INTERNATIONAL FLAVORS & FRAGRANCES

Product AQUAFLOA TOCO

Print Date 05/17/2022

Page 10 (11)

Toxicity to algae:

EC50

Species:

Dose: 3.1 mg/l

Toxicity to algae:

NOEC

Species:

Dose: 0.9 mg/l

### SECTION 13. DISPOSAL CONSIDERATIONS

Contaminated packaging : Place material into sealed containers and dispose of in accordance with local, state and federal regulations.

### SECTION 14. TRANSPORT INFORMATION

**DOT** Not dangerous goods

**IATA** UN number : 3082  
Description of the goods : ENVIRONMENTALLY HAZARDOUS  
SUBSTANCE, LIQUID, N.O.S.  
(4,7-METHANO-1H-INDENE-5-ACETALDEHYDE,  
OCTAHYDRO-)  
Class : 9  
Packing group : III  
ICAO-Labels : 9

**IMDG** UN number : 3082  
Description of the goods : ENVIRONMENTALLY HAZARDOUS  
SUBSTANCE, LIQUID, N.O.S.  
(4,7-METHANO-1H-INDENE-5-ACETALDEHYDE,  
OCTAHYDRO-)  
Class : 9  
Packing group : III  
IMDG-Labels : 9  
EmSNumber 1 : F-A  
EmSNumber 2 : S-F

Version : 4  
Revision Date : 05/16/2022

IFF Inc.  
600 Highway 36  
Hazlet NJ 07730

IFF Inc.  
600 Highway 36  
Hazlet NJ 07730

Telephone: +17322644500

Telefax: +17323352551



# SAFETY DATA SHEET

## INTERNATIONAL FLAVORS & FRAGRANCES

Product AQUAFLOA TOCO

Print Date 05/17/2022

Page 11 (11)

Marine pollutant : yes  
(4,7-METHANO-1H-INDENE-5-ACETALDEHYDE,  
OCTAHYDRO-)

### SECTION 15. REGULATORY INFORMATION

SARA 311/312 Hazards : Acute toxicity (any route of exposure)  
Skin corrosion or irritation  
Respiratory or skin sensitization  
Serious eye damage or eye irritation

Reportable Quantity :

HMIS Classification : Health Hazard: 2  
Chronic Health Hazard: /  
Flammability: 1  
Physical and chemical hazards: 0

### SECTION 16. OTHER INFORMATION

#### Further information

The information in this MSDS was obtained from current and reliable sources. However the data is provided without any warrant, expressed or implied, regarding its correctness or accuracy. Since the use, handling, storage and disposal of this product are beyond IFF control, it is the responsibility of the user both to determine safe conditions for the use of this product and to assume liability of loss, damage, or expense arising out of the product's improper use. No warranty expressed or implied regarding the product described herein shall be created by or inferred from any statement or omission in this MSDS. Various Federal, State or Provincial agencies may have specific regulations concerning the transportation, handling, storage, use, or disposal of this product which may not be reflected in this MSDS. The user should review these regulations to ensure full compliance.

Version : 4  
Revision Date : 05/16/2022

IFF Inc.  
600 Highway 36  
Hazlet NJ 07730

IFF Inc.  
600 Highway 36  
Hazlet NJ 07730

Telephone: +17322644500

Telefax: +17323352551