

CEDROL TEXAS (CEDRENOL)

Print Date

Product

06/10/2020

Page 1 (8)

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name IFF Code Cust. Material SDS Number Product Use Description	: : : :	CEDROL TEXAS (CEDRENOL) 00032960 00032960 R00000216285 Flavour or Fragrance Ingredient
Company	:	PostalCode: 311606 Zhejiang Jiande City, Hangzhou MamuRoad,Xiayatown18 INTERNATIONAL FLAVORS & FRAGRANCES(HANGZHOU) CO., LTD.
Telephone	:	+8657164735488
Telefax	:	+8657164722092
Emergency telephone number	:	+86 532 8388 9090

SECTION 2 HAZARDS IDENTIFICATION

GHS-Classification

Not a hazardous substance or mixture.

GHS-Labelling

Carcinogenicity:

No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous components

Version Revision Date : 1 : 05/24/2020

PostalCode: 311606 Zhejiang Jiande City, Hangzhou MamuRoad,Xiayatown18 INTERNATIONAL FLAVORS & FRAGRANCES(HANGZHOU) CO., LTD.

Telephone: +8657164735488

PostalCode: 311606 Zhejiang Jiande City, Hangzhou MamuRoad,Xiayatown18 INTERNATIONAL FLAVORS & FRAGRANCES(HANGZHOU) CO., LTD.



CEDROL TEXAS (CEDRENOL)

Print Date

Product

06/10/2020

Page 2 (8)

Component	CAS-No.
1H-3a,7-Methanoazulen-6-ol, octahydro-3,6,8,8-tetramethyl-, (3R,3aS,6R,7R,8aS)-	77-53-2

SECTION 4. FIRST AID MEASURES

First aid procedures

Inhalation	:	Remove from exposure site to fresh air and keep at rest. If victim is unconscious, remove foreign bodies from the mouth. If victim has stopped breathing, give artificial respiration. Obtain medical advice.
Skin contact	:	Remove contaminated clothes. Wash thoroughly with water (and soap). Contact physician if symptoms persist.
Eye contact	:	Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist.
Ingestion	:	Rinse mouth with water and obtain medical advice.

SECTION 5. FIREFIGHTING MEASURES

Flammable properties Flash point	:	178 °F (81 °C)		
Fire fighting Suitable extinguishing media	:	Use water spray, dry chemical, carbon	n dioxide or appropriate foam.	
Protective equipment and precaution	ns i	for firefighters		
Special protective equipment for firefighters	:	Wear NIOSH approved self-contained breathing apparatus and full protective clothing when fighting fires involving chemicals. Use water spray to cool containers exposed to fire.		
Version		: 1		
Revision Date		: 05/24/2020		
PostalCode: 311606 Zhejiang Jiande City, Hangzhou MamuRoad,Xiayatown18 INTERNATIONAL FLAVORS & FRAGRANCES(HANGZHOU) CO., LTD.			PostalCode: 311606 Zhejiang Jiande City, Hangzhou MamuRoad, Xiayatown18 INTERNATIONAL FLAVORS & FRAGRANCES(HANGZHOU) CO., LTD.	

Telephone: +8657164735488



CEDROL TEXAS (CEDRENOL)

Print Date

Product

06/10/2020

Page 3 (8)

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions	:	Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.
Environmental precautions	:	Keep away from drains, surface- and groundwater and soil.
Methods for containment / Methods for cleaning up	:	Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation or exhaust. Avoid excessive inhalation of dust and vapours. Contain and recover free product. Dispose of according to the local regulations.

SECTION 7. HANDLING AND STORAGE

Handling :	Avoid excessive inhalation of cond manufacturing practices for housel Wash any exposed skin immediate before breaks and meals, and at the Contaminated clothing and shoes s before re-use.	keeping and personal hygiene. ly after any chemical contact, e end of each work period.
	If appropriate, procedures used dur should also be used when cleaning chemicals from tanks or other cont hot water is used, as this may incre workplace air. Where chemicals ar restricted to properly trained emplo Keep all heated processes at the lo order to minimize emissions of vol	equipment or removing residual ainers, especially when steam or ease vapor concentrations in the re openly handled, access should be bygees. west necessary temperature in
Advice on protection against fire : and explosion	Keep away from ignition sources a	nd naked flame.
Requirements for storage areas and : containers	Store in a cool, dry, ventilated area containers upright and tightly close	•
Version	: 1	
Revision Date	: 05/24/2020	
PostalCode: 311606 Zhejiang Jiande City, Hangzhou MamuRoad,Xiayatown18 INTERNATIONAL FLAVORS & FRAGRANCES(HANGZHOU) CO., LTD. Telephone: +8657164735488		PostalCode: 311606 Zhejiang Jiande City, Hangzhou MamuRoad,Xiayatown18 INTERNATIONAL FLAVORS & FRAGRANCES(HANGZHOU) CO., LTD. Telefax: +8657164722092



Product

CEDROL TEXAS (CEDRENOL)

Print Date

06/10/2020

Page 4 (8)

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Engineering measures	
Engineering measures	: Where feasible, isolate mixing rooms and other areas where this material is used or openly handled. Maintain these areas under negative air pressure relative to the rest of the plant. Where feasible, use closed systems to transfer and process this material
Personal protective equipment	
Eye protection	: Use tight-fitting goggles, face shield or safety glasses with side shields if eye contact might occur.
Hand protection	: Avoid skin contact. Use chemically resistant gloves.
Respiratory protection	 Use local exhaust ventilation around open tanks and other open sources of potential exposures in order to avoid excessive inhalation, including places where this material is openly weighed or measured. In addition, use general dilution ventilation of the work area to eliminate or reduce possible worker exposures. No respiratory protection is required during normal operations in a workplace where engineering controls such as adequate ventilation, etc. are sufficient. If engineering controls and safe work practices are not sufficient, an approved, properly fitted respirator with organic vapor cartridges or canisters and particulate filters should be used: a) while engineering controls and appropriate safe work practices and/or procedures are being implemented; or b) during short term maintenance procedures when engineering controls are not in normal operation or are not sufficient; or c) if normal operational workplace vapor concentration in the air is increased due to heat; d) during emergencies; or e) if engineering controls and operational practices are not sufficient to reduce airborne concentrations below an established occupational
Version Revision Date	: 1 : 05/24/2020

PostalCode: 311606 Zhejiang Jiande City, Hangzhou MamuRoad,Xiayatown18 INTERNATIONAL FLAVORS & FRAGRANCES(HANGZHOU) CO., LTD.

Telephone: +8657164735488

PostalCode: 311606 Zhejiang Jiande City, Hangzhou MamuRoad,Xiayatown18 INTERNATIONAL FLAVORS & FRAGRANCES(HANGZHOU) CO., LTD.



Product	CEDROL TEXAS (CEDRENOL)			
Print Date	06/10/2020	Page	5	(8)
	exposure limit.			
Hygiene measures	 To the extent deemed appropriate, implement pre-pla regularly scheduled ascertainment of symptoms and s testing of lung function for workers who are regularly this material. To the extent deemed appropriate, use an experienced expert to identify and measure volatile chemicals that present in the workplace air to determine potential ex ensure the continuing effectiveness of engineering co operational practices to minimize exposure. 	pirometr v exposed l air samp could be posures a	y l to plin e and	-
Protective measures	 In December 2003, the National Institute for Occupat and Health ("NIOSH") published an Alert on prevent disease in workers who use or make flavorings [NIOS Number 2004-110]. In August 2004, the United States Flavor and Extract Association (FEMA) issued a report entitled "Respira the Flavor Manufacturing Workplace". Both of these reports provide recommendations for re employee exposure and for medical surveillance in th The recommendations in these reports are generally a use of any chemical in the workplace and you are stro- review both of these reports. The report published by FEMA also contains a list of chemicals. If any of these chemicals are present in thi concentration >= 1.0% due to an intentional addition chemical(s) will be identified in this safety data sheet 	ing lung SH Public Manufac atory Safe educing workpl pplicable ongly urg "high pr is produc by IFF, t	cation cture ety i lace to red t iori t at	ers in the ty"

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance

Physical state Appearance Colour	solidSOLIDcolorless to pale yellow	
Odour	: conforms to standard	
Version Revision Date	: 1 : 05/24/2020	
PostalCode: 311606 Zhejiang Jiande City, Hangzhou MamuRoad,Xiayatown18 INTERNATIONAL FLAVORS & FRAGRANCES(HANGZHOU) CO., LTD.		Posta Zhej: Mam INTI FRA

PostalCode: 311606 Zhejiang Jiande City, Hangzhou MamuRoad,Xiayatown18 INTERNATIONAL FLAVORS & FRAGRANCES(HANGZHOU) CO., LTD.

Telephone: +8657164735488



Product	CEDROL TEXAS (CEDRENOL)		
Print Date	06/10/2020		6 (8)
Safety data			
Flash point	: 178 °F (81 °C)		
Freezing point	: 174.20 °F (79.00 °C)		
Vapour pressure	: Note: Not applicable		

Partition coefficient: n-octanol/water : log Pow: 5.290

: 1

Relative density (20 °C)

SECTION 10. STABILITY AND REACTIVITY

Conditions to avoid	:	Remarks: Direct sources of heat.
Chemical stability	:	Remarks: Presents no significant reactivity hazard, by itself or in contact with water. Avoid contact with strong acids, alkali or oxidizing agents.
Hazardous decomposition products	:	Note: Carbon monoxide and unidentified organic compounds may be formed during combustion.

SECTION 11. TOXICOLOGICAL INFORMATION

SECTION 12. ECOLOGICAL INFORMATION

SECTION 13. DISPOSAL CONSIDERATIONS

Contaminated packaging	:	Place material into sealed containers and dispose of in accordance with local, state and federal regulations.	
Version		: 1	

Version Revision Date

. . : 05/24/2020

PostalCode: 311606 Zhejiang Jiande City, Hangzhou MamuRoad,Xiayatown18 INTERNATIONAL FLAVORS & FRAGRANCES(HANGZHOU) CO., LTD.

Telephone: +8657164735488

PostalCode: 311606 Zhejiang Jiande City, Hangzhou MamuRoad,Xiayatown18 INTERNATIONAL FLAVORS & FRAGRANCES(HANGZHOU) CO., LTD.



CEDROL TEXAS (CEDRENOL)

Print Date

Product

06/10/2020

Page 7 (8)

SECTION 14. TRANSPORT INFORMATION

DOT	Proper shipping name Labels UN number Class Packing group Emergency Response Guidebook Number	 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (CEDROL) 9 3077 9 III 171 			
DOT NON-BULK Not dangerous goods					
ΙΑΤΑ	UN number Description of the goods Class Packing group ICAO-Labels	 3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (CEDROL) 9 III 9 			
IMDG	UN number Description of the goods Class Packing group IMDG-Labels EmSNumber 1 EmSNumber 2 Marine pollutant	 : 3077 : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (CEDROL) : 9 : III : 9 : F-A : S-F : yes (CEDROL) 			

SECTION 15. REGULATORY INFORMATION

:

SARA 311/312 Hazards

: No SARA Hazards

Reportable Quantity

Version Revision Date : 1 : 05/24/2020

PostalCode: 311606 Zhejjang Jiande City, Hangzhou MamuRoad,Xiayatown18 INTERNATIONAL FLAVORS & FRAGRANCES(HANGZHOU) CO., LTD.

Telephone: +8657164735488

PostalCode: 311606 Zhejiang Jiande City, Hangzhou MamuRoad,Xiayatown18 INTERNATIONAL FLAVORS & FRAGRANCES(HANGZHOU) CO., LTD.



Product	CEDROL TEXAS (CEDRENOL)		
Print Date	06/10/2020	Page	8 (8)
HMIS Classification	: Health hazard: 0 Flammability: 0 Physical and chemical hazards: 0		

SECTION 16. OTHER INFORMATION

Further information

The information in this MSDS was obtained from current and reliable sources. However the data is provided without any warrant, expressed or implied, regarding its correctness or accuracy. Since the use, handling, storage and disposal of this product are beyond IFF control, it is the responsibility of the user both to determine safe conditions for the use of this product and to assume liability of loss, damage, or expense arising out of the product's improper use. No warranty expressed or implied regarding the product described herein shall be created by or inferred from any statement or omission in this MSDS. Various Federal, State or Provincial agencies may have specific regulations concerning the transportation, handling, storage, use, or disposal of this product which may not be reflected in this MSDS. The user should review these regulations to ensure full compliance.

Version Revision Date

: 1 : 05/24/2020

PostalCode: 311606 Zhejiang Jiande City, Hangzhou MamuRoad,Xiayatown18 INTERNATIONAL FLAVORS & FRAGRANCES(HANGZHOU) CO., LTD.

Telephone: +8657164735488

PostalCode: 311606 Zhejiang Jiande City, Hangzhou MamuRoad,Xiayatown18 INTERNATIONAL FLAVORS & FRAGRANCES(HANGZHOU) CO., LTD.