

Product	CITROLATE
Print Date	06/10/2020

Page 1 (8)

### SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name IFF Code Cust. Material SDS Number Product Use Description	: : : :	CITROLATE 00062960 00062960 R00000221727 Fragrance Ingredient
Company	:	IFF Benicarló, S.L. Avda. Felipe Klein 2 12580 BENICARLÓ
Telephone Telefax Emergency telephone number	: : :	+34964470212 +34964473411 +34 964 470 212

### SECTION 2 HAZARDS IDENTIFICATION

#### **GHS-Classification**

Flammable liquids, Category 4 Skin irritation, Category 2

#### **GHS-Labelling**

Symbol(s)	
Signal word	: Warning
Hazard statements	: H227: Combustible liquid. H315: Causes skin irritation.
Precautionary statements	<ul> <li>P210: Keep away from heat/sparks/open flames/hot surfaces. No smoking.</li> <li>P280: Wear protective gloves.</li> <li>P302 + P352: IF ON SKIN: Wash with plenty of soap and water.</li> </ul>
Version Revision Date	: 2 : 06/10/2020

IFF Benicarló, S.L. Avda. Felipe Klein 2 12580 BENICARLÓ

Telephone: +34964470212

Telefax: +34964473411

IFF Benicarló, S.L.

Avda. Felipe Klein 2 12580 BENICARLÓ



Product	CITROLATE		
Print Date	06/10/2020	Page	2 (8)

#### **Carcinogenicity:**

No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

#### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

CAS-No.	: 67634-26-8	
Hazardous components		
Component		CAS-No.
2,4-dimethylcyclohex-3-ene-1-me	ethyl acetate	67634-25-7, 67634-26-8

### SECTION 4. FIRST AID MEASURES

First aid procedures		
Inhalation	Remove from exposure site to fresh air and keep at rest. unconscious, remove foreign bodies from the mouth. If stopped breathing, give artificial respiration. Obtain med	victim has
Skin contact	Remove contaminated clothes. Wash thoroughly with w soap). Contact physician if symptoms persist.	ater (and
Eye contact	Flush immediately with water for at least 15 minutes. Cophysician if symptoms persist.	ontact
Ingestion	Rinse mouth with water and obtain medical advice.	

## SECTION 5. FIREFIGHTING MEASURES

#### Flammable properties

Version Revision Date : 2 : 06/10/2020

IFF Benicarló, S.L. Avda. Felipe Klein 2 12580 BENICARLÓ

Telephone: +34964470212

IFF Benicarló, S.L. Avda. Felipe Klein 2 12580 BENICARLÓ



Product	CITROLATE		
Print Date	06/10/2020	Page	3 (8)
Flash point	: 185.00 °F (85.00 °C)		
<b>Fire fighting</b> Suitable extinguishing media	: Use water spray, dry chemical, carbon dioxide or app	propriate fo	bam.
Protective equipment and pro	ecautions for firefighters		
Special protective equipment f firefighters	for : Wear NIOSH approved self-contained breathing app protective clothing when fighting fires involving che water spray to cool containers exposed to fire.		

## SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions	:	Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.
Environmental precautions	:	Keep away from drains, surface- and groundwater and soil.
Methods for containment / Methods for cleaning up	:	Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapours. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

## SECTION 7. HANDLING AND STORAGE

Handling	Avoid excessive inhalation of concentrated vapors. Follow good manufacturing practices for housekeeping and personal hygiene. Wash any exposed skin immediately after any chemical contact, before breaks and meals, and at the end of each work period. Contaminated clothing and shoes should be thoroughly cleaned before re-use.	
	If appropriate, procedures used during the handling of this material should also be used when cleaning equipment or removing residual chemicals from tanks or other containers, especially when steam or	
Version	: 2	
Revision Date	: 06/10/2020	
IFF Benicarló, S.L. Avda. Felipe Klein 2 12580 BENICARLÓ	IFF Benicarló, S.L. Avda. Felipe Klein 2 12580 BENICARLÓ	

Telefax: +34964473411



Product	CITROLATE				
Print Date	06/10/2020		Page	4	(8)
		hot water is used, as this may increase vapor concentra workplace air. Where chemicals are openly handled, a restricted to properly trained employees. Keep all heated processes at the lowest necessary temp order to minimize emissions of volatile chemicals into	ccess sho perature i	ould	be
Advice on protection against f and explosion	re :	Keep away from ignition sources and naked flame.			
Requirements for storage areas containers	and :	Store in a cool, dry, ventilated area away from heat so containers upright and tightly closed when not in use.	urces. Ke	eep	

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Components with workplace control parameters

#### **Engineering measures**

Engineering measures	:	Where feasible, isolate mixing rooms and other areas where this material is used or openly handled. Maintain these areas under negative air pressure relative to the rest of the plant. Where feasible, use closed systems to transfer and process this material
Personal protective equipment		
Eye protection	:	Use tight-fitting goggles, face shield or safety glasses with side shields if eye contact might occur.
Hand protection	:	Avoid skin contact. Use chemically resistant gloves.
Respiratory protection	:	Use local exhaust ventilation around open tanks and other open sources of potential exposures in order to avoid excessive inhalation, including places where this material is openly weighed or measured. In addition, use general dilution ventilation of the work area to eliminate or reduce possible worker exposures. No respiratory protection is required during normal operations in a workplace where engineering controls such as adequate ventilation, etc. are sufficient.
Version Revision Date		: 2 : 06/10/2020

IFF Benicarló, S.L. Avda. Felipe Klein 2 12580 BENICARLÓ IFF Benicarló, S.L.

Avda. Felipe Klein 2 12580 BENICARLÓ



Product	CITROLATE
Print Date	06/10/2020 Page 5 (8)
	approved, properly fitted respirator with organic vapor cartridges or canisters and particulate filters should be used:
	<ul> <li>a) while engineering controls and appropriate safe work practices and/or procedures are being implemented; or</li> <li>b) during short term maintenance procedures when engineering controls are not in normal operation or are not sufficient; or</li> <li>c) if normal operational workplace vapor concentration in the air is increased due to heat;</li> <li>d) during emergencies; or</li> <li>e) if engineering controls and operational practices are not sufficient to reduce airborne concentrations below an established occupational exposure limit.</li> </ul>
Hygiene measures	<ul> <li>To the extent deemed appropriate, implement pre-placement and regularly scheduled ascertainment of symptoms and spirometry testing of lung function for workers who are regularly exposed to this material.</li> <li>To the extent deemed appropriate, use an experienced air sampling expert to identify and measure volatile chemicals that could be present in the workplace air to determine potential exposures and to ensure the continuing effectiveness of engineering controls and operational practices to minimize exposure.</li> </ul>
Protective measures	<ul> <li>In December 2003, the National Institute for Occupational Safety and Health ("NIOSH") published an Alert on preventing lung disease in workers who use or make flavorings [NIOSH Publication Number 2004-110].</li> <li>In August 2004, the United States Flavor and Extract Manufacturers Association (FEMA) issued a report entitled "Respiratory Safety in the Flavor Manufacturing Workplace".</li> <li>Both of these reports provide recommendations for reducing employee exposure and for medical surveillance in the workplace. The recommendations in these reports are generally applicable to the use of any chemical in the workplace and you are strongly urged to review both of these reports.</li> <li>The report published by FEMA also contains a list of "high priority" chemicals. If any of these chemicals are present in this product at a concentration &gt;= 1.0% due to an intentional addition by IFF, the chemical(s) will be identified in this safety data sheet.</li> </ul>
Version Revision Date	: 2 : 06/10/2020

IFF Benicarló, S.L. Avda. Felipe Klein 2 12580 BENICARLÓ

Telephone: +34964470212

IFF Benicarló, S.L. Avda. Felipe Klein 2 12580 BENICARLÓ



Product	CITROLATE
Print Date	06/10/2020

Page 6 (8)

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance
------------

Physical state Appearance Colour	: : :	liquid CLEAR LIQUID colorless
Odour	:	conforms to standard
Safety data		
Flash point	:	185.00 °F (85.00 °C)
Vapour pressure	:	< .01 hPa (< 0.01 hPa) Note: Calculated
Relative density (20 °C)	:	0.962 - 0.967
Partition coefficient: n-octanol/water	:	log Pow: 3.480

## SECTION 10. STABILITY AND REACTIVITY

Conditions to avoid	: Remarks: Direct sources of heat.	
Chemical stability	: Remarks: Presents no significant reactivity hazard, by itself or in contact with water. Avoid contact with strong acids, alkali or oxidizing agents.	
Hazardous decomposition products	: Note: Carbon monoxide and unidentified organic compounds may be formed during combustion.	y

## SECTION 11. TOXICOLOGICAL INFORMATION

Acute oral toxicity	: Acute toxicity estimate Dose: 2,500 mg/kg Method: Calculation method
Version	: 2
Revision Date	: 06/10/2020

IFF Benicarló, S.L. Avda. Felipe Klein 2 12580 BENICARLÓ

Telephone: +34964470212

IFF Benicarló, S.L.

Avda. Felipe Klein 2

12580 BENICARLÓ



Product	CITROLATE		
Print Date	06/10/2020		7 (8)
Acute oral toxicity (Component	nt) : Component: 67634-25-7 LD50 Oral Rat Dose: 2,500 mg/kg		
Skin irritation (Component)	: Component: 67634-25-7 Rabbit Result: No skin irritation		
Eye irritation(Component)	: Component: 67634-25-7 Rabbit Result: Mild eye irritation		
Sensitisation (Component)	<ul> <li>Component: 67634-25-7 human</li> <li>Result: Did not cause sensitisation on laboratory anim Test substance: 6.2%</li> </ul>	als.	
Repeated dose toxicity(Component)	: Component: 67634-25-7		

## SECTION 12. ECOLOGICAL INFORMATION

## SECTION 13. DISPOSAL CONSIDERATIONS

Contaminated packaging : Place material into sealed containers and dispose of in accordance with local, state and federal regulations.

### SECTION 14. TRANSPORT INFORMATION

DOT	Proper shipping name	:	Combustible liquid, n.o.s. (3,5-DIMETHYLCYCLOHEX-3-ENE-1-METHYL ACETATE)
	Labels	:	NONE

Version Revision Date : 2 : 06/10/2020

IFF Benicarló, S.L. Avda. Felipe Klein 2 12580 BENICARLÓ

Telephone: +34964470212

IFF Benicarló, S.L. Avda. Felipe Klein 2 12580 BENICARLÓ

Telefax: +34964473411



Product	CITROLATE					
Print Date	06/10/2020		Page	8 (8)		
	UN number Class Packing group Emergency Response Guidebook Number	: 1993 : CBL : III : 128				
DOT NON-BU	LK Not dangerous goods					
ΙΑΤΑ	Not dangerous goods					
IMDG	Not dangerous goods					
SECTION 1.	SECTION 15. REGULATORY INFORMATION					
SARA 311/312		rd alth Hazard				
Reportable Qu	antity :					
HMIS Classifie	Flammabi					

## SECTION 16. OTHER INFORMATION

#### **Further information**

The information in this MSDS was obtained from current and reliable sources. However the data is provided without any warrant, expressed or implied, regarding its correctness or accuracy. Since the use, handling, storage and disposal of this product are beyond IFF control, it is the responsibility of the user both to determine safe conditions for the use of this product and to assume liability of loss, damage, or expense arising out of the product's improper use. No warranty expressed or implied regarding the product described herein shall be created by or inferred from any statement or omission in this MSDS. Various Federal, State or Provincial agencies may have specific regulations concerning the transportation, handling, storage, use, or disposal of this product which may not be reflected in this MSDS. The user should review these regulations to ensure full compliance.

Version Revision Date : 2 : 06/10/2020

IFF Benicarló, S.L. Avda. Felipe Klein 2 12580 BENICARLÓ

Telephone: +34964470212

IFF Benicarló, S.L.