Safety Data Sheet (SDS) North American (U.S. and Canada)

Revision date: 2022-08-18

SECTION 1: Identification

Product identifiers:

| Product trade name: Company product number: Other means of identification: | Kalama* Lilestralis* Pure LALPURE 32229; p-tert-Butyl-alpha-methylhydrocinnamic aldehyde (BMHCA) |
|--|--|
| Recommended use of the chemical and restric | tions on use: |
| Uses: Restrictions on use: | Fragrance ingredient; Industrial applications. None identified |
| Details of the supplier: | |
| Manufacturer/Supplier: | Emerald Kalama Chemical Limited Dans Road Widnes, Cheshire WA8 0RF United Kingdom Telephone: +44 (0) 151 423 8000 Emerald Kalama Chemical, U.C. |
| U.S. company: | Emerald Kalama Chemical, LLC 1499 SE Tech Center Place, Suite 300 Vancouver, WA 98683 United States Telephone: +1-360-954-7100 |
| For further information about this SDS: | Email: product.compliance@emeraldmaterials.com |
| Emergency telephone number: | |

ChemTel (24 hours): 1-800-255-3924 (USA); +1-813-248-0585 (outside USA).

Emerald Kalama[®]

Chemical

SECTION 2: Hazard(s) identification

Information in accordance with U.S. 29 CFR 1910.1200 (Hazcom 2012) and Canada Hazardous Products Regulations (WHMIS 2015):

Classification of the product:

Acute Toxicity, Oral, category 4 Skin Irritation, category 2 Skin sensitizer, category 1B Reproductive Toxicity, category 1B

Label elements:

Hazard pictogram(s):



Signal word: Danger

Hazard statements:

H302 Harmful if swallowed.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H360 May damage fertility. Suspected of damaging the unborn child.

Precautionary statements:

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P272 Contaminated work clothing should not be allowed out of the workplace.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P301+P312 IF SWALLOWED: Call a POISON CENTRE/doctor if you feel unwell.

P302+P352 IF ON SKIN: Wash with plenty of soap and water.

P308+P313 IF exposed or concerned: Get medical advice/attention.

P330 Rinse mouth.
P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
P362+P364 Take off contaminated clothing and wash it before reuse.
P405 Store locked up.
P501 Dispose of contents/container in accordance with local, regional and international regulations.
Supplemental information: Hazardous to the aquatic environment - Chronic Category 3, Harmful to aquatic life with long lasting effects.
Precautionary statements are listed according to the United Nations Globally Harmonized System of Classification and Labelling of Chemicals (GHS) - Annex III.
Regulations in individual countries/regions may determine which statements are required on the product label. See product label for specifics.

Hazards not otherwise classified:

Physical hazards not otherwise classified: No Additional Information Health hazards not otherwise classified: No Additional Information

See Section 11 for toxicological information.

SECTION 3: Composition/information on ingredients

Substance:

CAS-No. 0000080-54-6 0056107-04-1 Chemical Name

2-(4-tert-Butylbenzyl)propionaldehyde 3-(p-tert-Butylphenyl)-2-methylpropanol <u>Weight%</u> 99-100 0.1-<1.0

Amounts specified are typical and do not represent a specification. Remaining components are proprietary, non-hazardous, and/or present at amounts below reportable limits.

SECTION 4: First-aid measures

Description of first aid measures:

General: If irritation or other symptoms occur or persist from any route of exposure, remove the affected individual from the area: see a physician/get medical attention.

Eye contact: Immediately flush eyes with plenty of clean water for an extended time, not less than fifteen (15) minutes. Flush longer if there is any indication of residual chemical in the eye. Ensure adequate flushing of the eyes by separating the eyelids with fingers and roll eyes in a circular motion. If eye irritation persists: Get medical advice/attention.

Skin contact: Immediately remove contaminated clothing and shoes. Wash the affected area with plenty of soap and water until no evidence of the chemical remains (at least 15-20 minutes). Launder clothing before reuse. If skin irritation occurs: Get medical advice/attention.

Inhalation: If affected, remove to fresh air. If breathing is difficult, give oxygen. If not breathing, give artificial respiration. Call a POISON CENTER or doctor/physician if you feel unwell.

Ingestion: Do not induce vomiting. Never give anything by mouth to an unconscious person. Rinse out the mouth with water. Get medical attention immediately.

Protection of first aid responders: Wear proper personal protective clothing and equipment.

Most important symptoms and effects, both acute and delayed: Irritation. Preexisting sensitization, skin and/or respiratory disorders or diseases may be aggravated. See section 11 for additional information.

Indication of any immediate medical attention and special treatment needed, if necessary: Treat symptomatically.

SECTION 5: Fire-fighting measures

NFPA flammability class: IIIB

Extinguishing media:

Suitable: NFPA Class IIIB (Combustible liquid): Use water spray, ABC dry chemical, foam or carbon dioxide. Water or foam may cause frothing. Use water to keep fire-exposed containers cool. Water spray may be used to flush spills away from exposures.

Unsuitable: None known.

Special hazards arising from the chemical:

Unusual fire/explosion hazards: Product is not considered a fire hazard, but will burn if ignited. Closed container may rupture (due to build up in pressure) when exposed to extreme heat. Combustion hazard: waste soaked with this product may heat to temperatures causing self-ignition if improperly discarded. Many aldehydes readily oxidize exothermically when exposed to air. Any clean up materials, like rags, towels, etc. should be washed with water with mild soap or laundered with mild detergent before proper disposal to avoid the potential temperature rise from oxidation.

Hazardous combustion products: Irritating or toxic substances may be emitted upon burning, combustion or decomposition. See section 10 (Hazardous decomposition products) for additional information.

Special protective equipment and precautions for fire-fighters: Wear self-contained breathing apparatus (SCBA) equipped with a full facepiece and operated in a pressure-demand mode (or other positive pressure mode) and approved protective clothing. Personnel without suitable respiratory protection must leave the area to prevent significant exposure to hazardous gases from combustion, burning or decomposition. In an enclosed or poorly ventilated area, wear SCBA during cleanup immediately after a fire as well as during the attack phase of firefighting operations.

See section 9 for additional information.

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures: See Section 8 for recommendations on the use of personal protective equipment. If spilled in an enclosed area, ventilate. Eliminate ignition sources. Personal Protective Equipment must be worn.

Environmental precautions: Do not flush liquid into public sewer, water systems or surface waters.

Methods and materials for containment and cleaning up: Contain by diking with sand, earth or other non-combustible material. Wear proper personal protective clothing and equipment. Absorb spill with an inert material. Place into labeled, closed container; store in safe location to await disposal. Change contaminated clothing and launder before reuse. Combustion hazard: waste soaked with this product may heat to temperatures causing self-ignition if improperly discarded. Immediately after use, rags, steel wool or other waste should be wetted or cleaned with water with mild soap or laundered with mild detergent or placed into a water-filled metal container before proper disposal.

SECTION 7: Handling and storage

Precautions for safe handling: As with any chemical product, use good laboratory/workplace procedures. Do not cut, puncture, or weld on or near the container. Do not get in eyes, on skin or clothing. Do not breathe dust, vapor, aerosol, mist or gas. Do not ingest, taste, or swallow. Wash thoroughly after handling this product. Always wash up before eating, smoking or using the facilities. Use under well-ventilated conditions. Wash contaminated clothing before reuse. Provide eyewash fountains and safety showers in the work area.

Conditions for safe storage, including any incompatibilities: Store cool and dry, under well-ventilated conditions. Keep away from heat, sparks and open flames. Store this material away from incompatible substances (see section 10). Do not store in open, unlabeled or mislabeled containers. Keep container closed when not in use. Do not reuse empty container without commercial cleaning or reconditioning. Empty container contains residual product which may exhibit hazards of product. Product can easily oxidize. It is recommended that opened containers be padded with nitrogen. Protect from light. Product can easily oxidize. It is recommended that opened containers be padded with nitrogen.

SECTION 8: Exposure controls / personal protection

Control parameters:

Occupational exposure limits (OEL):

| Chemical Name 2-(4-tert-Butylbenzyl)propionaldehyde 3-(p-tert-Butylphenyl)-2-methylpropanol Chemical Name | ACGIH - TWA/Ceiling N/E N/E <u>OSHA - PEL</u> | OSHA - STEL | <u>ACGIH - STEL</u> N/E N/E <u>OSHA - Ceiling</u> | <u>AIHA - WEEL</u> |
|--|--|----------------------|--|-----------------------------------|
| 2-(4-tert-Butylbenzyl)propionaldehyde | N/E | N/E | N/E | N/E |
| 3-(p-tert-Butylphenyl)-2-methylpropanol | N/E | N/E | N/E | N/E |
| Chemical Name | <u>Canada Ontario</u> | <u>Canada Quebec</u> | <u>Canada Alberta</u> | <u>Canada British</u> Columbia |
| 2-(4-tert-Butylbenzyl)propionaldehyde | N/E | N/E | N/E | N/E |
| 3-(p-tert-Butylphenyl)-2-methylpropanol | N/E | N/E | N/E | N/E |

N/E=Not established (no exposure limits established for the listed substances for listed country/region/organization).

Exposure controls:

Appropriate engineering controls: Always provide effective general and, when necessary, local exhaust ventilation to draw spray, aerosol, fume, mist and vapor away from workers to prevent routine inhalation. Ventilation must be adequate to maintain the ambient workplace atmosphere below the exposure limit(s) outlined in the SDS. (Ventilation guidelines/techniques may be found in publications such as Industrial Ventilation: American Conference of Governmental Industrial Hygienists, 1330 Kemper Meadow Drive, Cincinnati, OH, 45240-1634, USA.) (http://www.acgih.org/home.htm).

Individual protection measures, such as personal protective equipment (PPE):

Eye/face protection: Safety glasses or goggles required.

Skin and body protection: Wear chemical resistant (impervious) gloves. Use good laboratory/workplace procedures including personal protective clothing: labcoat, safety glasses and protective gloves.

Respiratory protection: Wear an approved respirator (e.g., an organic vapor respirator, a full face air purifying respirator

for organic vapors, or a self-contained breathing apparatus) whenever exposure to aerosol, mist, spray, fume or vapor exceed the applicable exposure limit(s) of any chemical substance listed in this SDS. Use respirator in accordance with manufacturer's use limitations and OSHA standard 1910.134 (29CFR).

Further information: Eyewash fountains and safety showers are recommended in the work area.

| Form: | Liquid | pH: | Not Available |
|--|----------------------------------|--|------------------------------|
| Appearance: | Colorless | Relative density: | 0.943-0.946 (20°C) |
| Odor: | Floral | Partition coefficient (n- octanol/water): | 4.2 (24°C) |
| Odor threshold: | Not Available | % Volatile by weight: | 100% |
| Solubility in water: | 33 mg/L (20°C) | VOC: | 100% |
| Evaporation rate: | Not Available | Boiling point °C: | 279 °C |
| Vapor pressure: | 0.0025 hPa @ 20°C | Boiling point °F: | 535 °F |
| Vapor density: | > 1 | Flash point: | >114 °C (>237 °F) Closed Cup |
| Viscosity: | 12.3 mPa.s (20°C) | Auto-ignition temperature: | 257°C (495°F) |
| Melting point/Freezing point: | <-20°C (<-4°F) | Flammability (solid, gas): | Not Applicable (liquid) |
| Oxidizing properties: | Not oxidizing | Flammability or explosive limits: | LFL/LEL: 0.5% |
| Explosive properties: Decomposition temperature: | Not explosive >220°C (>428°F) | | UFL/UEL: 3.1% |

Other information: Amounts specified are typical and do not represent a specification.

SECTION 10: Stability and reactivity

Reactivity: None known.

Chemical stability: This product is stable. Readily undergoes oxidation by air.

Possibility of hazardous reactions: Hazardous polymerization will not occur.

Conditions to avoid: Excessive heat and ignition sources.

Incompatible materials: Avoid contact with strong oxidizing agents.

Hazardous decomposition products: Carbon dioxide, carbon monoxide and hydrocarbons.

SECTION 11: Toxicological information

Information on likely routes of exposure:

General: Caution must be exercised through the prudent use of protective equipment and handling procedures to minimize exposure. 2-(4-TERT-BUTYLBENZYL)PROPIONALDEHYDE: May cause adverse reproductive effects based on animal data.

Eyes: May cause eye irritation.

Skin: May cause allergic skin reaction. Causes skin irritation.

Inhalation: High airborne concentrations of vapors resulting from heating, misting or spraying may cause irritation of the respiratory tract and mucous membranes.

Ingestion: Harmful if swallowed. Ingestion may cause irritation.

Skin irritation

N/E

Irritant (OECD 404)

Symptoms/effects, acute and delayed: Irritation

Acute toxicity information: Harmful if swallowed (Category 4).

| Chemical Name | Inhalation LC50 | <u>Species</u> | <u>Oral LD50</u> | <u>Species</u> | Dermal LD50 | <u>Species</u> |
|---|------------------------|----------------|------------------|----------------|-------------|----------------|
| 2-(4-tert-Butylbenzyl)propionaldehyde | >0.18 mg/L (7 hours, | Rat/ adult | 1390 mg/kg | Rat/ adult | >2000 mg/kg | Rat/ adult |
| 3-(p-tert-Butylphenyl)-2-methylpropanol | no mortalities) N/E | N/E | >300-<2000 mg/kg | Rat/ adult | N/E | |

Skin corrosion/irritation: Causes skin irritation (Category 2).

<u>Chemical Name</u> 2-(4-tert-Butylbenzyl)propionaldehyde 3-(p-tert-Butylphenyl)-2-methylpropanol <u>Species</u> Rabbit/ adult N/E Serious eye damage/irritation: Not classified (based on available data, the classification criteria are not met).

| Chemical Name | Eye irritation | Species |
|---|----------------|---------------|
| 2-(4-tert-Butylbenzyl)propionaldehyde | Non-irritant | Rabbit/ adult |
| 3-(p-tert-Butylphenyl)-2-methylpropanol | N/E | N/E |

Respiratory or skin sensitization: Skin sensitization (Category 1B).

| Chemical Name | Skin sensitisation | Species |
|---|--------------------|--------------------|
| 2-(4-tert-Butylbenzyl)propionaldehyde | Sensitizer | Weight of evidence |
| 3-(p-tert-Butylphenyl)-2-methylpropanol | N/E | N/E |

Carcinogenicity: Not classified (no relevant information found).

Carcinogenic status: Not listed or regulated by IARC (Group 1 or 2), NTP, OSHA, or ACGIH.

Germ cell mutagenicity: Not classified (based on available data, the classification criteria are not met). 2-(4-TERT-BUTYLBENZYL) PROPIONALDEHYDE: Mutagenic assays were negative for both in vivo and in vitro assays.

Reproductive toxicity: May damage fertility or the unborn child (Category 1B). 2-(4-TERT-BUTYLBENZYL)PROPIONALDEHYDE: Repeated dose study, oral, male rats (1-generation study): NOAEL (No-observable-adverse- effect-level)(fertility) = 25 mg/kg/day (based on adverse effects on testes and fertility). Prenatal Developmental toxicity, oral, rat (OECD 414): NOAEL (developmental toxicity): 4.1 mg/kg bw/day; NOAEL (maternal toxicity) = 4.1 mg/kg/day.

Specific target organ toxicity (STOT) - single exposure: Not classified (based on available data, the classification criteria are not met).

Specific target organ toxicity (STOT) - repeated exposure: Not classified (based on available data, the classification criteria are not met). 2-(4-TERT-BUTYLBENZYL)PROPIONALDEHYDE: Repeated dose, oral gavage, 90-day, rats (OECD 408): NOAEL (no-observed-adverse-exposure-level): 25 mg/kg/day (testicular atrophy and adverse clinical signs of toxicity), NOEL (no-exposure-effect-level): 5 mg/kg/day (plasma cholinesterase). Repeated dose, dermal, 5 days, rats: NOAEL: 1000 mg/kg bw/day (testicular atrophy and reduced body weight gain).

Aspiration hazard: Not classified.

Other toxicity information: No additional information available.

SECTION 12: Ecological information

Ecotoxicity:

| Image: Problem Probl | | | | | | | |
|---|-------|---|-----------------|-----------------------------|-------|---------------------------|--|
| 2:(4-tert-Butylbenzyl)propionaldehyde Invertebrates EC50 10.7 mg/L (48 hours) N/E 229) 2:(4-tert-Butylbenzyl)propionaldehyde Agae EC50 10.7 mg/L (48 hours) N/E V/E 2:(4-tert-Butylbenzyl)propionaldehyde Micro-organisms EC50 12.9 into mg/L (3 hours) (OECD N/E V/E 3:(p-tert-Butylbenzyl)propionaldehyde Fish N/E N/E N/E V/E 3:(p-tert-Butylbenzyl)propionaldehyde N/E N/E N/E N/E 3:(p-tert-Butylbenzyl)propionaldehyde Agae N/E N/E N/E 3:(p-tert-Butylbenzyl)propionaldehyde Agae N/E N/E N/E 3:(p-tert-Butylbenzyl)propionaldehyde Agae N/E N/E N/E 2:(4-tert-Butylbenzyl)propionaldehyde Readily biodegradable (OECD 301B) N/E N/E Ecto 1:: Chemical Name 2:(4-tert-Butylbenzyl)propionaldehyde Perteition factor (BCF) Log Kow 2:(4-tert-Butylbenzyl)propionaldehyde 2?4:3 L/kg (calculated) 4.2 (24*C) 3:(p-tert-Butylbenzyl)propionaldehyde 2?4:3 L/kg (calculated) 4.38 (calculated) 3:(p-tert-Butylbenzyl)propionaldehyde 22(4:tert-Butylbenzyl)propionaldehyde 2/2 (2*C) 3:(p-tert-Butylbenzyl)propionaldehyde 2/2 (2*C)< | | Chemical Name | Species | Acute | Acute | Chronic | |
| 2.(4-tert-Butylbenzyl)propionaldehyde Algae EC50 29.155 mg/L (72 hours) EC10 - 100 mg/L (3 hours) (OECD 200) N/E EC10 1.696 mg/L (72 hours) EC10 - 100 mg/L (3 hours) (OECD 200) 3.(p-tert-Butylphenyl)-2- Fish N/E N/E N/E 3.(p-tert-Butylphenyl)-2- Invertebrates N/E N/E N/E 3.(p-tert-Butylphenyl)-2- Algae N/E N/E N/E 3.(p-tert-Butylphenyl)-2- Algae N/E N/E N/E Persistence and degradability: N/E N/E N/E N/E 2.(4-tert-Butylphenyl)-2-methylpropionaldehyde Readily biodegradable (OECD 301B) Readily biodegradably Readil | | 2-(4-tert-Butylbenzyl)propionaldehyde | Fish | LC50 2.04 mg/L (96 hours) | N/E | 5 ())(| |
| 2-(4-tert-Butylphenzyl)propionaldehyde Micro-organisms EC10 >100 mg/L (3 hours) (ÓECD 200) 3-(p-tert-Butylphenzyl)-2- methylpropanol Fish N/E N/E 3-(p-tert-Butylphenzyl)-2- methylpropanol Invertebrates N/E N/E 3-(p-tert-Butylphenzyl)-2- methylpropanol Algae N/E N/E 3-(p-tert-Butylphenzyl)-2- methylpropanol Algae N/E N/E 2-(4-tert-Butylphenzyl)-2- methylpropanol Algae N/E N/E 2-(4-tert-Butylphenzyl)propionaldehyde 3-(p-tert-Butylphenzyl)propionaldehyde <b< td=""><td></td><td>2-(4-tert-Butylbenzyl)propionaldehyde</td><td>Invertebrates</td><td>EC50 10.7 mg/L (48 hours)</td><td>N/E</td><td>N/E</td></b<> | | 2-(4-tert-Butylbenzyl)propionaldehyde | Invertebrates | EC50 10.7 mg/L (48 hours) | N/E | N/E | |
| 3-(p-tert-Butylphenyl)-2- Fish N/E N/E N/E methylpropanol 3-(p-tert-Butylphenyl)-2- Invertebrates N/E N/E 3-(p-tert-Butylphenyl)-2- Invertebrates N/E N/E N/E 3-(p-tert-Butylphenyl)-2- Algae N/E N/E N/E Persistence and degradability: | | 2-(4-tert-Butylbenzyl)propionaldehyde | Algae | EC50 29.155 mg/L (72 hours) | N/E | EC10 1.696 mg/L(72 hours) | |
| Interfunction Interference Interference Interference Interference 3-(p-tert-Butylphenyl)-2- methylpropanol Algae N/E N/E N/E Persistence and degradability: Interference Interference N/E N/E Chemical Name 2-(4-tert-Butylphenyl)-2- methylpropanol Biodegradabile (OECD 301B) Readily biodegradable (OECD 301B) Readily biodegradable (OECD 301B) Interference Bioaccumulative potential: E E E E Chemical Name 2-(4-tert-Butylphenyl)-2-methylpropanol Bioconcentration Factor (BCF) N/E Eog Kow 4.2 (24*C) 4.38 (calculated) Bioaccumulative potential: 2/(4-tert-Butylphenyl)-2-methylpropanol N/E Eog Kow 4.2 (24*C) 4.38 (calculated) Mobility in soil: Eog Kow 4.2 (24*C) 3-(p-tert-Butylphenyl)-2-methylpropanol N/E Eog Kow 4.2 (24*C) 4.38 (calculated) Mobility in soil: Eog Kow 4.2 (24*C) 3-(p-tert-Butylphenyl)-2-methylpropanol Import N/E | | 2-(4-tert-Butylbenzyl)propionaldehyde | Micro-organisms | | | | |
| Interfunction of the standard | | | Fish | N/E | N/E | N/E | |
| 3-(p-fert-Butylphenyl)-2- methylpropanolAlgaeN/EN/EPersistence and degradability:Chemical Name 2-(4-tert-Butylbenzyl)propionaldehyde 3-(p-tert-Butylphenyl)-2-methylpropanolBiodegradable (OECD 301B) Readily biodegradable (OECD 301B) | | | Invertebrates | N/E | N/E | N/E | |
| Chemical Name Biodegradation 2-(4-tert-Butylbenzyl)propionaldehyde Readily biodegradable (OECD 301B) 3-(p-tert-Butylphenyl)-2-methylpropanol Readily biodegradable (OECD 301B) Bioaccumulative potential: Enemical Name 2-(4-tert-Butylbenzyl)propionaldehyde Bioconcentration Factor (BCF) 2-(4-tert-Butylbenzyl)propionaldehyde 274.3 L/kg (calculated) 3-(p-tert-Butylbenzyl)propionaldehyde 274.3 L/kg (calculated) 3-(p-tert-Butylbenzyl)propionaldehyde Alge (calculated) 3-(p-tert-Butylbenzyl)propionaldehyde Pressential Chemical Name Mobility in soil (Koc/Kow) 2-(4-tert-Butylbenzyl)propionaldehyde 1285 (calculated) N/E N/E | | 3-(p-tert-Butylphenyl)-2- | Algae | N/E | N/E | N/E | |
| 2-(4-tert-Butylbenzyl)propionaldehyde 3-(p-tert-Butylphenyl)-2-methylpropanol Readily biodegradable (OECD 301B) Readily biodegradable (OECD 301B) Bioaccumulative potential: Enemical Name 2-(4-tert-Butylphenyl)-2-methylpropanol Bioconcentration Factor (BCF) 274.3 L/kg (calculated) N/E Log Kow 4.2 (24°C) 4.38 (calculated) Mobility in soil: Chemical Name 2-(4-tert-Butylphenyl)-2-methylpropanol Mobility in soil (Koc/Kow) 1285 (calculated) N/E Log Kow 4.2 (24°C) 4.38 (calculated) | Persi | Persistence and degradability: | | | | | |
| 2-(4-tert-Butylbenzyl)propionaldehyde 3-(p-tert-Butylphenyl)-2-methylpropanol Readily biodegradable (OECD 301B) Readily biodegradable (OECD 301B) Bioaccumulative potential: Enemical Name 2-(4-tert-Butylphenyl)-2-methylpropanol Bioconcentration Factor (BCF) 274.3 L/kg (calculated) N/E Log Kow 4.2 (24°C) 4.38 (calculated) Mobility in soil: Chemical Name 2-(4-tert-Butylphenyl)-2-methylpropanol Mobility in soil (Koc/Kow) 1285 (calculated) N/E Log Kow 4.2 (24°C) 4.38 (calculated) | | Chemical Name | Bior | legradation | | | |
| 3-(p-tert-Butylphenyl)-2-methylpropanol Readily biodegradable (OECD 301B) Bioaccumulative potential: | | | | | | | |
| Chemical Name Bioconcentration Factor (BCF) Log Kow 2-(4-tert-Butylbenzyl)propionaldehyde 274.3 L/kg (calculated) 4.2 (24°C) 3-(p-tert-Butylphenyl)-2-methylpropanol N/E 4.38 (calculated) Mobility in soil: Mobility in soil (Koc/Kow) 1285 (calculated) 2-(4-tert-Butylphenyl)-2-methylpropanol N/E Vertice | | | | | | | |
| 2-(4-tert-Butylbenzyl)propionaldehyde 274.3 L/kg (calculated) 4.2 (24°C) 3-(p-tert-Butylphenyl)-2-methylpropanol N/E 4.38 (calculated) Mobility in soil: Chemical Name 4.285 (calculated) 2-(4-tert-Butylbenzyl)propionaldehyde 1285 (calculated) 1285 (calculated) 3-(p-tert-Butylphenyl)-2-methylpropanol N/E 1285 (calculated) | Bioa | ccumulative potential: | | | | | |
| 2-(4-tert-Butylbenzyl)propionaldehyde 274.3 L/kg (calculated) 4.2 (24°C) 3-(p-tert-Butylphenyl)-2-methylpropanol N/E 4.38 (calculated) Mobility in soil: Enemical Name 1285 (calculated) 2-(4-tert-Butylphenyl)-2-methylpropanol N/E 1285 (calculated) 3-(p-tert-Butylphenyl)-2-methylpropanol N/E 1285 (calculated) | | Chemical Name | Biog | oncentration Factor (BCF) | | Log Kow | |
| 3-(p-tert-Butylphenyl)-2-methylpropanol N/E 4.38 (calculated) Mobility in soil: Chemical Name 2-(4-tert-Butylbenzyl)propionaldehyde 3-(p-tert-Butylphenyl)-2-methylpropanol Mobility in soil (Koc/Kow) 1285 (calculated) N/E | | 2-(4-tert-Butylbenzyl)propionaldehyde | | | | | |
| Chemical NameMobility in soil (Koc/Kow)2-(4-tert-Butylbenzyl)propionaldehyde1285 (calculated)3-(p-tert-Butylphenyl)-2-methylpropanolN/E | | | | | | | |
| 2-(4-tert-Butylbenzyl)propionaldehyde 1285 (calculated) 3-(p-tert-Butylphenyl)-2-methylpropanol N/E | Mobi | Mobility in soil: | | | | | |
| 2-(4-tert-Butylbenzyl)propionaldehyde 1285 (calculated) 3-(p-tert-Butylphenyl)-2-methylpropanol N/E | | Chemical Name | Mob | ility in soil (Koc/Kow) | | | |
| 3-(p-tert-Butylphenyl)-2-methylpropanol N/E | | 2-(4-tert-Butylbenzyl)propionaldehyde | | | | | |
| Other adverse effects: No additional information available. | | 3-(p-tert-Butylphenyl)-2-methylpropanol N/E | | | | | |
| | Othe | Other adverse effects: No additional information available. | | | | | |

SECTION 13: Disposal considerations

For waste disposal purposes, this product is not known to be defined or designated as hazardous by current provisions of the Federal (EPA) Resource Conservation and Recovery Act (RCRA, 40CFR261). Incinerate waste product when in liquid form (i.e., as supplied) in a properly permitted (approved) incineration facility in accordance with federal, state and local regulations. Liquids

cannot be disposed of in a landfill. Federal, state and local regulations where the waste material is generated, treated, and/or disposed of must be examined to verify the appropriate waste classification.

See Section 8 for recommendations on the use of personal protective equipment.

SECTION 14: Transport information

The information below is provided to assist in documentation. It may supplement the information on the package. The package in your possession may carry a different version of the label depending on the date of manufacture. Depending on inner packaging quantities and packaging instructions, it may be subject to specific regulatory exceptions. **UN number:** N/A

UN proper shipping name:

Not regulated - See Bill of Lading for Details

Transport hazard class(es):

U.S. DOT hazard class: N/A Canada TDG hazard class: N/A Europe ADR/RID hazard class: N/A IMDG Code (ocean) hazard class: N/A ICAO/IATA (air) hazard class: N/A

A "N/A" listing for the hazard class indicates the product is not regulated for transport by that regulation. **Packing group:** N/A

Environmental hazards:

Marine pollutant: Not Applicable Hazardous substance (USA): Not Applicable

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC code:

Not Applicable

Special precautions for user: Not Applicable

SECTION 15: Regulatory information

Safety, health and environmental regulations specific for the product in question:

U.S. federal and state regulations/legislation:

This SDS has been prepared in accordance with the hazard criteria of the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

U.S. Comprehensive Environmental Response, Compensation and Liability Act (CERCLA) Reportable Quantity (RQ):

Not Applicable

U.S. Superfund Amendments and Reauthorization Act (SARA) - SARA Section 313:

This product contains the following toxic chemicals subject to the reporting requirements of Section 313 of the Emergency Planning and Community Right-to-Know Act of 1986 and 40 CFR 372: None known

U.S. TSCA Section 12(b) Export Notification:

This product is not subject to TSCA 12(b) reporting requirements.

California Proposition 65:

The following ingredient(s) present in the product is [are] known to the State of California to cause cancer: None known to be present or none in reportable amounts for occupational exposure as per OSHA's approval of the California Hazard Communication Standard, Federal Register, page 31159 ff, 6 June 1997.

The following ingredient(s) present in the product is [are] known to the State of California to cause birth defects or other reproductive harm:

None known to be present or none in reportable amounts for occupational exposure as per OSHA's approval of the California Hazard Communication Standard, Federal Register, page 31159 ff, 6 June 1997.

Notes: No additional information

Canada regulations/legislation:

This product has been classified in accordance with the hazard criteria of the Hazardous Products Regulations and the

SDS contains all the information required by the Hazardous Products Regulations.

Notes: No additional information

Chemical inventories:

| Regulation | <u>Status</u> |
|---|------------------------------------|
| Australian Inventory of Industrial Chemicals (AIIC): | Y |
| Canadian Domestic Substances List (DSL): | Y |
| Canadian Non-Domestic Substances List (NDSL): | Ν |
| China Inventory of Existing Chemical Substances (IECSC): | Y |
| European EC Inventory (EINECS, ELINCS, NLP): | Y |
| Japan Existing and New Chemical Substances (ENCS): | Y |
| Japan Industrial Safety and Health Law (ISHL): | Y |
| Korean Existing and Evaluated Chemical Substances (KECL): | Y |
| New Zealand Inventory of Chemicals (NZIoC): | Ν |
| Philippines Inventory of Chemicals and Chemical Substances (PICCS): | Y |
| Taiwan Inventory of Existing Chemicals: | Y |
| U.S. Toxic Substances Control Act (TSCA) (Active): | Y |
| A "X" listing indicates all intentionally added components are either listed or are otherwise compliant with the regula | tion A "NI" listing indicatos that |

A "Y" listing indicates all intentionally added components are either listed or are otherwise compliant with the regulation. A "N" listing indicates that for one or more components: 1) there is no listing on the public inventory (or is not on the ACTIVE inventory for U.S. TSCA); 2) no information is available; or 3) the component has not been reviewed. A "Y" for New Zealand may mean that a qualified group standard may exist for the components in this product.

Europe REACH (EC) 1907/2006: Applicable components are registered, exempt or otherwise compliant. EU REACH is only relevant to substances either manufactured or imported into the EU. Emerald Kalama Chemical has met its obligations under the EU REACH regulation. EU REACH information regarding this product is provided for informational purposes only. Each Legal Entity may have differing EU REACH obligations, depending on their place in the supply chain. Emerald's compliance with EU REACH does not imply automatic coverage for Downstream Users located in the EU. For material manufactured outside of the EU, the importer of record must understand and meet their specific obligations under the regulation.

SECTION 16: Other information

| SDS | Revision | date: | 2022-08-18 |
|-----|----------|-------|------------|
|-----|----------|-------|------------|

HMIS (Hazardous Materials Identification System) Ratings:

Health: 2* Physical hazard: 0 Flammability: 1

Personal Protection: Х

NFPA (National Fire Protection Association) Ratings:

Health: 2 Flammability: 1 Instability:

0 Key: 0=Insignificant; 1=Slight; 2=Moderate; 3=High; 4=Extreme. An asterisk appearing after the HMIS Health numerical rating denotes a chronic hazard.

Hazardous Materials Identification System (HMIS), National Paint and Coating Association, rating applies to product "as packaged" (i.e., ambient temperature). Ratings are based upon HMIS® III and NFPA 704 (2007). An asterisk appearing after the HMIS Health® III numerical rating denotes a chronic hazard. National Fire Protection Association (NFPA) rating identifies the severity of hazards of material during a fire emergency (i.e., "on fire").

Legend:

* : Trademark owned by Emerald Kalama Chemical, LLC. ACGIH: American Conference of Governmental Industrial Hygienists AIHA WEEL: American Industrial Hygiene Association (AIHA) Workplace Environmental Exposure Level (WEEL) N/A: Not Applicable N/E: None Established STEL: Short Term Exposure Limit TWA: Time Weighted Average (exposure for 8-hour workday)

Users Responsibility/Disclaimer of Liability:

As the conditions or methods of use are beyond our control, we do not assume any responsibility and expressly disclaim any liability for any use of this product. Information contained herein is believed to be true and accurate but all statements or suggestions are made without warranty, expressed or implied, regarding accuracy of the information, the hazards connected with the use of the material or the results to be obtained from the use thereof. Compliance with all applicable federal, state, and local laws and local regulations remains the responsibility of the user.

This bulletin cannot cover all possible situations which the user may experience during processing. Each aspect of your operation should be examined to determine if, or where, additional precautions may be necessary. All health and safety information contained in this bulletin should be provided to your employees or customers. It is your responsibility to develop appropriate work practice guidelines and employee instructional programs for your operation.

Safety Data Sheet Preparer: Product Compliance Department SDS Name: Kalama* Lilestralis* Pure

Emerald Kalama Chemical, LLC 1499 SE Tech Center Place, Suite 300 Vancouver, WA 98683 United States