



SAFETY DATA SHEET

INTERNATIONAL FLAVORS & FRAGRANCES

Product NERYL ACETATE

Print Date 05/20/2022

Page 1 (14)

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : NERYL ACETATE
Cust. Material : 00142755
SDS Number : R00000002762
Product Use Description : Fragrance Ingredient

Company : IFF Inc.
600 Highway 36
Hazlet NJ 07730

Telephone : (732) 264-4500
Telefax : (732) 335-2551
Emergency telephone : +1 800 424 9300

SECTION 2 HAZARDS IDENTIFICATION

GHS-Classification

Skin irritation, Category 2
Skin sensitization, Category 1

GHS-Labeling

Symbol(s)



Signal Word

: Warning

Hazard Statements

: H315: Causes skin irritation.
H317: May cause an allergic skin reaction.

Precautionary Statements

: P280: Wear protective gloves.
P302 + P352: IF ON SKIN: Wash with plenty of soap and water.

Carcinogenicity:

Version : 10
Revision Date : 05/19/2022

IFF Inc.
600 Highway 36
Hazlet NJ 07730

IFF Inc.
600 Highway 36
Hazlet NJ 07730

Telephone: +17322644500

Telefax: +17323352551



SAFETY DATA SHEET

INTERNATIONAL FLAVORS & FRAGRANCES

Product NERYL ACETATE

Print Date 05/20/2022

Page 2 (14)

No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

CAS-No. : 16409-44-2

Hazardous ingredients

Component	CAS-No.
2,6-Octadien-1-ol, 3,7-dimethyl-, 1-acetate, (2Z)-	141-12-8
2,6-Octadien-1-ol, 3,7-dimethyl-, 1-acetate, (2E)-	105-87-3

SECTION 4. FIRST AID MEASURES

First aid procedures

- Inhalation : Remove from exposure site to fresh air and keep at rest. If victim is unconscious, remove foreign bodies from the mouth. If victim has stopped breathing, give artificial respiration. Obtain medical advice.
- Skin contact : Remove contaminated clothes. Wash thoroughly with water (and soap). Contact physician if symptoms persist.
- Eye contact : Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist.
- Ingestion : Rinse mouth with water and obtain medical advice.

Notes to physician

- Risks : Causes skin irritation.
May cause an allergic skin reaction.

Version : 10
Revision Date : 05/19/2022

IFF Inc.
600 Highway 36
Hazlet NJ 07730

IFF Inc.
600 Highway 36
Hazlet NJ 07730

Telephone: +17322644500

Telefax: +17323352551



SAFETY DATA SHEET

INTERNATIONAL FLAVORS & FRAGRANCES

Product NERYL ACETATE

Print Date 05/20/2022

Page 3 (14)

SECTION 5. FIRE-FIGHTING MEASURES

Flammable properties

Flash point : 210.00 °F (98.89 °C)

Fire fighting

Suitable extinguishing media : Use water spray, dry chemical, carbon dioxide or appropriate foam.

Protective equipment and precautions for firefighters

Special protective equipment for fire-fighters : Wear NIOSH approved self-contained breathing apparatus and full protective clothing when fighting fires involving chemicals. Use water spray to cool containers exposed to fire.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions : Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

Environmental precautions : Keep away from drains, surface- and groundwater and soil.

Methods for containment /
Methods for cleaning up : Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapours. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

SECTION 7. HANDLING AND STORAGE

Handling : Avoid excessive inhalation of concentrated vapors. Follow good manufacturing practices for housekeeping and personal hygiene. Wash any exposed skin immediately after any chemical contact,

Version : 10
Revision Date : 05/19/2022

IFF Inc.
600 Highway 36
Hazlet NJ 07730

IFF Inc.
600 Highway 36
Hazlet NJ 07730

Telephone: +17322644500

Telefax: +17323352551



SAFETY DATA SHEET

INTERNATIONAL FLAVORS & FRAGRANCES

Product NERYL ACETATE

Print Date 05/20/2022

Page 4 (14)

before breaks and meals, and at the end of each work period.
Contaminated clothing and shoes should be thoroughly cleaned
before re-use.

If appropriate, procedures used during the handling of this material
should also be used when cleaning equipment or removing residual
chemicals from tanks or other containers, especially when steam or
hot water is used, as this may increase vapor concentrations in the
workplace air. Where chemicals are openly handled, access should be
restricted to properly trained employees.
Keep all heated processes at the lowest necessary temperature in
order to minimize emissions of volatile chemicals into the air.

Advice on protection against fire and explosion : Keep away from ignition sources and naked flame.

Requirements for storage areas and containers : Store in a cool, dry, ventilated area away from heat sources. Keep
containers upright and tightly closed when not in use.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Engineering measures

Engineering measures : Where feasible, isolate mixing rooms and other areas where this
material is used or openly handled. Maintain these areas under
negative air pressure relative to the rest of the plant.
Where feasible, use closed systems to transfer and process this
material

Personal protective equipment

Eye protection : Use tight-fitting goggles, face shield or safety glasses with side
shields if eye contact might occur.

Hand protection : Avoid skin contact. Use chemically resistant gloves.

Skin and body protection : Choose body protection in relation to its type, to the concentration
and amount of dangerous substances, and to the specific work-place.

Version : 10
Revision Date : 05/19/2022

IFF Inc.
600 Highway 36
Hazlet NJ 07730

IFF Inc.
600 Highway 36
Hazlet NJ 07730

Telephone: +17322644500

Telefax: +17323352551



SAFETY DATA SHEET

INTERNATIONAL FLAVORS & FRAGRANCES

Product NERYL ACETATE

Print Date 05/20/2022

Page 5 (14)

Respiratory protection

: Use local exhaust ventilation around open tanks and other open sources of potential exposures in order to avoid excessive inhalation, including places where this material is openly weighed or measured. In addition, use general dilution ventilation of the work area to eliminate or reduce possible worker exposures. No respiratory protection is required during normal operations in a workplace where engineering controls such as adequate ventilation, etc. are sufficient.

If engineering controls and safe work practices are not sufficient, an approved, properly fitted respirator with organic vapor cartridges or canisters and particulate filters should be used:

- a) while engineering controls and appropriate safe work practices and/or procedures are being implemented; or
- b) during short term maintenance procedures when engineering controls are not in normal operation or are not sufficient; or
- c) if normal operational workplace vapor concentration in the air is increased due to heat ;
- d) during emergencies; or
- e) if engineering controls and operational practices are not sufficient to reduce airborne concentrations below an established occupational exposure limit.

Hygiene measures

- : To the extent deemed appropriate, implement pre-placement and regularly scheduled ascertainment of symptoms and spirometry testing of lung function for workers who are regularly exposed to this material.
- To the extent deemed appropriate, use an experienced air sampling expert to identify and measure volatile chemicals that could be present in the workplace air to determine potential exposures and to ensure the continuing effectiveness of engineering controls and operational practices to minimize exposure.

Protective measures

- : In December 2003, the National Institute for Occupational Safety and Health ("NIOSH") published an Alert on preventing lung disease in workers who use or make flavorings [NIOSH Publication Number 2004-110].
- In August 2004, the United States Flavor and Extract Manufacturers

Version : 10
Revision Date : 05/19/2022

IFF Inc.
600 Highway 36
Hazlet NJ 07730

IFF Inc.
600 Highway 36
Hazlet NJ 07730

Telephone: +17322644500

Telefax: +17323352551



SAFETY DATA SHEET

INTERNATIONAL FLAVORS & FRAGRANCES

Product NERYL ACETATE

Print Date 05/20/2022

Page 6 (14)

Association (FEMA) issued a report entitled "Respiratory Safety in the Flavor Manufacturing Workplace". Both of these reports provide recommendations for reducing employee exposure and for medical surveillance in the workplace. The recommendations in these reports are generally applicable to the use of any chemical in the workplace and you are strongly urged to review both of these reports. The report published by FEMA also contains a list of "high priority" chemicals. If any of these chemicals are present in this product at a concentration $\geq 1.0\%$ due to an intentional addition by IFF, the chemical(s) will be identified in this safety data sheet.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance

Physical state : liquid
Appearance : CLEAR LIQUID
Color : colorless
Odor : conforms to standard

Safety data

Flash point : 210.00 °F (98.89 °C)
Vapor pressure : .03 hPa (0.03 hPa)
Note: Calculated
Relative density (20 °C) : 0.9080 - 0.9160
Partition coefficient: n-octanol/water : log Pow: 3.670

SECTION 10. STABILITY AND REACTIVITY

Conditions to avoid : Remarks: Direct sources of heat.
Chemical stability : Remarks: Presents no significant reactivity hazard, by itself or in
Version : 10
Revision Date : 05/19/2022



SAFETY DATA SHEET

INTERNATIONAL FLAVORS & FRAGRANCES

Product NERYL ACETATE

Print Date 05/20/2022

Page 7 (14)

contact with water. Avoid contact with strong acids, alkali or oxidizing agents.

Hazardous decomposition products : Note: Carbon monoxide and unidentified organic compounds may be formed during combustion.

SECTION 11. TOXICOLOGICAL INFORMATION

Acute oral toxicity : Acute toxicity estimate
Dose: 4,167 mg/kg
Method: Calculation method

Acute oral toxicity (Component) : Component: 141-12-8
LD50 Rat
Dose: > 2,000 mg/kg
Method: OECD 423
Remarks: REACH data

Component: 105-87-3
LD50 Rat
Dose: 6,330 mg/kg
Method: No information available.
Remarks: REACH data

Component: 106-24-1
LD50 Rat
Dose: 3,600 mg/kg
Method: No information available.
Remarks: REACH data

Acute dermal toxicity (Component) : Component: 141-12-8
LD50 Rabbit
Dose: > 5,000 mg/kg

Component: 106-24-1
LD50 Rabbit
Dose: > 5,000 mg/kg
Method: No information available.
Remarks: REACH data

Version : 10
Revision Date : 05/19/2022

IFF Inc.
600 Highway 36
Hazlet NJ 07730

IFF Inc.
600 Highway 36
Hazlet NJ 07730

Telephone: +17322644500

Telefax: +17323352551



SAFETY DATA SHEET

INTERNATIONAL FLAVORS & FRAGRANCES

Product NERYL ACETATE

Print Date 05/20/2022

Page 8 (14)

Skin irritation (Component) : Component: 141-12-8
human
Result: No skin irritation
Method: closed patch test
Exposure time: 48 h
Rabbit
Result: No skin irritation
Exposure time: 24 h

Component: 105-87-3
Rabbit
Classification: Causes skin irritation.
Result: Skin irritation
Method: OECD Test Guideline 404
Exposure time: 4 h
Remarks: REACH data

Component: 106-24-1
Rabbit
Classification: Causes skin irritation.
Result: irritating
Method: OECD Test Guideline 404
Exposure time: 4 h
Remarks: REACH data

Eye irritation(Component) : Component: 105-87-3
Rabbit
Classification: No eye irritation
Result: No eye irritation
Method: OECD Test Guideline 405
Exposure time: 1 h
Remarks: REACH data

Component: 106-24-1
Rabbit
Classification: Causes serious eye damage.
Result: Severe eye irritation
Method: OECD Test Guideline 405
Exposure time: 1 h
Remarks: REACH data

Version : 10
Revision Date : 05/19/2022

IFF Inc.
600 Highway 36
Hazlet NJ 07730

IFF Inc.
600 Highway 36
Hazlet NJ 07730

Telephone: +17322644500

Telefax: +17323352551



SAFETY DATA SHEET

INTERNATIONAL FLAVORS & FRAGRANCES

Product NERYL ACETATE

Print Date 05/20/2022

Page 9 (14)

Sensitization (Component) : Component: 141-12-8
maximisation study human
Result: Skin Sensitizer
Test substance: 10% in petrolatum

Component: 105-87-3
Local lymph node assay (LLNA) Mouse
Result: positive
Method: OECD Test Guideline 429
Remarks: REACH data

Component: 106-24-1
Local lymph node assay (LLNA) Mouse
Classification: May cause sensitization by skin contact.
Result: positive
Test substance: 6.0% in petrolatum

Repeated dose toxicity(Component) : Component: 141-12-8
OralRat

Component: 105-87-3
OralRat
Method: No information available.
Remarks: REACH data

Component: 106-24-1
OralRat
NOEL: > 550 mg/kg
Remarks: REACH data
DermalRat
NOEL: 300 mg/kg
Method: OECD Test Guideline 421
Remarks: REACH data

Carcinogenicity (Component) : Component: 105-87-3
Oral Rat
Method: carcinogenicity study

Component: 106-24-1
Oral Rat

Version : 10
Revision Date : 05/19/2022

IFF Inc.
600 Highway 36
Hazlet NJ 07730

IFF Inc.
600 Highway 36
Hazlet NJ 07730

Telephone: +17322644500

Telefax: +17323352551



SAFETY DATA SHEET

INTERNATIONAL FLAVORS & FRAGRANCES

Product NERYL ACETATE

Print Date 05/20/2022

Page 10 (14)

Method: OECD Test Guideline 451

SECTION 12. ECOLOGICAL INFORMATION

Component:
141-12-8

NERYL
ACETATE

Toxicity to fish:

Species: Fish
Dose: 6 mg/l
Exposure time: 96 h
REACH data

Toxicity to daphnia and other aquatic invertebrates:

Dose: 4.9 mg/l
Exposure time: 72 h
REACH data

Toxicity to algae:

Species: ALGAE
Dose: 4.9 mg/l
Exposure time: 72 h
REACH data

105-87-3

Geranyl acetate

Toxicity to fish:

static test LC50
Species: Leuciscus idus (Golden orfe)
Dose: 68.12 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates:

static test EC50
Species: Daphnia magna (Water flea)
Dose: 14.1 mg/l
Exposure time: 48 h
Analytical monitoring: yes
Method: Regulation (EC) No. 440/2008, Annex, C.2

Toxicity to algae:

static testErC50
Species: Desmodesmus subspicatus (green algae)

Version : 10
Revision Date : 05/19/2022

IFF Inc.
600 Highway 36
Hazlet NJ 07730

IFF Inc.
600 Highway 36
Hazlet NJ 07730

Telephone: +17322644500

Telefax: +17323352551



SAFETY DATA SHEET

INTERNATIONAL FLAVORS & FRAGRANCES

Product NERYL ACETATE

Print Date 05/20/2022

Page 11 (14)

106-24-1

Geraniol

Dose: 3.72 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
REACH data
Toxicity to algae:
static test NOEC
Species: Desmodesmus subspicatus (green algae)
Dose: 0.585 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
REACH data

Toxicity to fish:
static test LC50
Species: Danio rerio (zebra fish)
Dose: 22 mg/l
Exposure time: 96 h
Analytical monitoring: yes
Method: OECD Test Guideline 203
REACH data
Toxicity to fish:
static test NOEC
Species: Danio rerio (zebra fish)
Dose: 10 mg/l
Exposure time: 96 h
Analytical monitoring: yes
Method: OECD Test Guideline 203
REACH data
Toxicity to fish:
static test LC0
Species: Danio rerio (zebra fish)
Dose: 10 mg/l
Exposure time: 96 h
Analytical monitoring: yes
Method: OECD Test Guideline 203
REACH data
Toxicity to fish:
static test LC100
Species: Danio rerio (zebra fish)
Dose: 46.4 mg/l

Version : 10
Revision Date : 05/19/2022

IFF Inc.
600 Highway 36
Hazlet NJ 07730

IFF Inc.
600 Highway 36
Hazlet NJ 07730

Telephone: +17322644500

Telefax: +17323352551



SAFETY DATA SHEET

INTERNATIONAL FLAVORS & FRAGRANCES

Product NERYL ACETATE

Print Date 05/20/2022

Page 12 (14)

Exposure time: 96 h
Analytical monitoring: yes
Method: OECD Test Guideline 203
REACH data
Toxicity to daphnia and other aquatic invertebrates:
static test EC50
Species: Daphnia magna (Water flea)
Dose: 10.8 mg/l
Exposure time: 48 h
Analytical monitoring: yes
Method: OECD Test Guideline 202
REACH data
Toxicity to daphnia and other aquatic invertebrates:
static test EC0
Species: Daphnia magna (Water flea)
Dose: 4 mg/l
Exposure time: 48 h
Analytical monitoring: yes
Method: OECD Test Guideline 202
REACH data
Toxicity to daphnia and other aquatic invertebrates:
static test EC100
Species: Daphnia magna (Water flea)
Dose: 41.9 mg/l
Exposure time: 48 h
Analytical monitoring: yes
Method: OECD Test Guideline 202
REACH data
Toxicity to algae:
static test EC50
Species: Scenedesmus capricornutum (fresh water algae)
Dose: 13.10 mg/l
Exposure time: 72 h
Analytical monitoring: yes
Method: OECD Test Guideline 201
REACH data
Toxicity to algae:
static test EC10
Species: Scenedesmus capricornutum (fresh water algae)
Dose: 3.77 mg/l

Version : 10
Revision Date : 05/19/2022

IFF Inc.
600 Highway 36
Hazlet NJ 07730

IFF Inc.
600 Highway 36
Hazlet NJ 07730

Telephone: +17322644500

Telefax: +17323352551



SAFETY DATA SHEET

INTERNATIONAL FLAVORS & FRAGRANCES

Product NERYL ACETATE

Print Date 05/20/2022

Page 13 (14)

Exposure time: 72 h
Analytical monitoring: yes
Method: OECD Test Guideline 201
REACH data
Toxicity to algae:
static test NOEC
Species: *Scenedesmus capricornutum* (fresh water algae)
Dose: 1 mg/l
Exposure time: 72 h
Analytical monitoring: yes
Method: OECD Test Guideline 201
REACH data

SECTION 13. DISPOSAL CONSIDERATIONS

Contaminated packaging : Place material into sealed containers and dispose of in accordance with local, state and federal regulations.

SECTION 14. TRANSPORT INFORMATION

DOT Not dangerous goods
IATA Not dangerous goods
IMDG Not dangerous goods

SECTION 15. REGULATORY INFORMATION

SARA 311/312 Hazards : Skin corrosion or irritation
Respiratory or skin sensitization
Reportable Quantity :
HMIS Classification : Health Hazard: 2
Chronic Health Hazard: /

Version : 10
Revision Date : 05/19/2022

IFF Inc.
600 Highway 36
Hazlet NJ 07730

IFF Inc.
600 Highway 36
Hazlet NJ 07730

Telephone: +17322644500

Telefax: +17323352551



SAFETY DATA SHEET

INTERNATIONAL FLAVORS & FRAGRANCES

Product NERYL ACETATE

Print Date 05/20/2022

Page 14 (14)

Flammability: 1
Physical and chemical hazards: 0

SECTION 16. OTHER INFORMATION

Further information

The information in this MSDS was obtained from current and reliable sources. However the data is provided without any warrant, expressed or implied, regarding its correctness or accuracy. Since the use, handling, storage and disposal of this product are beyond IFF control, it is the responsibility of the user both to determine safe conditions for the use of this product and to assume liability of loss, damage, or expense arising out of the product's improper use. No warranty expressed or implied regarding the product described herein shall be created by or inferred from any statement or omission in this MSDS. Various Federal, State or Provincial agencies may have specific regulations concerning the transportation, handling, storage, use, or disposal of this product which may not be reflected in this MSDS. The user should review these regulations to ensure full compliance.

Version : 10
Revision Date : 05/19/2022

IFF Inc.
600 Highway 36
Hazlet NJ 07730

IFF Inc.
600 Highway 36
Hazlet NJ 07730

Telephone: +17322644500

Telefax: +17323352551