iff

SAFETY DATA SHEET INTERNATIONAL FLAVORS & FRAGRANCES

Product

PAMPLEFLEUR

Print Date

08/02/2022

Page 1 (10)

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name Sales Number Cust. Material SDS Number Product Use Description	: : : :	PAMPLEFLEUR 00161012 00161012 R00000111615 Fragrance Ingredient
Company	:	IFF Inc. 600 Highway 36 Hazlet NJ 07730
Telephone Telefax Emergency telephone	: : :	(732) 264-4500 (732) 335-2551 +1 800 424 9300

SECTION 2 HAZARDS IDENTIFICATION

GHS-Classification

Skin sensitization, Category 1

GHS-Labeling

Symbol(s)		
Signal Word	: Warning	
Hazard Statements	: H317: May cause an allergic skin reaction.	
Precautionary Statements	: P280: Wear protective gloves. P302 + P352: IF ON SKIN: Wash with plenty of soap and wat	ter.

Carcinogenicity:

Version Revision Date	: 4 : 08/02/2022	
IFF Inc. 600 Highway 36		IFF Inc. 600 Highway 36

IFF Inc. 600 Highway 36 Hazlet NJ 07730

Telephone: +17322644500

Telefax: +17323352551

Hazlet NJ 07730



Product	PAMPLEFLEUR		
Print Date	08/02/2022	Page	2 (10)

No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous ingredients

Component	CAS-No.
Benzenebutanol, .beta.,.deltadimethyl-	92585-24-5
Phenol, 2,6-bis(1,1-dimethylethyl)-4-methyl-	128-37-0

SECTION 4. FIRST AID MEASURES

First aid procedures		
Inhalation	:	Remove from exposure site to fresh air and keep at rest. If victim is unconscious, remove foreign bodies from the mouth. If victim has stopped breathing, give artificial respiration. Obtain medical advice.
Skin contact	:	Remove contaminated clothes. Wash thoroughly with water (and soap). Contact physician if symptoms persist.
Eye contact	:	Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist.
Ingestion	:	Rinse mouth with water and obtain medical advice.
Notes to physician		
Risks	:	May cause an allergic skin reaction.

Version Revision Date : 4 : 08/02/2022

IFF Inc. 600 Highway 36 Hazlet NJ 07730

Telephone: +17322644500

Product	PAMPL	EFLEUR		
Print Date	08/02/2	022	Page	3 (10)
SECTION 5. FIRE-FIGH	HTING	MEASURES		
Flammable properties				
Flash point	:	219.99 °F (104.44 °C)		
Fire fighting				<u>Constant</u>
Suitable extinguishing media	:	Use water spray, dry chemical, carbon dioxide or	appropriate	foam.
Protective equipment and pre-	cautions	for firefighters		
Special protective equipment for fire-fighters	or :	Wear NIOSH approved self-contained breathing a protective clothing when fighting fires involving of water spray to cool containers exposed to fire.	11	

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions	:	Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.
Environmental precautions	:	Keep away from drains, surface- and groundwater and soil.
Methods for containment / Methods for cleaning up	:	Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapours. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

SECTION 7. HANDLING AND STORAGE

Handling	: Avoid excessive inhalation of concentrated vapors. Follow good manufacturing practices for housekeeping and personal hygiene. Wash any exposed skin immediately after any chemical contact, before breaks and meals, and at the end of each work period.
Version	: 4
Revision Date	: 08/02/2022
IFF Inc.	IFF Inc.
600 Highway 36	600 Highway 36
Hazlet NJ 07730	Hazlet NJ 07730
Telephone: +17322644500	Telefax: +17323352551



Product	PAMPLEFLEUR		
Print Date	08/02/2022		(10)
	Contaminated clothing and shoes should be thorough before re-use.	ly cleaned	
	If appropriate, procedures used during the handling of should also be used when cleaning equipment or rem chemicals from tanks or other containers, especially hot water is used, as this may increase vapor concent workplace air. Where chemicals are openly handled, restricted to properly trained employees. Keep all heated processes at the lowest necessary ten order to minimize emissions of volatile chemicals int	oving residuations when steam of rations in the access should access acc	al or e
Advice on protection against fi and explosion	: Keep away from ignition sources and naked flame.		
Requirements for storage areas containers	nd : Store in a cool, dry, ventilated area away from heat se containers upright and tightly closed when not in use	-	1

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Engineering measures	
Engineering measures	: Where feasible, isolate mixing rooms and other areas where this material is used or openly handled. Maintain these areas under negative air pressure relative to the rest of the plant. Where feasible, use closed systems to transfer and process this material
Personal protective equipment	
Eye protection	: Use tight-fitting goggles, face shield or safety glasses with side shields if eye contact might occur.
Hand protection	: Avoid skin contact. Use chemically resistant gloves.
Skin and body protection	: Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.
Version	: 4

IEE Inc

Revision Date

: 08/02/2022

IFF Inc. 600 Highway 36 Hazlet NJ 07730

Telephone: +17322644500



Product	PAMPLEFLEUR
Print Date	08/02/2022 Page 5 (10)
Respiratory protection	: Use local exhaust ventilation around open tanks and other open sources of potential exposures in order to avoid excessive inhalation, including places where this material is openly weighed or measured. In addition, use general dilution ventilation of the work area to eliminate or reduce possible worker exposures. No respiratory protection is required during normal operations in a workplace where engineering controls such as adequate ventilation, etc. are sufficient.
	If engineering controls and safe work practices are not sufficient, an approved, properly fitted respirator with organic vapor cartridges or canisters and particulate filters should be used:
	 a)while engineering controls and appropriate safe work practices and/or procedures are being implemented; or b)during short term maintenance procedures when engineering controls are not in normal operation or are not sufficient; or c)if normal operational workplace vapor concentration in the air is increased due to heat ; d)during emergencies; or e)if engineering controls and operational practices are not sufficient to reduce airborne concentrations below an established occupational exposure limit.
Hygiene measures	 To the extent deemed appropriate, implement pre-placement and regularly scheduled ascertainment of symptoms and spirometry testing of lung function for workers who are regularly exposed to this material. To the extent deemed appropriate, use an experienced air sampling expert to identify and measure volatile chemicals that could be present in the workplace air to determine potential exposures and to ensure the continuing effectiveness of engineering controls and operational practices to minimize exposure.
Protective measures	 In December 2003, the National Institute for Occupational Safety and Health ("NIOSH") published an Alert on preventing lung disease in workers who use or make flavorings [NIOSH Publication Number 2004-110]. In August 2004, the United States Flavor and Extract Manufacturers Association (FEMA) issued a report entitled "Respiratory Safety in
Version Revision Date	: 4 : 08/02/2022
IFF Inc. 600 Highway 36 Hazlet NJ 07730	IFF Inc. 600 Highway 36 Hazlet NJ 07730

600 Highway 36 Hazlet NJ 07730

Telefax: +17323352551



Product	PAMPLEFLEUR		
Print Date	08/02/2022	Page	6 (10)
	the Flavor Manufacturing Workplace". Both of these reports provide recommendations for remployee exposure and for medical surveillance in the The recommendations in these reports are generally use of any chemical in the workplace and you are streview both of these reports. The report published by FEMA also contains a list of chemicals. If any of these chemicals are present in the concentration >= 1.0% due to an intentional addition chemical(s) will be identified in this safety data sheet.	he workp applicab rongly ur of "high p nis produ n by IFF,	place. I to the rged to priority" act at a

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance

Physical state Appearance Color	:	liquid CLEAR LIQUID colorless to pale yellow
Odor	:	conforms to standard
Safety data		
Flash point	:	219.99 °F (104.44 °C)
Vapor pressure	:	.00 hPa (0.00303 hPa) at 77 °F (25 °C) Method: EU Method A.4
Relative density (20 °C)	:	0.9550 - 0.9630
Partition coefficient: n-octanol/water	:	log Pow: 3.245

SECTION 10. STABILITY AND REACTIVITY

Conditions to avoid	: Remarks: Direct sources of heat.
Chemical stability	: Remarks: Presents no significant reactivity hazard, by itself or in
Version	: 4
Revision Date	: 08/02/2022



Product I	AMPLEFLEUR	
Print Date (8/02/2022	Page 7 (1
Hazardous decomposition produc	 contact with water. Avoid contact with strong acid oxidizing agents. Note: Carbon monoxide and unidentified organic be formed during combustion. 	
SECTION 11. TOXICOLO	GICAL INFORMATION	
Acute oral toxicity	: Acute toxicity estimate Dose: 3,604 mg/kg Method: Calculation method	
Acute oral toxicity (Component)	: Component: 92585-24-5 LD50 Rat Dose: 3,600 mg/kg	
Acute dermal toxicity	: Acute toxicity estimate Dose: 2,503 mg/kg Method: Calculation method	
Acute dermal toxicity (Component)	: Component: 92585-24-5 LD50 Rabbit Dose: > 2,000 mg/kg	
Skin irritation (Component)	: Component: 92585-24-5 Rabbit Result: No skin irritation	
Eye irritation(Component)	: Component: 92585-24-5 Rabbit Result: Eye irritation	
Sensitization (Component)	 Component: 92585-24-5 LLNA Mouse Result: Does not cause skin sensitization. Method: OECD 429 repeated insult patch test human Result: Does not cause skin sensitization. Test substance: 3.0% in petrolatum 	
Version Revision Date	: 4 : 08/02/2022	



Product	PAMPLEFLEUR		
Print Date	08/02/2022	Page	8 (10)
Repeated dose toxicity(Component)	: Component: 92585-24-5 OralRat Number of exposures: 1x /day NOEL: 55 mg/kg Method: OECD Test Guideline 407		

SECTION 12. ECOLOGICAL INFORMATION

Component: 92585-24-5

METHYL PHENYL PENTANOL Toxicity to fish: LC50 Species: Dose: 13 mg/l Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates: EC50 Species: Dose: 8.7 mg/l Exposure time: 48 h

SECTION 13. DISPOSAL CONSIDERATIONS

Contaminated packaging : Place material into sealed containers and dispose of in accordance with local, state and federal regulations.

SECTION 14. TRANSPORT INFORMATION

DOT	Not dangerous goods
-----	---------------------

ΙΑΤΑ	UN number Description of the goods	: 3082 : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (2-METHYL-4-PHENYL-1-PENTANOL)
Version	: 4	

Revision Date

: 08/02/2022

IFF Inc. 600 Highway 36 Hazlet NJ 07730

Telephone: +17322644500

IFF Inc.

600 Highway 36 Hazlet NJ 07730



Product	PAMPLEFLEUR	ξ				
Print Date	08/02/2022			Page	9	(10)
	Class Packing group ICAO-Labels	:	9 III 9			
IMDG	UN number Description of the goods	:	3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (2-METHYL-4-PHENYL-1-PENTANG	-		
	Class Packing group IMDG-Labels EmSNumber 1 EmSNumber 2 Marine pollutant	: : :	9 III 9 F-A S-F yes (2-METHYL-4-PHENYL-1-PENTAN	,		
Other information		:	Shipment by ground under DOT is n however it may be shipped per the a hazard classification to facilitate mul transport involving ICAO (IATA) or If	ion-regu applicabl ti-modal	le	ed;
SECTION 15. REGULATORY INFORMATION						
SARA 311/312	SARA 311/312 Hazards : Respiratory or skin sensitization					
Reportable Qua	ntity :					

HMIS Classification : Health Hazard: 2 Chronic Health Hazard: / Flammability: 1 Physical and chemical hazards: 0

SECTION 16. OTHER INFORMATION

Further information

Version Revision Date : 4 : 08/02/2022

IFF Inc. 600 Highway 36 Hazlet NJ 07730

Telephone: +17322644500

IFF Inc. 600 Highway 36 Hazlet NJ 07730

Telefax: +17323352551

Product	PAMPLEFLEUR		
Print Date	08/02/2022	Page	10 (10)

The information in this MSDS was obtained from current and reliable sources. However the data is provided without any warrant, expressed or implied, regarding its correctness or accuracy. Since the use, handling, storage and disposal of this product are beyond IFF control, it is the responsibility of the user both to determine safe conditions for the use of this product and to assume liability of loss, damage, or expense arising out of the product's improper use. No warranty expressed or implied regarding the product described herein shall be created by or inferred from any statement or omission in this MSDS. Various Federal, State or Provincial agencies may have specific regulations concerning the transportation, handling, storage, use, or disposal of this product which may not be reflected in this MSDS. The user should review these regulations to ensure full compliance.

Version Revision Date : 4 : 08/02/2022

IFF Inc. 600 Highway 36 Hazlet NJ 07730

Telephone: +17322644500