



Material Safety Data Sheet

Printed : 17/06/2021

Review : 001NEW-22-GHS from 17/06/2021

GERANIUM OIL, EGYPTIAN GERAN0032

1. PRODUCT AND COMPANY IDENTIFICATION

1.1. Product identifier

GERANIUM OIL, EGYPTIAN GERAN0032

REACH no : 01-2120769423-50-0000
Pre-No REACH : 05-2117103540-63-0000
C.A.S Number : 8000-46-2

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use : Industrial, only for professional use.

1.3. Details of the supplier of the safety data sheet

Company : SAS MATIÈRES PREMIÈRES ESSENTIELLES
6, chemin St Joseph
BP 25265
06131 GRASSE CEDEX
Tel:04 93 09 19 27
Fax :04 93 77 89 88
Web :www.mpe-grasse.fr
Email :sales@mpe-grasse.fr

1.4. Emergency telephone number

In case of emergency call NHS Direct in England or Wales 0845 46 47 or NHS 24 in Scotland 08454 24 24 24 (UK only).

2. HAZARD IDENTIFICATION

2.1. Classification of the substance or mixture

GHS Classification :

RegulationGHS

Asp. Tox. 1	Aspiration hazard 1	H304 : May be fatal if swallowed and enters airways.
Eye Dam. 1	Serious eye damage / eye irritation 1	H318 : Causes serious eye damage.
Aquatic Acute 2	Hazardous to the aquatic environment, acute hazard 2	H401 : Toxic to aquatic life
Aquatic Chronic 2	Hazardous to the aquatic environment, long-term hazard	H411 : Toxic to aquatic life with long lasting effects.
Flam. Liq. 4	Flammable Liquids 4	H227 : Combustible liquid
Skin Irrit. 2	Skin corrosion / irritation 2	H315 : Causes skin irritation.
Skin Sens. 1	Sensitisation skin 1	H317 : May cause an allergic skin reaction.

2.2. Label elements

GHS Classification :

Material Safety Data Sheet

Printed : 17/06/2021

GERANIUM OIL, EGYPTIAN GERAN0032

Review : 001NEW-22-GHS from 17/06/2021

RegulationGHS

Warning mention : Danger

Asp. Tox. 1 Aspiration hazard 1
 Eye Dam. 1 Serious eye damage / eye irritation 1
 Aquatic Acute 2 Hazardous to the aquatic environment, acute hazard 2
 Aquatic Chronic 2 Hazardous to the aquatic environment, long-term hazard 2
 Flam. Liq. 4 Flammable Liquids 4
 Skin Irrit. 2 Skin corrosion / irritation 2
 Skin Sens. 1 Sensitisation skin 1

H227 - Combustible liquid
 H304 - May be fatal if swallowed and enters airways.
 H315 - Causes skin irritation.
 H317 - May cause an allergic skin reaction.
 H318 - Causes serious eye damage.
 H401 - Toxic to aquatic life
 H411 - Toxic to aquatic life with long lasting effects.

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
 P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.
 P264 - Wash ... thoroughly after handling.
 P272 - Contaminated work clothing should not be allowed out of the workplace.
 P273 - Avoid release to the environment.
 P280 - Wear protective gloves/protective clothing/eye protection/face protection.
 P301+P310 - IF SWALLOWED: Immediately call a POISON CENTER/doctor/...
 P302+P352 - IF ON SKIN: Wash with plenty of water/...
 P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P310 - Immediately call a POISON CENTER/doctor/...



2.3. Other hazards

Contains Citronellol, Geraniol, Citronellyl formate, Linalool, Geranyl formate, d,l-Isomenthone, Menthone, Alpha-Terpineol, 2,6,6-trimethyl-bicyclo-2-heptene, Citral, Beta-Pinène, Myrcene, beta-Caryophyllene, d-Limonene, Nerol, Geranyl acetate

3. COMPOSITION / INFORMATION ON INGREDIENT

Component list :

3.1. Substances

NO CONCERNED

3.2. Mixtures

Material	C.A.S	EINECS	Risk Symbol	Percent %
Citronellol (No REACH : 01-2119453995-23-0000)	106-22-9	203-375-0	Acute Tox. 5 (D), Acute Tox. 5 (O), Eye Irrit. 2, Eye Irrit. 2A, Aquatic Acute 2, Skin Irrit. 2, Skin Sens. 1B - H313, H303, H319, H401, H315, H317	[25-40]
Geraniol (No REACH : 01-2119552430-49-0000)	106-24-1	203-377-1	Acute Tox. 5 (O), Eye Dam. 1, Aquatic Acute 3, Skin Irrit. 2, Skin Sens. 1A - H303, H318, H402, H315, H317	[15-20]
Citronellyl formate	105-85-1	203-338-9	Aquatic Acute 2, Flam. Liq. 4, Skin Irrit. 2, Skin Sens. 1B - H401, H227, H315, H317	[5-10]

Material Safety Data Sheet

Printed : 17/06/2021

GERANIUM OIL, EGYPTIAN GERAN0032

Review : 001NEW-22-GHS from 17/06/2021

Linalool (No REACH : 01-2119474016-42-0000)	78-70-6	201-134-4	Acute Tox. 5 (O), Eye Irrit. 2, Eye Irrit. 2A, Aquatic Acute 3, Flam. Liq. 4, Skin Irrit. 2, Skin Sens. 1B - H303, H319, H402, H227, H315, H317	[5-10]
Geranyl butyrate	106-29-6	203-381-3	Acute Tox. 5 (D), Aquatic Acute 1, Aquatic Chronic 1, Flam. Liq. 4 - H313, H400, H410, H227	[1-5]
Geranyl formate	105-86-2	203-339-4	Flam. Liq. 4, Skin Irrit. 3 - H227, H316	[1-5]
d,l-Isomenthone	491-07-6	207-727-4	Acute Tox. 5 (O), Flam. Liq. 4, Skin Irrit. 2, Skin Sens. 1A - H303, H227, H315, H317	[1-5]
2,6,6-trimethyl-bicyclo-2-heptene (No REACH : 01-2119519223-49-0000)	80-56-8	201-291-9	Asp. Tox. 1, Acute Tox. 5 (D), Acute Tox. 4 (O), Aquatic Acute 1, Aquatic Chronic 1, Flam. Liq. 3, Skin Irrit. 2, Skin Sens. 1B - H304, H313, H302, H400, H410, H226, H315, H317	[0-1]
6-Methyl-5-hepten-2-one	110-93-0	203-816-7	Acute Tox. 5 (O), Aquatic Acute 3, Flam. Liq. 3 - H303, H402, H226	[0-1]
Alpha-Terpineol	8000-41-7	232-268-1	Acute Tox. 5 (O), Eye Irrit. 2, Eye Irrit. 2A, Flam. Liq. 4, Skin Irrit. 2, Skin Sens. 1 - H303, H319, H227, H315, H317	[0-1]
Beta-Pinène (No REACH : 01-2119519230-54-0000)	127-91-3	204-872-5	Asp. Tox. 1, Aquatic Acute 1, Aquatic Chronic 1, Flam. Liq. 3, Skin Irrit. 2, Skin Sens. 1B - H304, H400, H410, H226, H315, H317	[0-1]
Citral (No REACH : 01-2119462829-23-0000)	5392-40-5	226-394-6	Acute Tox. 5 (D), Eye Irrit. 2, Eye Irrit. 2A, Aquatic Acute 2, Skin Irrit. 2, Skin Sens. 1A - H313, H319, H401, H315, H317	[0-1]
Geranyl acetate (No REACH : 01-2119973480-35-0000)	105-87-3	203-341-5	Aquatic Acute 2, Aquatic Chronic 3, Flam. Liq. 4, Skin Irrit. 2, Skin Sens. 1B - H401, H412, H227, H315, H317	[0-1]
Menthone	10458-14-7	233-944-9	Acute Tox. 5 (O), Aquatic Acute 3, Flam. Liq. 4, Skin Irrit. 2, Skin Sens. 1B - H303, H402, H227, H315, H317	[0-1]
Myrcene (No REACH : 01-2119514321-56-0000)	123-35-3	204-622-5	Asp. Tox. 1, Eye Irrit. 2, Eye Irrit. 2A, Aquatic Chronic 2, Flam. Liq. 3, Skin Irrit. 2, Skin Sens. 1B - H304, H319, H411, H226, H315, H317	[0-1]
Nerol	106-25-2	203-378-7	Acute Tox. 5 (O), Eye Irrit. 2, Eye Irrit. 2A, Aquatic Acute 2, Skin Irrit. 2, Skin Sens. 1B - H303, H319, H401, H315, H317	[0-1]
beta-Caryophyllene (No REACH : 01-2120745237-53-0000)	87-44-5	201-746-1	Asp. Tox. 1, Aquatic Chronic 4, Skin Sens. 1B - H304, H413, H317	[0-1]
d-Limonene	5989-27-5	227-813-5	Asp. Tox. 1, Aquatic Acute 1, Aquatic Chronic 3, Flam. Liq. 3, Skin Irrit. 2, Skin Sens. 1B - H304, H400, H412, H226, H315, H317	[0-1]
p-Cymene (No REACH : 01-2119556657-21-0000)	99-87-6	202-796-7	Asp. Tox. 1, Acute Tox. 5 (O), Eye Irrit. 2, Eye Irrit. 2A, Aquatic Acute 2, Aquatic Chronic 2, Flam. Liq. 3, Repr. 2, Skin Irrit. 2 - H304, H303, H319, H401, H411, H226, H361, H315	[0-1]

4. FIRST AID MEASURES

4.1. Description of first aid measures

Material Safety Data Sheet

Printed : 17/06/2021

GERANIUM OIL, EGYPTIAN GERAN0032

Review : 001NEW-22-GHS from 17/06/2021

General Notes :

If in doubt, always call a doctor.

If Inhaled :

If the person is unconscious, place in the fresh air . Consult a doctor

Contact with skin :

Remove soiled clothing . Wash immediately and abundantly with water.

Contact with eyes :

Abundant rinsing with water then washing with an ocular lotion standard Dacryoserum. Consult an ophthalmologist.

If swallowed :

Do not induce vomiting, maintain the patient at rest. Resort to the medical care.

4.2. Most important symptoms and effects, both acute and delayed

NO CONCERNED

4.3. Indication of any immediate medical attention and special treatment needed

NO CONCERNED

5. FIRE FIGHTING

Flammability class : The product is not flammable.

5.1. Extinguishing media

Appropriate extinction method :In case of fire, use water spray (or fog) and appropriate fire extinguishers (CO₂, powder ...)**Inappropriate extinction method :**

In case of fire, never use direct water stream.

5.2. Special hazards arising from the substance or mixture

Flammability : The product is not flammable..In case of fire, may produce toxic fumes of carbon monoxide (CO) or carbon dioxide (CO₂). Exposure to decomposition products may be hazardous to health. Do not breathe fumes.

5.3. Advice for firefighters

NO CONCERNED

6. ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Prevent a manager.

Refer to protective measures listed in sections 7 and 8.

For non-emergency personnel:

Avoid breathing vapors. Avoid all contact with skin and eyes. If necessary, evacuate staff by trained operators equipped with safety equipment

For emergency responders:

Appropriate personal protective equipment will be required (refer to Section 8).

Use appropriate personal protective equipment during clean-up.

6.2. Environmental precautions

Material Safety Data Sheet

Printed : 17/06/2021 GERANIUM OIL, EGYPTIAN GERAN0032 Review : 001NEW-22-GHS from 17/06/2021

Prevent contamination of soil and water, while entering into drains, ditches and rivers. Notify authorities if the product penetrates into the sewers or public waters.

6.3. Methods and material for containment and cleaning up

Diking with sand or diatomaceous earth, pumping and rinsing with water after recovery of specific waste in plastic drums and labeled then deliver to an approved waste facility.
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

6.4. Reference to other sections

Refer to sections 8 and 13 for information on exposure control, personal protection and disposal.

7. HANDLING AND STORAGE

7.1. Precautions for safe handling

Wash hands after use.
Reproduce labeling if transfer to another container.
Ensure adequate ventilation.
Provide safety showers and eye washes.

Fire prevention :

Prevent access by unauthorized persons.
Handle in well ventilated areas.

Equipment and procedures :

For personal protection, see Section 8.
Observe precautions stated on the label and regulations of labor protection.
Close the packaging after use.
Avoid inhalation of vapors and contact with skin or eyes.

7.2. Conditions for safe storage, including any incompatibilities

Keep tightly closed containers away from heat sources and protected from extreme temperatures.
Keep containers closed when not in use.
Always keep in appropriate packages (identical to the original material).

7.3. Specific end use(s)

NO CONCERNED

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1. Control parameters

Exposition limit (France INRS - ED984 07/2012)

- V.M.E (8 hr)

No component

- V.L.E (15 mn)

No component

8.2. Exposure controls

Material Safety Data Sheet

Printed : 17/06/2021 GERANIUM OIL, EGYPTIAN GERAN0032 Review : 001NEW-22-GHS from 17/06/2021

Individual protection measures, such as personal protective equipment

Personal protective equipment :

Hands protection : Gloves required. Eyes protection : Glasses required. Respiratory protection : Mask required.

Body protection :

Wear regularly cleaned overalls. In case of contact, all soiled parts should be washed.

Engineering measures :

Avoid contact with eyes, skin or clothing. Do not ingest. Avoid contact with food, drinks.

Do not eat, do not drink and do not smoke during use.

Symbol compulsory wearing of personal protective equipment (PPE):



9. PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Relative density (d ₂₀ /20) :	[0.885 ; 0,910]
Flash point (° C) :	64
Color :	light yellow to yellow greenish
Refractive index at 20°C :	[1,460 ; 1,477]
Appearance :	liquid
Angular rotation (°) :	[-14 ; -5]
Odor :	rosy, green, mentholated

9.2. Other information

NO CONCERNED

10. STABILITY AND REACTIVITY

10.1. Reactivity

No dangerous reactions during storage and handling according to specifications.

10.2. Chemical stability

Stable product during storage and handling according to specifications.

10.3. Possibility of hazardous reactions

No dangerous reactions during storage and handling according to specifications.

10.4. Conditions to avoid

Avoid excessive heat (naked flames, sparks, ...).

10.5. Incompatible materials

NO CONCERNED

Material Safety Data Sheet

Printed : 17/06/2021

GERANIUM OIL, EGYPTIAN GERAN0032

Review : 001NEW-22-GHS from 17/06/2021

10.6. Hazardous decomposition products

Thermal decomposition / conditions to be avoided :

Avoid contact with any flame or spark, flame, Overheat. Avoid Direct rays of the sun.
No decomposition if used according to specifications.

Dangerous decomposition products :

No dangerous decomposition products known.

11. TOXICOLOGICAL INFORMATION

11.1. Information on toxicological

Toxicological Information :

No data available.

Toxicological Informations Acute :

- Oral (mg/kg) : Not classified
- Inhalation (mg/kg) : Not determined
- Skin (mg/kg) : Not classified

12. ECOLOGICAL INFORMATION

12.1. Toxicity

Do not leave the product, even diluted or in great quantity, penetrate the ground water, water or the drains.

12.2. Persistence and degradability

NO CONCERNED

12.3. Bioaccumulative potential

NO CONCERNED

12.4. Mobility in soil

NO CONCERNED

12.5. Results of PBT and vPvB assessment

NO CONCERNED

12.6. Other adverse effects

NO CONCERNED

13. DISPOSAL RECOMMENDATIONS

13.1. Waste treatment methods

Waste : Do not flush with household garbage. Do not pour into drains or waterways. Dispose of according to current legislation, by a collector or a specialized company.

Contaminated packaging : Keep the label on the container. Give to a certified disposal.

14. TRANSPORT INFORMATION

ADR:

Material Safety Data Sheet

Printed : 17/06/2021

GERANIUM OIL, EGYPTIAN GERAN0032

Review : 001NEW-22-GHS from 17/06/2021



IMDG:



IATA:



14.1. UN number

ADR : 3082 (Tunel code :(E))
 IMDG:3082
 IATA :3082

Custom tariff : 33012941

14.2. UN proper shipping name

ADR : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.(Geranyl acetate)
 IMDG:ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.(Geranyl acetate)
 IATA :ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.(Geranyl acetate)

14.3. Transport hazard class(es)

ADR : 9
 IMDG:9
 IATA :9

14.4. Packing group

ADR : III
 IMDG:III
 IATA :III

14.5. Environmental hazards

IMDG : Marine pollutant component

14.6. Special precautions for user

NO CONCERNED

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

NO CONCERNED

15. REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Class of water contamination (Germany) : WGK 2

Material Safety Data Sheet

Printed : 17/06/2021

GERANIUM OIL, EGYPTIAN GERAN0032

Review : 001NEW-22-GHS from 17/06/2021

15.2. Chemical safety assessment

Contient Citronellol, Geraniol, Citronellyl formate, Linalool, Geranyl formate, d,l-Isomenthone, Menthone, Alpha-Terpineol, 2,6,6-trimethyl-bicyclo-2-heptene, Citral, Beta-Pinène, Myrcene, beta-Caryophyllene, d-Limonene, Nerol, Geranyl acetate : Peut provoquer des allergies.

16. OTHER INFORMATION

Full H sentences text in point 3 :

H226	Flammable liquid and vapour.
H227	Combustible liquid
H302	Harmful if swallowed.
H303	May be harmful if swallowed
H303+H313	May be harmful if swallowed or in contact with skin
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H316	Causes mild skin irritation
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H361	Suspected of damaging fertility or the unborn child <state specific effect if known> <state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard>.
H400	Very toxic to aquatic life.
H401	Toxic to aquatic life
H402	Harmful to aquatic life
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
H413	May cause long lasting harmful effects to aquatic life.

Material security data sheet according to (CE) 1272/2008

These indications are founded on the current state of our knowledge, but do not constitute a guarantee as for the properties of the product and do not give place to a contractual legal report.

Modified points : 2.1 2.2 2.3 3.2 8.2 9.1 14.1 15.2