# Safety Data Sheet 29 CFR 1910.1200

# Product Name: CIS-3-HEXENYL ACETATE Company: THE JOHN D. WALSH CO., INC. 25 EXECUTIVE PKWY. RINGWOOD, NJ 07456 **Emergency Response: 24 HOUR EMERGENCY NUMBER** CHEMTREC (800) 424-9300 Section 2: Hazards Identification BLANK BI ANK **Hazard Pictograms:** Signal Word: Warning **Hazard Category:** Flammable Liq Cat 3 Acute tox, oral Cat 5 Acute tox, dermal Cat 5 Skin corrosion/irritation Cat 3 **Hazard Statements:** H226: Flammable liquid and vapour H303: May be harmful if swallowed H313: May be harmful in contact with skin H316: Causes mild skin irritation P210: Keep away from heat/sparks/open flames/hot surfaces - No smoking Precautionary Statements: P240: Ground/bond container and receiving equipment P241: Use explosion-proof electrical/ventilating/light/.../equipment P243: Take precautionary measures against static discharge P280: Wear protective gloves/protective clothing/eye protection/face protection P302+352: IF ON SKIN: Wash with soap and water P303+361+353: IF ON SKIN (or hair): Remove/Take off immediately all contaminated P312: Call a POISON CENTER or doctor/physician if you feel unwell P333+313: If skin irritation or a rash occurs: Get medical advice/attention P362: Take off contaminated clothing and wash before reuse P370+378: In case of fire: Use appropriate media to extinguish P391: Collect spillage P403+235: Store in a well ventilated place. Keep cool P501: Dispose of contents/container in accordance with local/national/international rules. Hazards not otherwise classified: Not applicable, none known.

## Section 3: Composition / Information on Ingredients

Section 1: Company and Product Identification

Common Name:	CAS#	Weight %
CIS-3-HEXENYL ACETATE	3681-71-8	100

#### Section 4: First Aid Measures

General Info: ENSURE THAT MEDICAL PERSONNEL ARE AWARE OF THE MATERIAL INVOLVED, AND TAKE PRECAUTIONS TO PROTECT THEMSELVES. SHOW SDS TO DOCTOR IN ATTENDANCE

- If ingested: Rinse mouth. Seek immediate medical attention. Do not induce vomiting. If vomiting occurs, the head should be kept low so that the vomit doesn't enter the lungs
- If inhaled: Remove to fresh air. Obtain medical attention if asthma-like symptoms or other symptoms develop. Oxygen may be necessary.
- **Eye contact:** Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses if present and easy to do. Get medical attention if irritation develops or persists.
- **Skin contact:** Take off immediately all contaminated clothing. Rinse with water thoroughly. Get medical advice if irritation develops or persists.
- Additional Info: Observe for any symptoms for several hours after exposure. Follow up with medical attention if symptoms develop.

#### Section 5: Fire Fighting Measures

**Extinguishing** Water spray, Carbon dioxide (CO2), dry chemical, foam. Firefighters should wear self-contained **Method / Equipment:** breathing apparatus (SCBA) and full protective equipment.

Hazardous Fire may produce irritating, corrosive and/or toxic gases **Decomposition Info:** 

#### Section 6: Accidental Release Measures

Personal precautions, Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Eliminate all protective equipment ignition sources (no smoking, flares, sparks, or flames in immediate area). Wear appropriate and procedures: protective equipment and clothing during clean-up. Avoid breathing vapors. Ventilate area if easy to do so. Contact local authorities if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Containment Large Spills: Contain actively spilling material if safe and easy to do so. Dike the spilled material, Equipment and where this is possible. Utilize absorbent clay or sand to contain and stop spreading material. Procedures:

Small Spills: Utilize absorbent clay or sand and transfer to waste receptacles.

Cleanup Procedures: Collect all contaminated clay, media, or other cleanup materials into a waste receptacle. If cleaning surface is necessary, utilize mineral spirits or other solvents, provided adequate ventilation is available.

#### Section 7: Handling and Storage

Safe Handling Do not handle until all safety precautions have been read and understood. Do not handle near an open Precautions: flame or sources of ignition. Ensure adequate ventilation. Take precautionary measures against static discharges. Avoid breathing vapors. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Wear appropriate personal protective equipment.

Recommendations for Store in cool area in product container away from sources of ignition or flame. Storage:

## Section 8: Exposure Control / Personal Protection

General / Engineering Local exhaust ventilation should be utilized to control vapors / substances below exposure limits. Eye Controls: wash facilities must be available when handling this product.

Work Clothing: Protective work clothing which covers skin and prevents exposures.

Eye/face protection: Wear safety goggles or face shield.

Skin Protection: Wear solvent resistant gloves.

**Respiratory** chemical respirator with organic vapor cartridge and full face plate **Protection:** 

Additional Observe good chemical hygiene practices. Do not smoke or eat while using this product. Wash hands Information: or exposed skin after using the product.

#### Section 9: Physical and Chemical Properties

State: Liquid	Melting Point: Not avail	Freezing Not avail Point:
Color: Colorless to pale yellow	Boiling point: 75C	<b>pH</b> Not avail
<b>Sp Grav:</b> 0.9		Water Insoluble Solubility:
Evaporation rate: Not avail	Flash Point: 53C	Part. Coeff (n Not avail octanol/water
Upper Flam Limits: Not avail	Lower Flam Not avail Limits:	Vapor <u>2mmHg@25C</u> Pressure:
VOC Content Not avail (lbs/gal):	Viscosity: Not avail	Autoignition Not avail Temp:

## Section 10: Stability and Reactivity

Incompatible Strong oxidizing agents, strong acids. materials:

**Decomposition** No decomposition products known. Toxic substances may be released in the event of a fire. **products:** 

## Section 11: Toxicological Information

Likely Routes of Inhalation of vapors, dermal Exposure:

### THE JOHN D. WALSH CO., INC.

#### Toxicological Information (contained substances)

Substance	LD50 Oral	LD50 Dermal
CIS-3-HEXENYL ACETATE	5000 mg/kg(Rat)	5000 mg/kg (Rabbit)

Carcinogenicity or NOT DETERMINED

mutagenicity:

# Sensitization: THIS PRODUCT IS NOT EXPECTED TO CAUSE SKIN SENSITIZATION

Other Notes: Not applicable.

## Section 12: Ecological Information

Aquatic toxicity: Not Determined

Degradation / Mobility info: No specific data available.

Bioaccumulative potential: No specific data available.

#### Section 13: Disposal Information

**Product disposal:** Dispose of product in accordance with local, regional, and national regulations. Consult with waste contractor. Contains low levels of flammable solvents.

Container disposal: Treat empty containers with extra care, as residual solvents may pose ignition hazard. Consult waste contractor.

#### Section 14: Transport Information

DOT GROUND NON NOT REGULATED BULK: IMO/IMDG: UN 1993,FLAMMABLE LIQUID,NOS(CIS-3-HEXENYL ACETATE),3,PGIII

IATA: UN 1993,FLAMMABLE LIQUID,NOS(CIS-3-HEXENYL ACETATE),3,PGIII

## Section 15: Regulatory Information

Canadian DSL: YES LISTED

WHMIS: H-1,F-2,R-0

Section 16: Other Information

Version Date:

4/27/2020

Disclaimer: The information in this MSDS was obtained from current and reliable sources. However the data is provided without any warranty, expressed or implied, regarding its correctness or accuracy. It is the user's responsibility both to determine safe conditions for use of this product and to assume liability for loss, injury, damage, or, expense resulting from improper use of this product